DASH REPAIR

Clean the damaged area, most common household cleaners will work. Make certain all type dirt or grime is removed.

Fill in the cracks or voids with the epoxy ribbon or the clear air-dry adhesive.

The clear air-dry adhesive is tough vinyl filler that, depending on the size of the damage, usually takes about 2 hours to dry. Simply fill in the damaged area with the clear air-dry adhesive and allow drying. Use prior to the heat cure compound as explained below.

The epoxy ribbon has two colors in it. The second color is the catalyst within the ribbon. Knead it together in you fingers for about one minute. The colors will blend together as you knead it. It must be mixed thoroughly prior to applying it. Use the epoxy like clay, and spread it into the damaged spot. Allow it to harden, at least 25 minutes. After it is dry, it can be sanded. The area should be level and smooth.

The color compounds requires heat to cure it, and are intermixable. Mix your colored compounds together to your desired shade. Apply the compound directly over the damage area, now filled with adhesive or epoxy. Spread it as evenly as possible. Cover the repair compound with a textured grain paper of your choice.

If you are using your home iron for a heat source, place the tip of the iron on top of the grain paper and move it in small circular motions over the damaged area for about one minute. Allow the grain paper to cool completely and carefully remove it.

If you receive a wooden dowel in your kit-a wood stick with a dime size tip-place the tip against your home iron as a heat source so you can iron with it.

Professional electric irons are also available from R.I. International Inc. (call 330-665-7641). Or you can visit our website.

The area being repaired can be refilled, heated and grained again until it is filled evenly.

Hardening powder is a special resin that is mixed into the compound (approximately ½ powder to ½ compound) until it becomes quite thick and heavy. This is used when a harder surface is in need of a repair.

Call (330) 665-7641 FOR ASSISTANCE OR FURTHER INFORMATION VISIT US AT OUR WEBSITE WWW.REPAIR-IT-ALL.COM