#### **Material Safety Data Sheet** acc. to ISO/DIS 11014

Printing date 11/14/2008 Reviewed on 11/14/2008

1 Identification of substance

Trade name: Gloss Black Product code: 10017Z

The Easthill Group Manufacturer/Supplier: USA & Canada: 1-800-345-1178 Dba/ The Eastwood Co. Outside USA: (610) 323-2200

263 Shoemaker Rd. Pottstown, PA 19464

**Emergency information:** Chem-Trec 1-800-424-9300

2 Composition/Data on components

**Chemical Description:** This product is a mixture of the substances listed below with nonhazardous additions.

Dangerous	Dangerous components:				
67-64-1	Acetone	37.64%			
74-98-6	propane	15.74%			
108-88-3	Toluene	11.81%			
106-97-8	n-butane	9.25%			
2807-30-9	Glycol Ether EP	4.63%			
107-87-9	Methyl Propyl Ketone	3.43%			
108-65-6	PM acetate	1.38%			

#### 3 Hazards identification

**Hazard description:** 

Harmful

Extremely flammable

Extremely flammable. **Physical dangers:** 

Irritating to eyes.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Keep out of the reach of children.

**Effects of chronic** 

May cause permanent brain and nervous system damage. Repeated overexposure can also damage overexposure:

kidneys, lungs, liver, heart, and blood. Intentional misuse by deliberately inhaling the contents may be

harmful or fatal.

**NFPA ratings (scale 0 - 4):** Health =

Fire = Reactivity = 3

**HMIS-ratings** (scale 0 - 4): Health=

Fire= Physical Hazard= 3

4 First aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Remove contaminated clothing. Wash exposed area with soap and water.

Move to fresh air. Rinse opened eye for several minutes under running water. If symptoms persist, **After eye contact:** 

consult a doctor.

After swallowing: Contact physician or poison control center.

5 Fire fighting measures

CO2, sand, extinguishing powder, or water spray. Fight larger fires with water spray or alcohol resistant **Extinguishing agents:** 

**Protective equipment:** No special measures required.

6 Accidental release measures

Personal safety

precautions: Wear protective equipment. Keep unprotected persons away.

Environmental safety precautions:

Do not allow product to reach sewage systems or ground water.

Measures for cleaning/

collecting: Ensure adequate ventilation.

7 Handling and storage

Fire/explosion protection: Do not spray on a naked flame or any incandescent material. Do not smoke. Protect from electrostatic

discharges.

(Contd. on page 2)

# Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 11/14/2008 Reviewed on 11/14/2008

Trade name: Gloss Black

(Contd. of page 1)

**Storage requirements:** Observe pressurized container storage regulations. Consult with your local authorities.

8 Exposure	controls	and	personal	protection:

o Lapos	are controls and personal protection.				
Compo	Components with limit values that require monitoring at the workplace:				
67-64-1	67-64-1 Acetone				
PEL	2400 mg/m³, 1000 ppm				
REL	590 mg/m³, 250 ppm				
TLV	Short-term value: 1782 mg/m³, 750 ppm				
	Long-term value: 1188 mg/m³, 500 ppm BEI				
74-98-0	74-98-6 propane				
PEL	1800 mg/m³, 1000 ppm				
REL	1800 mg/m³, 1000 ppm				
TLV	Varies mg/m <sup>3</sup> , 1000 ppm				
108-88	-3 Toluene				
PEL	Short-term value: C 300; 500* ppm				
	Long-term value: 200 ppm				
DEI	*10-min peak per 8-hr shift				
REL	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm				
TLV	75 mg/m <sup>3</sup> , 20 ppm				
	-8 n-butane				
REL TLV	1900 mg/m³, 800 ppm Varies mg/m³, 1000 ppm				
	<u> </u>				
107-87-9 Methyl Propyl Ketone					
PEL	700 mg/m <sup>3</sup> , 200 ppm				
REL	530 mg/m <sup>3</sup> , 150 ppm				
TLV	Short-term value: 529 mg/m³, 150 ppm				
108-65-6 PM acetate					

WEEL 50 ppm

Protective hygienic

measures: Keep away from foodstuffs and animal feed. Wash hands after use.

A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. Please **Breathing equipment:** 

consult an authority on chemical hygeine monitoring if you suspect overexposure conditions exist and need a specific recommendation on proper ventilation techniques and personal protection.

**Protection of hands:** Protective gloves. The glove material has to be impermeable and resistant to the substance. No glove

recommendation can be given. Tightly sealed goggles

**Eye protection:** 

# 9 Physical and chemical properties:

General Information: Odor: Boiling point/Boiling range:	Aromatic -110°C
Flash point:	-19°C
Ignition temperature:	365°C
Auto igniting:	Product is not self-igniting.
Danger of explosion:  Lower Explosion Limit:  Upper Explosion Limit:  Vapor Pressure:	Stable at normal temperatures. Can may burst when exposed to temperatures exceeding 120 degrees fahrenheit. In use, may form flammable/explosive vapour-air mixture. 1.7 Vol % 10.9 Vol % 40 PSI, 2750 hPa
Density at 20°C: Specific Gravity:	0.74999 g/cm <sup>3</sup> Between 0.77 and 0.85 (Water equals 1.00)
VOC content: VOC content (less exempt solvent MIR value:	551.6 g/l / 4.60 lb/gl ts): 47.3 % 47.3 %

(Contd. on page 3)

Page 3/4

# Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 11/14/2008 Reviewed on 11/14/2008

Trade name: Gloss Black

(Contd. of page 2)

IR Value: 1.12

MIR Value: 1.12 Solids content: 14.7 %

# 10 Stability and reactivity:

**Conditions to be avoided:** Do not allow the can to exceed 120 degrees Fahrenheit. Stable at normal temperatures.

Possibility of Hazardous

**Reactions:** No dangerous reactions known.

### 11 Toxicological information:

**Primary effect on the skin:** No irritant effect. **Primary effect on the eye:** Irritating effect.

Sensitization: Additional toxicological No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for

preparations:

#### 12 Ecological information

Other information: This product does not contain any chloroflourocarbons (CFC's), chlorinated solvents, lead, mercury,

cadmium, hexavalent chromium, polybrominated biphenyl (PBB), or polybrominated diphenyl ether

(PDBE). No specific ecological data is available for this product.

**Acquatic toxicity:** Hazardous for water, do not empty into drains.

#### 13 Disposal considerations

DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

**Recommendation:** Completely empty cans should be recycled.

# 14 Transport information:

Hazard class: 2.1 Identification number: N/A Label 2.1

**ADR/RID class:** 2 5F Gases

UN-Number: 1950
IMDG Class: 2.1
Packaging group: II
EMS Number: F-D,S-U
Marine pollutant: No
ICAO/IATA Class: 2.1

**Propper shipping name:** Aerosols, Flammable

Consumer Commodity ORM-D

# 15 Regulations

### SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed.

# SARA Section 313 (Specific toxic chemical listings):

108-88-3 Toluene

TSCA (Toxic Substances

**Control Act):** All ingredients are listed.

#### PROPOSITION 65 Chemicals known to cause cancer:

1333-86-4 Carbon black

100-41-4 ethyl benzene

# PROPOSITION 65

Chemicals known to cause

**developmental toxicity:** 108-88-3 Toluene

EPA: (Contd. on page 4)

# Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 11/14/2008 Reviewed on 11/14/2008

Trade name: Gloss Black		
	A= Known human carcinogen B= Probable human carcinogen C= Possible human carcinogen D= Not classifiable as to human carcinogenicity: Inadequate human and animal evidence carcinogenicity (or no data is available).	
67-64-1 Acetone		I
108-88-3 Toluene		II
IARC:	Group 2B: The ingredient is possibly carcinogenic to humans. There is limited evidence carcinogenicity.  Group 3: The ingredient is unclassifiable as to its carcinogenicity to humans.	e of
108-88-3 Toluene		3
ACGIH TLVs:	A1-designates a confirmed human carcinogen. A2-designates a suspected human carcinogen. A3-designates an animal carcinogen. A4-designates "not classifiable as a human carcinogen".	
67-64-1 Acetone		A4
108-88-3 Toluene		A4
NIOSH:		
1333-86-4 Carbon black		
Risk phrases:	Extremely flammable. Irritating to eyes. Harmful: danger of serious damage to health by prolonged exposure through inhalation.	
Safety phrases:	Keep out of the reach of children. Keep in a cool place. Keep container in a well-ventilated place. Keep away from food, drink and animal feedingstuffs. Keep away from sources of ignition - No smoking. Do not breathe gas/fumes/vapour/spray. Do not empty into drains, dispose of this material and its container at hazardous or special was collection point Wear suitable protective clothing and gloves. If swallowed, seek medical advice immediately and show this container or label. Use only in well-ventilated areas.	aste

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact: Regulatory Affairs

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
VOC: Volatile Organic Compounds (USA, EU)