Electrolyte Solution

SECTION I - IDENTIFICATION

PRODUCT NAME: EASTWOOD ELECTROLYTE SOLUTION

PRODUCT CODE: 10049ZB

PRODUCT USE: Electroplating solution **COMPANY NAME:** The Eastwood Company

COMPANY ADDRESS: 263 Shoemaker Rd. Pottstown PA19464 610-323-2200

COMPANY PHONE: (U.S. & Canada) 1-800-343-9353 **EMERGENCY PHONE: 800-424-9300 (Chemtrec)**

SECTION II – HAZARDS IDENTIFICATION

CLASSIFICATION: Skin Corrosive: Category 1B

Eye Damage: Category 1 Corrosive to Metals

HAZARD STATEMENT(S): DANGER: Causes Severe skin burns and eye damage. May be corrosive to metals.

This product contains the following percentage of chemicals of unknown toxicity: 0.0

PRECAUTIONARY STATEMENTS: Do not breathe mists. Wash hands thoroughly after handling. Wear protective gloves, eye protection, face shield, and protective clothing. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents and container in accordance with local, state, and national regulations. Keep only in original container. Absorb spillage to prevent material damage. Store in a corrosive resistant container with a resistant inner liner.



HAZARDS NOT OTHERWISE CLASSIFIED: N/A

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT **CAS NUMBER PERCENT** Sulfuric Acid 7664-93-9 7-13% Tin(II) Sulfate 7488-55-3 1-5%

SECTION IV - FIRST AID MEASURES

EYES: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

INGESTION: If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice or attention.

INHALATION: Move to fresh air. If breathing is difficult, administer oxygen. If not breathing administer artificial respiration or at any sign of loss of consciousness seek immediate medical attention.

SKIN: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

ACUTE HEALTH HAZARDS: Causes severe burns. **CHRONIC HEALTH HAZARDS:** None Known

NOTE TO PHYSICIAN: If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

SECTION V - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Use appropriate media for surrounding fire.

UNSUITABLE EXTINGUISHING MEDIA: N/A

SPECIAL FIRE FIGHTING PROCEDURES: Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

Safety Data Sheet

Electrolyte Solution

UNUSUAL FIRE AND EXPLOSION HAZARDS: Contact with some metals, particularly magnesium, aluminum, and galvanized zinc can generate hydrogen gas rapidly which is explosive.

HAZARDOUS COMBUSTION PRODUCTS: Alkaline vapors in fire.

SECTION VI – ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

SPILL: Clean up using cloth or absorbent material. dispose of product-containing wiping cloth or absorbent paper in suitable manner. place waste in proper containers for waste disposal.

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Do not reuse container and recycle or place in trash collection. Drums and pails should be offered for recycling.

RCRA STATUS: Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION VII – HANDLING AND STORAGE

HANDLING AND STORAGE: Lock up and store in a cool, dry area. Keep containers tightly closed. Follow label directions.

OTHER PRECAUTIONS: Keep out of the reach of children.

INCOMPATIBILITY: Alkaline Materials.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Sulfuric Acid	1 mg/m3	0.2 mg/m3
Tin(II) Sulfate	50 ppm	20 ppm

ENGINEERING CONTROLS / VENTILATION: General ventilation recommended.

RESPIRATORY PROTECTION: Wear NIOSH/MSHA approved organic vapor respiratory protection if listed exposure limits (section

VIII) are exceeded.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses

ADDITIONAL MEASURES: Wash hands immediately after use. Do not get on clothes or skin.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colorless Liquid

ODOR: Acid Odor

ODOR THRESHOLD: N/D

BOILING POINT: $> 212^{\circ}F (100^{\circ}C)$ **FREEZING POINT:** $< 32^{\circ}F (0^{\circ}C)$

FLAMMABILITY: Not considered a flammable liquid by OSHA (29CFR 1910.1200)

FLASH POINT: N/D

AUTOIGNITION TEMPERATURE: N/D LOWER FLAMMABILITY LIMIT: N/D UPPER FLAMMABILITY LIMIT: N/D VAPOR PRESSURE (mm Hg): >18 VAPOR DENSITY (AIR=1): 1 EVAPORATION RATE: < 0.8 (Slow)

SPECIFIC GRAVITY (H2O=1): 1.1 @ 77° F (25° C)

pH: <1

SOLIDS (%): N/D

SOLUBILITY IN WATER: 100%

PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D

VOLATILITY INCLUDING WATER (%): 93% VOLATILE ORGANIC COMPOUNDS (VOC): <3%

DIELECTRIC STRENGTH (Volts): N/A **DECOMPOSITION TEMPERATURE:** N/D

VISCOSITY: N/D

Safety Data Sheet

Electrolyte Solution

SECTION X – STABILITY AND REACTIVITY DATA

REACTIVITY: If exposed to strong oxidizers, presents explosion hazard.

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Do not mix with strong acids.

INCOMPATIBILITY: Alkaline Materials.

HAZARDOUS DECOMPOSITION OR BY-PRODUCT: Oxides of carbon

POSSIBLE HAZARDOUS REACTIONS: None Known

SECTION XI - TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Sulfuric Acid () LD₁₀₀ (Oral, Rat) 2296 mg/kg; LC₅₀ (Inhalation, Rat, 1hr) 372 mg/l

ROUTES OF ENTRY: Eyes, Ingestion, Inhalation, Skin

EYES: Causes severe burns, stinging, redness, tearing, swelling, and may cause corneal damage, blindness. Burning may not be

immediately painful or visible.

INGESTION: Causes chemical burns, damage to mouth and esophagus with gastrointestinal irritation, nausea, vomiting.

INHALATION: Causes irritation to the respiratory tract, upper respiratory damage

SKIN: Cause redness, pain, and severe burns to skin. Concentrated soluctions cause deep ulcers and discolor skin. Exposure to liquid,

vapor, or mist causes severe skin irritation.

MEDICAL CONDITION AGGRAVATED: May aggravate pre-existing medical conditions.

ACUTE HEALTH HAZARDS: Causes severe burns. CHRONIC HEALTH HAZARDS: None Known

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: No

SECTION XII - ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Not Established **BIODEGRADABILITY:** This product is biodegradable.

BIOACCUMULATION: This product is not expected to bioaccumulate.

SOIL MOBILITY: This product is mobile in soil.

OTHER ECOLOGICAL HAZARDS: This material is toxic to aquatic life.

SECTION XIII - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations. Do not reuse container and recycle or place in trash collection. Drums and pails should be offered for recycling.

RCRA STATUS: Waste likely considered hazardous under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION XIV - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Corrosive liquid, acidic, inorganic, n.o.s.

HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: UN 3264

PACKAGING GROUP: II

AIR SHIPMENT

PROPER SHIPPING NAME: Corrosive liquid, acidic, inorganic, n.o.s.

HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: UN 3264

SHIPPING BY WATER:

VESSEL (IMO/IMDG)

PROPER SHIPPING NAME: Corrosive liquid, acidic, inorganic, n.o.s.

HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: UN 3264

ENVIRONMENTAL HAZARDS WATER: N/A

PAGE 3 of 4

Safety Data Sheet Electrolyte Solution

SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All Chemicals are listed or exempt.

 $\textbf{CERCLA} \ (\textbf{COMPREHENSIVE RESPONSE COMPENSATION}, \textbf{AND LIABILITY ACT}): \ \textbf{Sulfuric Acid} \ (7664-93-9) - \textbf{Reportable}$

Quantity = 1,000 lbs

SARA 311/312 HAZARD CATEGORIES: Acute Health SARA 313 REPORTABLE INGREDIENTS: None

STATE REGULATIONS: Sulfuric Acid (7664-93-9): Massachusetts Right To Know; New Jersey Right to Know; Pennsylvania Right to

Know; Rhode Island Right To Know

California Proposition 65: This product contains a chemical known to the State of California to cause cancer.

INTERNATIONAL REGULATIONS: All components are listed or exempted.

NFPA HEALTH: 3
NFPA FLAMMABILITY: 0
HMIS FLAMMABILITY: 0
NFPA REACTIVITY: 1
NFPA OTHER: None
HMIS PROTECTION: D

SECTION XVI - ADDTIONAL INFORMATION

PREPARATION BY: EHS Administrator

DATE PREPARED: 08/15/2013 **REVISION DATE:** 09/23/2015

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.