

MSDS Material Safety Data Sheet

MSDS Number:

Revision Date: 08/11/08

Page 1 of 5

1**PRODUCT AND COMPANY IDENTIFICATION****Manufactured For**

The Easthill Group
dba/ The Eastwood Company
263 Shoemaker Road
Pottstown, PA 19464
USA & Canada: 800-345-1178
Outside USA: (610) 323-2200

Emergency Contact: Chem-Trec 800-424-9300

Product Name: HotCoat Powder Translucent Magenta
Revision Date: 08/11/08
Product Code: 10157

2**HAZARDS IDENTIFICATION**

Route of Entry: Inhalation, Ingestion, Skin Absorption, Eye Contact
Target Organs: Respiratory System, Pulmonary System, Reproductive System
Inhalation: May cause irritation of the respiratory tract. Prolonged or repeated exposure causes lung damage.
Skin Contact: May cause skin irritation. May cause skin irritation.
Eye Contact: Dust may cause irritation and inflammation.
Ingestion: Harmful if swallowed.

HMIS® Rating H1/F1/PH0

This product may contain Barium Sulfate. The USEPA published the final rule in the June 28, 1994 Federal Register deleting Barium Sulfate from the category "Barium Compounds". This product may contain crystalline silica as quartz. Crystalline silica is an experimental carcinogen, tumorigen and neoplastigen; it is listed by NTP, IARC and is listed pursuant to California's Safe Drinking Water and Toxic Enforcement (1986) Act as a human carcinogen.

3**COMPOSITION/INFORMATION ON INGREDIENTS**

100.0%	Proprietary Formulation
--------	-------------------------

MSDS Material Safety Data Sheet

MSDS Number:

Revision Date: 08/11/08

Page 2 of 5

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If breathing stops, have trained person administer artificial respiration and seek medical attention immediately.

Skin Contact: Wash thoroughly with soap and water. Continue to wash for 10 minutes. If irritation persists, seek medical attention.

Eye Contact: Immediately flush with water for at least 15 minutes. Check for and remove any contact lenses. If irritation persists, seek medical attention.

Ingestion: Wash mouth out with water. Remove dentures if any. If large quantities are ingested, seek medical advice to determine the best course of action. Do not induce vomiting. Toxic by ingestion. Can cause effects on the male reproductive system.

5 FIRE FIGHTING MEASURES

Flash Point: Not Applicable
Flash Point Method: Not available
Burning Rate: Not available
Autoignition Temperature: Not available
LEL: Not available
UEL: Not available
Flammability Classification: Not available.

Extinguishing Media:

Carbon dioxide, dry chemical powder, foam, and or water fog. Sensitivity of Static Charge:

Electrostatic charge may build up during handling. Grounding of equipment is recommended.

6 ACCIDENTAL RELEASE MEASURES

Shovel or scoop into container for reclamation or disposal in an appropriate manner.

7 HANDLING AND STORAGE

Handling Precautions: Avoid breathing dust.
Put on appropriate personal protective equipment.
Wash thoroughly after handling.
Avoid contact with eyes.
Use only with adequate ventilation.
Minimize the free fall distance of powder when loading, unloading, or conveying to avoid dust generation and potential static discharge.

Storage Requirements: Store in cool, dry place to prevent caking.
Keep away from heat, spark, and flames.
Avoid moisture.
Keep tightly closed when not being used.
Label all containers appropriately.
Do not store near food or drinks.

MSDS Material Safety Data Sheet

MSDS Number:

Revision Date: 08/11/08

Page 3 of 5

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:	General room ventilation plus local exhaust at points of emission to maintain levels of airborne contaminants below exposure limits. Assure limits for TGIC dust of 0.25 mg/m ³ are maintained. General room ventilation plus local exhaust at points of emission to maintain levels of airborne contaminants below exposure limits. Assure limits for TGIC dust of 0.25 mg/m ³ are maintained.
Protective Equipment:	HMIS PP, E Goggles, Gloves, Dust Respirator
Exposure Guidelines/Other:	Individuals with lung or breathing problems or who have had a prior reaction to isocyanates must not be exposed to vapor or spray mist. Wear an appropriate, properly fitted respirator (NIOSH/MSHA approved) during and after application. Follow respirator manufacturer's directions for respirator use. Use NIOSH approved respirator (particle mask) for dusts.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Finely divided powder	Boiling Point:	
Physical State:	Solid	Freezing/Melting Pt.:	
Odor:	Nearly Odorless	Solubility:	Insoluble
pH:	6.0-9.0	Spec Grav./Density:	3.3/3.3
Vapor Pressure:	Not determined		
Vapor Density:	Not Applicable		

10 STABILITY AND REACTIVITY

Stability:	Stable
Conditions to avoid:	Contact with extreme heat, sparks, open flame, and static discharge.
Materials to avoid (incompatibility):	Water, alcohols, amines, strong acids, strong bases, and oxidizers.
Hazardous Decomposition products:	
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

NTP Carcinogen: No
IARC Monographs: No
OSHA Regulated: No
Not known to contain any ingredients recognized as carcinogens by the National Toxicology Program (NTP), the International Agency for Cancer Research (IARC) or the Occupational Safety and Health Administration (OSHA).

MSDS Material Safety Data Sheet

MSDS Number:

Revision Date: 08/11/08

Page 4 of 5

12 ECOLOGICAL INFORMATION

Water hazard class 1 (self-assessment): slightly hazardous for water
Avoid disposal in landfills and sewage systems

13 DISPOSAL CONSIDERATIONS

This product is not regulated by the EPA. If disposed of as received is not considered a hazardous waste. Disposal should be made in accordance to federal, state, and local regulations.

14 TRANSPORT INFORMATION

U.S. DOT

Shipping Name: Paint, dry; not regulated
UN ID Number: NRPDRY

U.S. HIGHWAY & RAIL SHIPMENTS

The supplier may apply one of the following exceptions: Combustible liquid, consumer commodity, limited quantity, does not sustain combustion, or others as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

INTERNATIONAL AIR TRANSPORT ASSOCIATION:

Proper Shipping Name: Paint, dry; not regulated
UN ID Number: NRPDRY

INTERNATIONAL MARITIME ORGANIZATION:

Proper Shipping Name: Paint, dry; not regulated
UN ID Number: NRPDRY

MSDS Material Safety Data Sheet

MSDS Number:

Revision Date: 08/11/08

Page 5 of 5

15**REGULATORY INFORMATION**

HCS Classification: Not Regulated

U.S. Federal Regulations: TSCA All components are listed or exempted

SARA 302/304/311/312: No products were found

California Proposition 65:

This product contains a chemical known to the state of California to cause cancer and birth defects, or other reproductive harm.

Hazard determining components of labeling: TGIC

TGIC has been classified as "Possible Human Germ Cell Mutagen", and capable of causing permanent heritable damage in reproductive cells on humans. Overexposure can result in toxic effects on liver and lungs.

Canadian DSL Inventory Status: All components of this product are listed on the Canadian DSL Inventory List

16**OTHER INFORMATION**

U.S. Federal Regulations:

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of hazard communication program including labeling, material safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Material Safety Data Sheet available to all your employees.

NON-WARRANTY: The information presented in this publication is based upon the research and experience of NIC Industries, Inc. No representation or warranty is made, however, concerning the accuracy or completeness of express or implied, including without limitation any warranty of merchantability or fitness for any particular purposes, and no warranty or representation shall be implied by law or otherwise. Any products sold by NIC Industries, Inc. are not warranted as suitable for any particular purpose to the buyer. The suitability of any products for any purpose particular to the buyer is for the buyer to determine. NIC Industries, Inc. assumes no responsibility for the section of products suitable to the particular purposes of any particular buyer. NIC Industries, Inc shall in no way be liable for any special, incidental, or consequential damages.

END OF MSDS DOCUMENT