Printing date 01/24/2008

Reviewed on 01/24/2008

1 Identification of substance

- · Product details
- Trade name: TINTABLE TRUCK BEDLINER
- Article number: 10258ZP
- · Distributed By:

The Easthill Group dba/ The Eastwood Company 263 Shoemaker Road Pottstown, PA 19464

• Information department:

USA & Canada: 800-345-1178 Outside USA: (610) 323-2200

• Emergency information: 24 HR EMERGENCY CHEMTREC 1-800-424-9300

2 Composition/Data on components

· Chemical characterization

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:		
14807-96-6	Talc (Mg3H2(SiO3)4)	Warning: 1.2/2, 3.3/2A, 3.8/3	25-50%
	ACRYLIC RESIN	Warning: 🚸 3.2/2, 3.3/2A, 3.8/3	10-25%
67-64-1	acetone	Danger: 🚸 2.6/2 Warning: 🕩 3.3/2A, 3.8/3	10-25%
	POLYESTER RESIN	Warning: 1.2/2, 3.3/2A, 3.8/3	2.5-10%
	POLYESTER RESIN	Danger: 🚸 3.1.0/3, 3.2/2, 3.3/2A, 3.8/3	2.5-10%
123-86-4	n-butyl acetate	Warning: 🚸 2.6/3; 🚸 3.8/3	2.5-10%
110-43-0	heptan-2-one	Danger: 🤣 3.1.0/3, 3.1.1/4 Warning: 🐼 2.6/3	2.5-10%
1330-20-7	xylene	Danger: 🤣 3.1.D/3, 3.1.I/4, 3.2/2 Warning: 🐼 2.6/3	1-2.5%

3 Hazards identification

• Hazard description:




Irritant Highly flammable

Information pertaining to particular dangers for man and environment: The product has to be labelled due to the calculation procedure of international guidelines. Has a narcotizing effect. Highly flammable. Irritating to eyes, respiratory system and skin. Vapours may cause drowsiness and dizziness.
Classification system: The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

Printing date 01/24/2008

Reviewed on 01/24/2008



Printing date 01/24/2008

Reviewed on 01/24/2008

Trade name: 10258ZP TINTABLE TRUCK BEDLINER

(Contd. of page 2)

· Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

5 Fire fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- *Measures for environmental protection:* Do not allow to enter sewers/ surface or ground water. • *Measures for cleaning/collecting:*

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

7 Handling and storage

· Handling:

- Information for safe handling: Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls and personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 01/24/2008

Reviewed on 01/24/2008

Trade name: 10258ZP TINTABLE TRUCK BEDLINER

	(Contd. of page)
Comp	ponents with limit values that require monitoring at the workplace:
67-64	-1 acetone
PEL	2400 mg/m ³ , 1000 ppm
	590 mg/m ³ , 250 ppm
TLV	Short-term value: 1782 mg/m³, 750 ppm
	Long-term value: 1188 mg/m³, 500 ppm BEI
123-8	6-4 n-butyl acetate
PEL	710 mg/m ³ , 150 ppm
	Short-term value: 950 mg/m ³ , 200 ppm
	Long-term value: 710 mg/m ³ , 150 ppm
TLV	Short-term value: 950 mg/m ³ , 200 ppm
	Long-term value: 713 mg/m³, 150 ppm
110-4	3-0 heptan-2-one
PEL	465 mg/m³, 100 ppm
	465 mg/m ³ , 100 ppm
TLV	233 mg/m ³ , 50 ppm
1330-	20-7 xylene
PEL	435 mg/m ³ , 100 ppm
	Short-term value: 655 mg/m³, 150 ppm
	Long-term value: 435 mg/m ³ , 100 ppm
	Short-term value: 651 mg/m³, 150 ppm
	Long-term value: 434 mg/m³, 100 ppm
	BEI
Additi	ional information: The lists that were valid during the creation were used as basis.
· Perso	nal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing.
Wash	hands before breaks and at the end of work.
Avoid	contact with the eyes and skin.
· Breat	hing equipment:
In cas	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	atory protective device that is independent of circulating air.
Protee	ction of hands:
	What has a second se
	Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5) USA

Printing date 01/24/2008

Reviewed on 01/24/2008

(Contd. of page 4)

Trade name: 10258ZP TINTABLE TRUCK BEDLINER

\cdot Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties · General Information Liquid Form: Color: According to product specification Odor: Characteristic Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. · Flash point: -19°C (-2°F) 370°C (698°F) · Ignition temperature: · Auto igniting: Product is not selfigniting. · Danger of explosion: In use, may form flammable/explosive vapour-air mixture. · Explosion limits: 2.6 Vol % Lower: 13.0 Vol % Upper: • Vapor pressure at 20°C (68°F): 233 hPa (175 mm Hg) • *Density at 20*•*C* (68•*F*): 1.21 g/cm3 · Solubility in / Miscibility with Water: Not miscible or difficult to mix. · Solvent content: Organic solvents: 27.6 % 15.2 % **VOC content:** 186.8 g/l / 1.56 lb/gl · Solids content: 72.3 %

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Dangerous reactions No dangerous reactions known.
- Dangerous products of decomposition: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 01/24/2008

Reviewed on 01/24/2008

Trade name: 10258ZP TINTABLE TRUCK BEDLINER

(Contd. of page 5)

11 Toxicological information

- Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- *The product shows the following dangers according to internally approved calculation methods for preparations: Irritant*

12 Ecological information

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

DOT regulations:		
T-MIDIEE LOOP		
V Hazard class:	3	
Identification number:	UN1263	
Packing group:	II	
Proper shipping name (technica	al name): PAINT	
Label	3 and ADR/RID (Furane):	
Label Land transport TDG (Canada) of the second sec	-	
Land transport TDG (Canada) a	-	
Land transport TDG (Canada) of the second se	and ADR/RID (Europe):	
	and ADR/RID (Europe): 3 Flammable liquids	

Printing date 01/24/2008

Reviewed on 01/24/2008

Trade name: 10258ZP TINTABLE TRUCK BEDLINER

		(Contd. of page
Description of goods:	1263 PAINT, special provision 640D	
Maritime transport IMDG:		
3		
IMDG Class:	3	
UN Number:	1263	
Label	3	
Packaging group:	II	
EMS Number:	F-E,S-E	
Marine pollutant:	No	
Propper shipping name:	PAINT	
Air transport ICAO-TI and IAT	A-DGR.	
3		
ICAO/IATA Class:	3	
UN/ID Number:	1263	
Label	3	
	J II	
Packaging group: Propper shipping name:	PAINT	

15 Regulations

Section 355	(extremely hazardous substances):		
None of the ingredient is listed.			
Section 313	(Specific toxic chemical listings):		
14807-96-6 Talc (Mg3H2(SiO3)4)			
	ACRYLIC RESIN		
1330-20-7	xylene		
TSCA (Toxi	ic Substances Control Act):		
14807-96-6 Talc (Mg3H2(SiO3)4)			
67-64-1	acetone		
123-86-4	n-butyl acetate		
110-43-0	heptan-2-one		
763-69-9	ethyl 3-ethoxypropionate		
1330-20-7	xylene		
	dibutyltin dilaurate		

Printing date 01/24/2008

Reviewed on 01/24/2008

Trade name: 10258ZP TINTABLE TRUCK BEDLINER

	65	(Contd. of page
Proposition Chemicals k	nown to cause cancer:	
1330-20-7 J		
• Chemicals known to cause reproductive toxicity for females:		
	ingredients is listed.	
-		
	nown to cause reproductive toxicity for males: ingredients is listed.	
v		
	nown to cause developmental toxicity:	
•	ingredients is listed.	
-	ity categories onmental Protection Agency)	
67-64-1		1
1330-20-7		1
	-	1
-	national Agency for Research on Cancer)	
	Talc (Mg3H2(SiO3)4)	
1330-20-7	-	
-	nal Toxicology Program)	
	ingredients is listed.	
	hold Limit Value established by ACGIH)	
	Talc (Mg3H2(SiO3)4)	A
67-64-1		A
1330-20-7		A
77-58-7	dibutyltin dilaurate	A
	(National Institute for Occupational Safety and Health)	
None of the	ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	
	t ted hazard informations: has been classified and marked in accordance with directives on hazardous ma	iterials.
Hazard sym Irritant Highly flam		
Safety phras Keep in a co Keep contai	ses:	

(Contd. on page 9)

Printing date 01/24/2008

Reviewed on 01/24/2008

Trade name: 10258ZP TINTABLE TRUCK BEDLINER

(Contd. of page 8)

USA

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environment protection department.
- · Contact: Steve Gaver
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Reglement internationale concernent le transport des merchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organization
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

Printing date 06/24/2008


Reviewed on 06/24/2008

1 Identification of substance

- · Product details
- Trade name: CATALYST FOR TINTABLE TRUCK BEDLINER
- · Article number:
- Distributed By: The Easthill Group dba/The Eastwood Company 263 Shoemaker Road Pottstown, PA 19464
- *Information department:* USA & Canada: 800-345-1178

Outside USA: (610) 323-2200

· Emergency information: 24 HR EMERGENCY CHEMTREC 1-800-424-9300



Reviewed on 06/24/2008

Printing date 06/24/2008 Trade name: CATALYST FOR TINTABLE TRUCK BEDLINER (Contd. of page 1) · GHS label elements Danger 3.4/1 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. 3.2/2 - Causes skin irritation. 3.3/2A - Causes serious eye irritation. 3.4/1 - May cause an allergic skin reaction. 3.8/2 - May cause damage to organs. Warning 4.1/1 - Very toxic to aquatic life with long lasting effects. Warning 3.1/4 - Harmful if swallowed. · Prevention: Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eve protection/face protection. In case of inadequate ventilation wear respiratory protection. · Response: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. Specific treatment (see label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Take off contaminated clothing and wash before reuse.

Wash contaminated clothing before reuse.

Collect spillage.

· Storage:

Store locked up.

· Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

Printing date 06/24/2008

Reviewed on 06/24/2008

Trade name: CATALYST FOR TINTABLE TRUCK BEDLINER

(Contd. of page 2)

4 First aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Immediately call a doctor.

5 Fire fighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

· Person-related safety precautions: Not required.

- *Measures for environmental protection:* Dilute with plenty of water.
- *Measures for cleaning/collecting:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- *Information for safe handling: Ensure good ventilation/exhaustion at the workplace.*
- Prevent formation of aerosols.
- Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

8 Exposure controls and personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace: Not required.

• *Additional information:* The lists that were valid during the creation were used as basis.

(Contd. on page 4)

USA

Printing date 06/24/2008

Reviewed on 06/24/2008

Trade name: CATALYST FOR TINTABLE TRUCK BEDLINER

(Contd. of page 3)

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· General Information		
Form:	Liquid	
Color:	Yellow	
Odor:	Characteristic	
Change in condition		
Melting point/Melting range:		
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Danger of explosion:	Product does not present an explosion hazard.	
	In use, may form flammable/explosive vapour-air mixture.	
Density at 20°C (68°F):	1.14 g/cm ³	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Organic solvents:	0.0 %	

Printing date 06/24/2008

Reviewed on 06/24/2008

(Contd. of page 4)

Trade name: CATALYST FOR TINTABLE TRUCK BEDLINER

· Solids content:

100.0 %

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \cdot **Dangerous reactions** No dangerous reactions known.
- · Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

28182-81-2 1,6-HEXAMETHYLENE DIISOCYANATE

Oral LD50 1000 mg/kg (rat)

 Dermal
 LD50
 5000 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 137-1150 mg/l (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

12 Ecological information

· General notes: Generally not hazardous for water

13 Disposal considerations

· Product:

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

Printing date 06/24/2008

Reviewed on 06/24/2008

Trade name: CATALYST FOR TINTABLE TRUCK BEDLINER

(Contd. of page 5)

DOT regulations:	
(III),	
9	
······································	0
Hazard class: Identification number:	9 UN3082
Packing group:	III
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.,
	(1,6-HEXAMETHYLENE DIISOCYANATE)
Label	9
Land transport TDG (Canada) and ADR	/RID (Europe):
×	
6	
Hazard class:	9 Miscellaneous dangerous substances and articles
UN-Number:	3082
Packaging group: Label:	III 6.1
Label: Description of goods:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII
2 csc. phon of goods.	N.O.S. (1,6-HEXAMETHYLENE DIISOCYANATE)
Maritime transport IMDG:	
A A A A A A A A A A A A A A A A A A A	
9	
IMDG Class:	9
UN Number:	3082
Label	9
Packaging group:	
Marine pollutant:	NO
Propper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O (1,6-HEXAMETHYLENE DIISOCYANATE)
Air transport ICAO-TI and IATA-DGR:	
 Market Market M Market Market Ma Market Market Marke	
1	
ICAO/IATA Class:	9
UN/ID Number:	3082
Label	9
Packaging group:	III
Propper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O (1,6-HEXAMETHYLENE DIISOCYANATE)

Reviewed on 06/24/2008

(Contd. of page 6)

Trade name: CATALYST FOR TINTABLE TRUCK BEDLINER

Printing date 06/24/2008

· UN ''Model Regulation'': UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.; 6.1; III

Sara
Section 355 (extremely hazardous substances):
Substance is not listed.
Section 313 (Specific toxic chemical listings):
Substance is not listed.
TSCA (Toxic Substances Control Act):
Substance is not listed.
Proposition 65
Chemicals known to cause cancer:
Substance is not listed.
Chemicals known to cause reproductive toxicity for females:
Substance is not listed.
Chemicals known to cause reproductive toxicity for males:
Substance is not listed.
Chemicals known to cause developmental toxicity:
Substance is not listed.
Cancerogenity categories
EPA (Environmental Protection Agency)
Substance is not listed.
IARC (International Agency for Research on Cancer)
Substance is not listed.
NTP (National Toxicology Program)
Substance is not listed.
TLV (Threshold Limit Value established by ACGIH)
Substance is not listed.
NIOSH-Ca (National Institute for Occupational Safety and Health)
Substance is not listed.
OSHA-Ca (Occupational Safety & Health Administration)
Substance is not listed.
Product related hazard informations: The product has been classified and marked in accordance with directives on hazardous materials.

· Risk phrases: Harmful if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitisation by inhalation and skin contact.

(Contd. on page 8)

USA

Printing date 06/24/2008

Reviewed on 06/24/2008

Trade name: CATALYST FOR TINTABLE TRUCK BEDLINER

(Contd. of page 7)

Harmful: possible risk of irreversible effects through inhalation.

· Safety phrases:

Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Do not breathe dust. Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Environment protection department.

- · Contact: Steve Gaver
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement internationale concernent le transport des merchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent