

## MATERIAL SAFETY DATA SHEET : 00005522

Product: FADE-A-WAY

## SECTION 01: MANUFACTURER INFORMATION

MANUFACTURED FOR.....THE EASTHILL GROUP  
 dba/ THE EASTWOOD COMPANY  
 263 SHOEMAKER ROAD  
 POTTSTOWN, PA 19464  
 USA & CANADA: 800-345-1178  
 OUTSIDE USA: 610-323-2200  
 EMERGENCY CONTACT: CHEM-TREC 800-424-9300

PRODUCT NAME.....FADE-A-WAY  
 FORMULA.....010-2-279.  
 CHEMICAL FAMILY.....SOLVENT.  
 TRADE NAMES & SYNONYMS.....SAME AS PRODUCT NAME.  
 PRODUCT USES.....AUTOMOTIVE.  
 CHEMICAL FORMULA.....NOT APPLICABLE.  
 MOLECULAR WEIGHT.....NOT APPLICABLE.  
 T.D.G. CLASSIFICATION.....SHIPPING NAME: AEROSOL, UN: 1950, CLASS:  
 2.1, PACKING GROUP: X.

WHMIS CLASSIFICATION.....A.  
 CNFC SECTION 3.3.5.....LEVEL 1.  
 NFPA CODE 30B.....LEVEL 1.  
 HMIS RATING FLAMMABILITY.....1 SEVERE HAZARD.  
 HMIS RATING HEALTH.....2 MODERATE HAZARD.  
 HMIS RATING REACTIVITY.....0 MINIMAL HAZARD.

## SECTION 02: HAZARDOUS INGREDIENTS

%	CAS / TLV	LD/50, ROUTE, SPECIES	LC/50, ROUTE, SPECIES
CYCLOHEXANONE			
40-70	108-94-1 25 ppm	1535 mg/kg ORAL - RAT	8000 ppm (4 hr) INHAL - RAT
ISOBUTANE			
10-30	75-28-5 1000 ppm	NOT APPLICABLE	142,500 ppm (4h) INHAL - RAT
PROPANE			
10-30	74-98-6 1000 ppm	NOT APPLICABLE	NOT AVAILABLE

## SECTION 03: PHYSICAL DATA

PHYSICAL STATE.....AEROSOL.  
 BOILING POINT (DEG C) (CONC).....158.  
 VAPOUR PRESSURE (PSIG) -AEROSOL.....75-85.  
 @ 20 C  
 VAPOUR DENSITY (AIR=1).....GREATER THAN 1.

(BY WEIGHT)  
 SOLUBILITY IN WATER.....IMMISCIBLE.  
 APPEARANCE.....CLEAR.  
 ODOR.....KETONE.  
 ODOR THRESHOLD.....NOT AVAILABLE.  
 SPECIFIC GRAVITY (LIQUID).....0.93-0.97.  
 SPECIFIC GRAVITY (AEROSOL).....0.50-0.60.  
 AEROSOL PERCENT VOC (W/W).....100.  
 AEROSOL PERCENT VOLATILE.....100.

(BY WEIGHT)  
 EVAPORATION RATE.....>1.  
     n-BUTYL ACETATE = 1  
 pH.....NOT APPLICABLE.  
 FREEZING POINT: (C).....NOT AVAILABLE.  
 COEFFICIENT OF WATER\OIL.....NOT AVAILABLE.  
 DIST.

---

SECTION 04: FIRE & EXPLOSION DATA

---

AEROSOL FLAME PROJECTION  
 CLASSIFIED AS:.....> 45 CM.  
 FLASHBACK.....YES.  
 FLAMMABILITY.....EXTREMELY FLAMMABLE.  
 IF YES, UNDER WHICH.....EXCESSIVE HEAT, SPARKS AND OPEN FLAME.  
 CONDITIONS ?  
 EXTINGUISHING MEDIA.....CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
 SPECIAL PROCEDURES.....WATER FROM FOGGING NOZZLES MAY BE USED TO  
     COOL CLOSED CONTAINERS TO PREVENT BUILD-UP  
     IF EXPOSED TO EXTREME TEMPERATURES.FULL  
     PROTECTIVE EQUIPMENT INCLUDING SELF  
     CONTAINED BREATHING APPARTATUS SHOULD BE  
     WORN IN A FIRE INVOLVING THIS MATERIAL.  
 FLASH POINT (C), TAG CLOSED-CUP.....44.  
 (CONCENTRA TE)  
 AUTO IGNITION TEMPERATURE (C).....NOT AVAILABLE.  
 LOWER FLAMMABLE LIMIT.....1.  
 (% BY VOLUME)  
 UPPER FLAMMABLE LIMIT.....9.5.  
 (% BY VOLUME)  
 HAZARDOUS COMBUSTION  
 PRODUCTS.....HYDROCARBON FUMES AND SMOKE. CARBON  
     MONOXIDE WHERE COMBUSTION IS INCOMPLETE.  
 EXPLOSION DATA  
     SENSITIVITY TO STATIC.....NOT APPLICABLE.  
 DISCHARGE  
     SENSITIVITY TO IMPACT.....NOT APPLICABLE.

---

SECTION 05: REACTIVITY DATA

---

CHEMICAL STABILITY:  
     YES.....UNDER NORMAL CONDITIONS.  
     NO, WHICH CONDITIONS?.....NOT APPLICABLE.  
 COMPATABILITY WITH OTHER  
 SUBSTANCES :  
     NO, WHICH ONES?.....STRONG OXIDIZING AGENTS.  
 HAZARDOUS PRODUCTS OF  
 DECOMPOSITION.....HYDROGEN FLUORIDE, HYDROGEN BROMIDE AND/OR

BROMINE. HYDROCARBON FUMES AND SMOKE.  
CARBON MONOXIDE WHERE COMBUSTION IS  
INCOMPLETE.

REACTIVITY CONDITIONS?.....NOT APPLICABLE.

---

SECTION 06: TOXICOLOGICAL PROPERTIES

---

ROUTE OF ENTRY:

SKIN CONTACT.....MAY CAUSE IRRITATION.  
SKIN ABSORPTION.....NO DATA AVAILABLE FOR THIS PRODUCT  
MIXTURE.  
EYE CONTACT.....MAY CAUSE IRRITATION.  
INHALATION.....INHALATION OF SOLVENTS MAY CAUSE  
IRRITATION. PROPELLANT IS A SIMPLE  
ASPHYXIANT.  
INGESTION.....METHYL ALCOHOL MAY CAUSE BLINDNESS AND  
DEATH.MAY CAUSE HEADACHE, NAUSEA, VOMITING  
AND WEAKNESS.  
EFFECTS OF ACUTE EXPOSURE.....DIZZINESS, NAUSEA. IRRITATION TO SKIN &  
EYES.  
EFFECTS OF CHRONIC EXPOSURE.....SOLVENTS MAY CAUSE DEFATTING DERMATITIS.  
EXPOSURE LIMIT OF MATERIAL.....SEE SECTION II.  
IRRITANCY OF MATERIAL.....SKIN/EYE IRRITANT.  
SENSITIZING CAPABILITY OF.....UNKNOWN.  
MATERIAL  
CARCINOGENICITY OF MATERIAL.....THE INGREDIENTS OF THIS PRODUCT ARE NOT  
LISTED AS CARCINOGENS BY NTP, (NATIONAL  
TOXICOLOGY PROGRAM), NOT REGULATED AS  
CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY  
AND HEALTH ADMINISTRATION), AND HAVE NOT  
BEEN EVALUATED BY IARC, (INTERNATIONAL  
AGENCY FOR RESEARCH ON CANCER), NOR BY  
ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL  
INDUSTRIAL HYGIENISTS).  
REPRODUCTIVE EFFECTS.....NO INFORMATION IS AVAILABLE AND NO ADVERSE  
REPRODUCTIVE EFFECTS ARE ANTICIPATED.  
TERATOGENICITY.....NO INFORMATION IS AVAILABLE AND NO ADVERSE  
TERATOGENIC EFFECTS ARE ANTICIPATED.  
MUTAGENICITY.....NO INFORMATION IS AVAILABLE AND NO ADVERSE  
MUTAGENIC EFFECTS ARE ANTICIPATED.  
SYNERGISTIC MATERIALS.....NONE KNOWN.

---

SECTION 07: PREVENTIVE MEASURES

---

GLOVES/ TYPE.....WEAR CHEMICAL RESISTANT GLOVES.  
RESPIRATORY/TYPE.....IF USED INDOORS ON A CONTINUOUS BASIS, USE  
OF A CARTRIDGE TYPE RESPIRATOR  
(NIOSH/MSHATC 23C OR EQUIVALENT) IS  
RECOMMENDED.  
EYE/TYPE.....SAFETY GLASSES.  
FOOTWEAR/TYPE.....NOT NORMALLY REQUIRED.  
OTHER/TYPE.....NOT REQUIRED.  
ENGINEERING CONTROLS.....VENTILATION - LOCAL (MECHANICAL IF USED  
INDOORS ON A CONTINUOUS BASIS).  
LEAK/SPILL.....REMOVE ALL SOURCES OF IGNITION. USE AN  
INERT ABSORBENT MATERIAL, AND NON-SPARKING  
TOOLS. AVOID BREATHING FUMES. VENTILATE

AREA. PREVENT FROM ENTERING A WATERCOURSE.

HANDLING PROCEDURES AND  
EQUIPMENT.....STORE IN A COOL, WELL VENTILATED AREA NOT  
TO EXCEED 50 DEG C.

WASTE DISPOSAL.....DO NOT PUNCTURE OR INCINERATE CONTAINERS,  
EVEN WHEN EMPTY.DISPOSE OF IN ACCORDANCE  
WITH LOCAL, PROVINCIAL AND FEDERAL  
REGULATIONS.

STORAGE NEEDS.....KEEP AWAY FROM HEAT, SPARKS, AND OPEN  
FLAMES.

SPECIAL SHIPPING INSTRUCTIONS.....SEE SECTION 1.....TDG CLASSIFICATION.

---

#### SECTION 08: FIRST AID MEASURES

---

EMERGENCY FIRST AID  
PROCEDURE.....IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY  
WITH PLENTY OF WATER FOR AT LEAST 15  
MINUTES AND GET MEDICAL ATTENTION. FOR  
SKIN, WASH THOROUGHLY WITH SOAP AND WATER.  
IF AFFECTED BY INHALATION OF VAPOUR OR  
SPRAY MIST, REMOVE TO FRESH AIR. IF  
SWALLOWED; DO NOT INDUCE VOMITING, GET  
MEDICAL ATTENTION.

---

#### SECTION 09: ADDITIONAL INFORMATION

---

NOTICE FROM DOMINION SURE SEAL  
LTD.....THE INFORMATION ON THIS MATERIAL SAFETY  
DATA SHEET IS PROVIDED BY DOMINION SURE  
SEAL. FREE OF CHARGE. WHILE BELIEVED TO BE  
RELIABLE, IT IS INTENDED FOR USE BY  
SKILLED PERSONS AT THEIR OWN RISK. DOMINION  
SURE SEAL. ASSUMES NO RESPONSIBILITY  
FOR EVENTS RESULTING OR DAMAGES INCURRED  
FROM ITS USE. THE INFORMATION ON THIS  
MATERIAL SAFETY DATA SHEET RELATES ONLY TO  
THE SPECIFIC MATERIAL DESIGNATED HEREIN  
AND DOES NOT RELATE TO USE IN COMBINATION  
WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

DATED.....June 12, 2007