



DO THE JOB RIGHT.

11/69

MATERIAL SAFETY DATA SHEET

Manufactured For:
The Easthill Group DbA/The Eastwood Company
263 Shoemaker Road
Pottstown, PA 19464
USA & Canada: 800-345-1178
Outside USA: 610-323-2200
Emergency contact: Chem-Trec: 800-424-9300

HAZARDOUS INGREDIENTS

<u>MATERIAL OR COMPONENT</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>TLV UNITS)</u>	<u>APPROX.%</u>
Petroleum Distillates	64742-47-8	500 ppm	100 ppm	>20

NON-HAZARDOUS INGREDIENTS

TRADE SECRET

(As established by the Standard Promulgated by the Occupational Safety and Health Administration (OSHA))

PHYSICAL DATA

BOILING POINT, °F	NE
SOLUBILITY IN WATER	Negligible
SPECIFIC GRAVITY (H ₂ O=1)	1.09
VAPOR PRESSURE (mm Hg)	NE
VAPOR DENSITY, (AIR=1)	NE
EVAPORATION RATE (Butyl Acetate=1)	>1
MELTING POINT	NA
APPEARANCE	White Paste
ODOR	Slight ammonia

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (method used): Seta-Flash closed cup above 220°F
FLAMMABLE LIMITS: LOWER: NA UPPER: NA
EXTINGUISHING MEDIA: Dry foam
SPECIAL FIRE FIGHTING PROCEDURES: None
UNUSUAL FIRE AND EXPLOSION HAZARDS: None

REACTIVITY DATA

STABILITY:	STABLE: X UNSTABLE:
INCOMPATIBILITY (MATERIALS TO AVOID): Oxidizing Agents	
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide	
HAZARDOUS POLYMERIZATION:	OCCUR: WILL NOT OCCUR: X
CONDITIONS TO AVOID: NA	



DO THE JOB RIGHT.

11169

HMIS/NFPA LABEL INFORMATION

KEY:		HMIS	NFPA
0 - MINIMAL	HEALTH:	1	1
1 - SLIGHT	FLAMMABILITY:	2	2
2 - MODERATE	REACTIVITY:	0	0
3 - SERIOUS			
4 - SEVERE			

HMIS = HAZARDOUS MATERIALS IDENTIFICATION SYSTEM

NFPA = NATIONAL FIRE PROTECTION ASSOCIATION

HEALTH HAZARD DATA

ROUTES OF ENTRY:

INHALATION: X SKIN: X INGESTION: X

HEALTH HAZARDS (ACUTE & CHRONIC): None

SIGNS AND SYMPTOMS OF EXPOSURE: Slight nausea. Skin irritation and redness.

CARCINOGENICITY:

NTP? IARC MONOGRAPHS? OSHA REGULATED?

None known

None Known

None Known

EMERGENCY AND FIRST AID PROCEDURES: Eyes: Flush with water for a minimum of 15 minutes. See physician immediately.

Skin: Wash with plenty of soap and water.

SPILL, LEAK AND DISPOSAL PROCEDURES

ACTION TO TAKE FOR LEAKS OR SPILLS: Scoop up spill in a conventional manner, then clean area with absorbent towels.

DISPOSAL METHOD: Dispose of according to all federal and local regulations.

SPECIAL HANDLING INFORMATION

VENTILATION: Local recommended

RESPIRATORY PROTECTION: None needed unless you will be exposed beyond the PEL and TLV limits. If this is the case, use OSHA regulated respirators.

PROTECTIVE CLOTHING: Coveralls

PROTECTIVE GLOVES: Plastic. Recommended for easier clean-up

EYE PROTECTION: Recommended. Safety

OTHER PROTECTIVE EQUIPMENT: None

WORK/HYGIENIC PRACTICES: Wash hands thoroughly before food intake. Do not inhale or expose to skin over prolonged periods of time.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Do not store below 32°F or above 150°F.

This data is furnished gratuitously in keeping with prevailing regulations and is independent of any sales of the product. Rolite Company urges each customer or recipient of this MSDS to become aware of and understand the hazards associated with the product. The reader should consult references or experts in ventilation, toxicity and fire prevention as necessary to understand and use the data contained herein. While the information is believed to be correct, Rolite Company accepts no responsibility for any damages resulting from the publication, use or reliance upon the data contained herein without independent verification. Since the use of this information and the conditions of the use of the product are not within the control of Rolite Company, it is the user's obligations to determine and observe the conditions of safe use of the product.

Last Revised 8/03