# Material Safety Data Sheet


LIKENU

MSDS No. 134

Date of Preparation	n: 05/11/2008						Revision: 2		
	Section	1 - Chemic	al Product	t and Com	pany Ident	ificatio	n		
Product/Chemical Name: LIKENUHMChemical Formula: Wax BlendHCAS Number: MixtureFGeneral Use: Auto PolishRDistributed by: The Easthill Group dba/ The Eastwood Company 263 Shoemaker Rd., Pottstown, PA 19464PPEUSA & Canada: 800-345-1178; Outside USA: 610-323-2200Emergency Contact: Chem-Trec 800-424-9300†									
★★★★★ Emergency Overview ★★★★★         CAUTION COMBUSTIBLE MIXTURE         Keep Away from heat, sparks, flames, and all other sources of ignition									
Section 2 - Composition / Information on Ingredients									
Ingredient Name Isoparaffinic Hydrocarbons Waxes					CAS Number%MixtureMixture		<mark>% Wt <i>or</i> % Vol</mark> ∼32 % <5%		
	OSHA	1	ACGIH	1	NIOSH	1	NIOSH		
Ingredient Isoparaffinic Hydrocarbons	TWA 500 ppm	STEL 500 ppm.	TWA 500 ppm	STEL 500 ppm	TWA 500 ppm	STEL 500 ppr			
Waxes	None estab.	None estab.	None estab.	None estab.	None estab.	None esta	ab. None estab.		
	Se	ection 3 - P	hysical and	d Chemica	l Propertie	s			
Physical State: Creamy liquid with mild abrasives Appearance and Odor: aqua/bluish; pleasant odor Odor Threshold: unknownWater Solubility: Partial Other Solubilities: unknownOdor Threshold: unknownBoiling Point: 320°FVapor Pressure: <17mm Hg at 68°F									
		Section	4 - Fire-Fi	ighting Me	easures				
Flash Point: 123°F Flash Point Method: TCC Burning Rate: unknown Autoignition Temperature: unknown LEL: unknown UEL: unknown							NFPA		
<ul> <li>UEL: unknown</li> <li>Flammability Classification: II</li> <li>Extinguishing Media: All types</li> <li>Unusual Fire or Explosion Hazards: unknown</li> <li>Hazardous Combustion Products: CO, CO2, and unidentified organic compounds</li> <li>Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.</li> <li>Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode.</li> </ul>									
Section 5 - Stability and Reactivity									

**Emergency Contact:** 

Chem-Trec 1-800-424-9300



Polymerization: Hazardous polymerization cannot occur.

Conditions to Avoid: High temperatures

Target Organs: unknown

Primary Entry Routes: Inhalation and Ingestion

Chemical Incompatibilities: Strong oxidizing agents, acids, and alkalis

After first aid, get appropriate in-plant, paramedic, or community medical support.

## Section 7 - Spill, Leak, and Disposal Procedures

Spill /Leak Procedures:

Small Spills: Rinse or mop with water. CAUTION: Spill area may be slippery.

**Large Spills:** For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

**Disposal:** Contact your supplier or a licensed contractor for detailed recommendations. Check local regulations.

### **EPA Regulations:**

**MSDS No. 134** 

RCRA Hazardous Waste Classification (40 CFR 261.33): Regulated

SARA Toxic Chemical (40 CFR 372.65): Not listed

**OSHA Regulations:** 

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

## **Section 8 - Exposure Controls / Personal Protection**

**Ventilation:** Provide general ventilation. Avoid prolonged or repeated breathing of vapors. Respiratory Protection: None required under normal use conditions.

Protective Clothing/Equipment: Wear chemically protective gloves, boots, and aprons to prevent prolonged or repeated skin contact. Wear protective eyeglasses.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material.

## **Section 9 - Special Precautions and Comments**

Handling Precautions: Keep Away from heat, spark, flames, and all other sources of ignition Volatile Organic Content (VOC) : 132 grams/liter.

### LIKENU Stability: Liquid Wax is stable at room temperature in closed containers under normal storage and handling conditions.

Hazardous Decomposition Products: Thermal decomposition can produce CO, CO2 and unidentified organic compounds.

Section 6 - Health Hazard Information **Potential Health Effects** 

**Revision: 2** 

**MSDS No. 134** 

**Revision: 2** 

## Section 10 – Transportation Information & Requirements

### Domestic Ground Transport

	Under 1.3 Gallons	Above 1.3 Gallons	
DOT Shipping Name:			
Packaging requirements:	ORM-D	Flammable	
Hazard Class:	None	3	
Un/ID Number:	None	NA1993	
Marine Pollutant:	None	None	
АТА			
Proper Shipping Name:			
	Cleaning	NA1993, flammable liquid,	
	compound, in	n.o.s. (Solvent),	
	•		
	boxes, consumer	class 3, packaging	
	commodity,	group III	
	ORM-D, not DOT		
	regulated		
Class or Division:	Class 3	Class 3	
UN/NA Number:	NA1993	NA1993	
IMDG			
Proper Shipping:	Cleaning Compound	Cleaning Compound	
Hazard Class:	Class 3	Class 3	
UN Number:	NA1993	NA1993	

**Prepared By:** J. Monte Ross, 05/11/2008 **Revision Notes:** Version 2, replaces Version 1, dated: 08/2001