MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: HydroForce® Stainless Steel Cleaner & Polish (aerosol)

Product Number (s): 14424, 74424

Product Use: stainless steel cleaner

Distributed By:
The Easthill Group
dba/ The Eastwood Company
263 Shoemaker Road
Pottstown, PA 19464

USA & Canada: 800-345-1178 Outside USA: 610-323-2200

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

DANGER: Harmful or Fatal if Swallowed. Contents Under Pressure. As defined by OSHA's Hazard Communication Standard, this product is hazardous. Appearance & Odor: Milky white liquid, mild petroleum odor

Potential Health Effects:

ACUTE EFFECTS:

EYE: Contact may cause mild irritation including stinging, redness and tearing.

SKIN: Contact may cause mild irritation including redness and itching. Prolonged exposure can cause

drying or cracking of skin.

INHALATION: Inhalation of small amounts of vapor is not expected to cause health effects. Prolonged or

concentrated exposure may lead to irritation of the nose and throat, as well as central nervous

system effects such as headaches and dizziness.

INGESTION: Ingestion of small amounts is not expected to cause health effects. This product contains

petroleum distillates with can be an aspiration hazard. Ingestion of larger amounts can lead to lung inflammation and damage if the petroleum distillates are aspirated into the lungs during

swallowing or vomiting.

CHRONIC EFFECTS: None known

TARGET ORGANS: None known

Medical Conditions Aggravated by Exposure: Pre-existing skin conditions or sensitivities

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Number (s): 14424, 74424

Section 3: Composition/Information on Ingredients

| COMPONENT | CAS NUMBER | % by Wt. | |
|-------------------------------|-------------|----------|--|
| Water | 7732-18-5 | 55 - 65 | |
| Hydrotreated light distillate | 64742-47-8 | 15 – 25 | |
| White mineral oil | 8042-47-5 | 5 - 10 | |
| Surfactant blend | proprietary | 5 - 10 | |
| Liquefied petroleum gas | 68476-86-8 | 5 - 10 | |

Section 4: First Aid Measures

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Do NOT induce vomiting. Call a doctor or poison control center. Keep victim calm.

Note to Physicians: Treat symptomatically.

Section 5: Fire-Fighting Measures

Flammable Properties: This product is nonflammable in accordance with aerosol flammability definitions.

(See 16 CFR 1500.3(c)(6)).

Flash Point: None Upper Explosive Limit: ND Autoignition Temperature: ND Lower Explosive Limit: ND

Fire and Explosion Data:

Suitable Extinguishing Media: Use Class B extinguishers or an extinguishing agent appropriate for the surrounding fire.

Products of Combustion: Oxides of carbon

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool

and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into

sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space or

Product Number (s): 14424, 74424

or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: Wash hands after using and before consuming food. Use caution around energized equipment.

The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions, please see the

product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120 F to

prevent cans from rupturing. Store out of reach of children.

Aerosol Storage Level: I

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

| | OSHA | | ACGIH | | OTHER | | |
|---|------|------|-------|------|-------|--------|-------------------|
| COMPONENT | TWA | STEL | TWA | STEL | TWA | SOURCE | UNIT |
| | | | | | | | |
| Water | NE | NE | NE | NE | NE | | |
| Hydrotreated light distillate | NE | NE | NE | NE | NE | | |
| White mineral oil | 5 | NE | 5 | 10 | NE | | mg/m ³ |
| Surfactant blend | NE | NE | NE | NE | NE | | |
| Liquefied petroleum gas | 1000 | NE | 1000 | NE | NE | | ppm |
| N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated | | | | | | | |

Controls and Protection:

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls

are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and

for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as nitrile or PVC. Also, use full protective clothing if there is

prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Physical State: liquid

Product Number (s): 14424, 74424

Color: milky white
Odor: mild petroleum
Odor Threshold: ND
Specific Gravity: 0.9328
Initial Boiling Point: ND
Freezing Point: ND
Vapor Pressure: ND

Vapor Density: ND (air = 1)

Evaporation Rate: slow Solubility: soluble in water

Coefficient of water/oil distribution: ND

pH: 10.55

Volatile Organic Compounds: wt %: 26.25 g/L: 245 lbs./gal: 2.04

Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: None known

Incompatible Materials: Strong oxidizers

Hazardous Decomposition Products: Oxides of carbon

Possibility of Hazardous Reactions: No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

| <u>Component</u> | Oral LD50 (rat) | Dermal LD50 (rabbit) | Inhalation LC50 (rat) | |
|-------------------------------|-----------------|----------------------|-----------------------|--|
| Water | > 90 mL/kg | No data | No data | |
| Hydrotreated light distillate | > 5 g/kg | > 2 g/kg | > 5 mg/L/4H | |
| White mineral oil | > 5 g/kg | > 2 g/kg | No data | |
| Surfactant blend | No data | No data | No data | |
| Liquefied petroleum gas | No data | No data | No data | |

Chronic Toxicity:

| | OSHA | IARC | NTP | | |
|-------------------------------|------------|-------------------|-------------------|-----------------|------------|
| Component | Carcinogen | <u>Carcinogen</u> | <u>Carcinogen</u> | <u>Irritant</u> | Sensitizer |
| Water | No | No | No | No | No |
| Hydrotrootod light distillate | No | No | No | E (mild) / | Unknown |
| Hydrotreated light distillate | | | | S (moderate) | |
| White mineral oil | No | No | No | No | Unknown |
| Surfactant blend | No | No | No | Unknown | Unknown |
| Liquefied petroleum gas | No | No | No | No | No |

E – Eye S – Skin R - Respiratory

Reproductive Toxicity: No information available No information available

Product Number (s): 14424, 74424

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: No information available

Persistence / Degradability:
Bioaccumulation / Accumulation:
Mobility in Environment:

No information available
No information available

Section 13: Disposal Considerations

Waste Classification: The dispensed liquid product is not a RCRA hazardous waste. Pressurized containers may be a

D003 reactive waste. (See 40 CFR Part 261.20 – 261.33 and state regulations)

Empty aerosol containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground): Consumer Commodity, ORM-D

ICAO/IATA (air): Consumer Commodity, ID8000, 9

IMO/IMDG (water): Aerosols, UN1950, 2.2, Limited Quantity

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: None

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard No

Reactive Hazard No Release of Pressure Yes Acute Health Hazard Yes Chronic Health Hazard No

Product Number (s): 14424, 74424

Section 313 Toxic Chemicals:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

None

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): None

U.S. State Regulations:

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of

California to cause cancer, birth defects or other reproductive harm: None

Consumer Products VOC Regulations: In states with Consumer Products VOC regulations, this product is compliant as

a Metal Cleanser.

State Right to Know:

New Jersey: 64742-47-8, 8042-47-5, 141-43-5 Pennsylvania: 64742-47-8, 8042-47-5, 141-43-5 Massachusetts: 64742-47-8, 8042-47-5, 141-43-5 Rhode Island: 64742-47-8, 8042-47-5, 141-43-5

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

European Union Regulations:

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as

listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

Section 16: Other Information

| HMIS® (II) | | |
|---------------|---|--|
| Health: | 1 | |
| Flammability: | 1 | |
| Reactivity: | 0 | |
| PPE: | В | |

Ratings range from 0 (no hazard) to 4 (severe hazard)

NFPA 1 0

Prepared By: Michelle Rudnick

CRC #: 925A

Product Number (s): 14424, 74424

Revision Date: 08/20/2009

Changes since last revision: MSDS reformatted to meet the requirements of the Canadian Controlled Products

Regulations.

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service
CFR: Code of Federal Regulations
DOT: Department of Transportation

DSL: Domestic Substance List g/L: grams per Liter

g/L: grams per Liter
HMIS: Hazardous Materials Identification System
IARC: International Agency for Research on Cancer

IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 IMO: International Maritime Organization

lbs./gal: pounds per gallon LC: Lethal Concentration

LD: Lethal Dose

NA: Not Applicable ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PMCC: Pensky-Martens Closed Cup PPE: Personal Protection Equipment

ppm: Parts per Million

RoHS: Restriction of Hazardous Substances

STEL: Short Term Exposure Limit

TCC: Tag Closed Cup
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Information System