

**MATERIAL SAFETY DATA SHEET**

MANUFACTURED FOR:  
THE EASTHILL GROUP  
dba/ THE EASTWOOD CO.  
263 SHOEMAKER ROAD  
POTTSTOWN, PA 19464

1/02/09

**SECTION I – PRODUCT IDENTIFICATION & EMERGENCY INFORMATION**

PRODUCT NAME: POWDERCOAT AND PAINT DISSOLVER  
DESCRIPTION: PAINT AND POWDER COATING STRIPPER, NON-FLAMMABLE, FREE OF  
CHLORINATED COMPONENTS, NON OZONE DEPLETING COMPONENTS.  
BIODEGRADABLE  
COLOR: CLEAR OR AMBER  
ODOR: LOW, NON-OFFENSIVE ODOR  
DAY PHONE: USA & CANADA: 1-800-345-1178 OUTSIDE USA: (610) 323-2200  
EMERGENCY TEL: CHEM-TREC 1-800-424-9300

**SECTION II - HAZARDOUS INFORMATION**

INGREDIENTS: ALKYL METHYL ESTER  
BENZYL ALCOHOL  
CYCLIC AMIDE  
ALL COMPONENTS ON TSCA LIST

TRANSPORTATION: NOT REGULATED

HMIS FLAMMABILITY = 1  
NFPA HEALTH = 2  
REACTIVITY = 0

**SECTION III – PHYSICAL DATA**

FLASH POINT: GREATER THAN 200°F/93°C  
ASTM METHOD D-93  
BOILING POINT: 300°F - 400°F  
PH: NOT APPLICABLE, NO WATER CONTENT  
SOLUBILITY: WATER SOLUBLE AT 68°F  
BIODEGRADABILITY: READILY BIODEGRADABLE  
WT PER GALLON: 8.5 LBS  
SPECIFIC GRAVITY: 1.03 (WATER = 1.0)  
VAPOR PRESSURE: 0.2 MM HG AT 68°F  
RATE OF EVAPORATION: 0.02 (BUTYL ACETATE =1)  
PERCENT VOLATILE 100% AT 68°F

**SECTION IV – SUMMARY OF HEALTH HAZARDS**

PHYSICAL: NON-FLAMMABLE, BUT CAN BE IGNITED IF HEATED ABOVE ITS FLASH  
POINT (200°F/93°C) AND A SOURCE OF IGNITION IS INTRODUCED, SUCH AS  
OPEN FLAME, OPEN SPARKS.

ROUTE OF ENTRY: INGESTION, EYES, SKIN, INHALATION  
EYES: CAN CAUSE SEVERE BURNS  
SKIN: CAN CAUSE SEVERE BURNS  
INHALATION: CAN CAUSE MODERATE IRRITATION  
INGESTION: CAN CAUSE MODERATE-SEVERE BURNS

**SECTION V – FIRST AID**

EYES:	RINSE WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES WITH UNFOLDED LIDS. SEEK IMMEDIATE MEDICAL HELP.
SKIN:	WASH THOROUGHLY WITH LARGE AMOUNT OF WATER, CAN BE WIPED WITH VINEGAR. SEEK IMMEDIATE MEDICAL HELP.
INGESTION:	DRINK LARGE AMOUNT OF WATER. SEEK IMMEDIATE MEDICAL HELP.
INHALATION:	REMOVE TO FRESH AIR. IF NEEDED APPLY ARTIFICIAL RESPIRATION. SEEK IMMEDIATE MEDICAL HELP.

**SECTION VI – PROTECTIVE EQUIPMENT**

ENGINEERING CONTROL:	USE GOOD LOCAL EXHAUST VENTILLATION TO PREVENT BUILD UP OF VAPORS SO VAPORS CAN BE KEPT BELOW 6 PPM.
PERSONAL EQUIPMENT:	USE CHEMICAL RESISTANT GOGGLES OR FACE SHIELD. USE CHEMICAL RESISTANT GLOVES SUCH AS NITRILE RUBBER.  IF CLOTHING GETS WET WITH THIS PRODUCT, REMOVE CLOTHING AT ONCE.

**SECTION VII – STABILITY & REACTIVITY**

CHEMICAL STABILITY:	STABLE
AVOID:	A. OPEN FLAME, EXCESSIVE HEAT. B. WATER MAY DEGRADE THIS PRODUCT AND ITS STRIPPING PERFORMANCE C. AVOID OXIDIZING CONDITIONS
DECOMPOSITION:	IF IGNITED CAN PRODUCE CARBON MONOXIDE AND NITROGEN.
HAZARDOUS POLYMERIZATION:	NOT EXPECTED TO OCCUR

**SECTION VIII – ENVIRONMENTAL FATE**

THIS PRODUCT IS NOT EXPECTED TO PERSIST IN THE ENVIRONMENT. IT IS WATER SOLUBLE AND IS EXPECTED TO HAVE VERY SLOW VOLATILITY. IT IS EXPECTED TO BY READILY BIODEGRADABLE.

**SECTION IX – DISPOSAL CONSIDERATION**

CAN BE DILUTED WITH WATER, WHICH DEGRADES ITS COMPOSITION, THEN IT CAN BE NEUTRALIZED. CANNOT BE DISCHARGED INTO THE SEWER. FOR FINAL DISPOSAL COMPLY WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

**SECTION X – OTHER INFORMATION**

THIS DOCUMENT IS GENERATED BASED ON INFORMATION OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. IT IS PROVIDED, HOWEVER, WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED REGARDING ITS CORRECTNESS. WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSES ARISING OUT IF HANDLING, STORAGE AND DISPOSAL OR MISUSE OF PRODUCT.