Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List)

Flitz Wax Protectant 57901

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Distributed By The Easthill Group dba/ The Eastwood Company	Emergency Telephone Number Chem-Trec 800-424-9300	
Address (Number, Street, City, State, and ZIP Code) 263 Shoemaker Road	Telephone Number for Information USA & Canada: 800-345-1178 Outside USA: 610-323-2200	
Pottstown, PA 19464	Date Prepared August 2005	
	Signature of Preparer (optional)	

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Common Name(s))	Specific Chemical Identity;	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
Petroleum Distillate	64742-48-8	N/EST	N/EST		10-30
Kaolin Clay	66402-68-4	5 mg/m3	5 mg/m3		3-7
RESP DUST 8HR. TWA					

Material Safety Data Sheet - OSHA 174	EW #13226 - Flitz Clear Coat Gel Wa
	EW #13220 - 1 III2 Glear Goat Ger Wa
Section III - Physical/Chemical Characteristic	S

Boiling Point	212°F	Specific Gravity (H ₂ O = 1)	0.9671
Vapor Pressure (mm Hg.)	N/AV	Melting Point	N/AP
Vapor Density (AIR = 1)	N/AV	Evaporation Rate (Butyl Acetate = 1)	N/AV
Solubility in Water Partial			
Appearance and Odor	Cream-Colored Emulsion, Mild Odor		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	None	Flammable Limits	LEL N/AV	UEL N/AV
Extinguishing Media	CO 2 or Dry Chemical			
Special Fire Fighting Procedures	None			

Route(s) of Entry: Ingestion	Inhalation?	Skin? N/A	Ingestion?
Health Hazards (Acute and Chronic) Accidenta No chronic		ition may cause nausea. its.	
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?

Signs and Symptoms of Exposure	See Above
M. P. T. G. T.	
Medical Conditions Generally Aggravated by Exposure	None
	ase of accidental ingestion, get medical aid. For accidental eye tact,, wash copiously with water.
	Y 11' 1 Y
Section VII - Precautions for Safe F	iandling and Use
Steps to Be Taken in Case Material is Rele	eased or Spilled
T T T T T T T T T T T T T T T T T T T	
Waste Disposal Method	ccordance with state and local regulations
in ac	bordance with state and local regulations
Precautions to Be taken in Handling and S Avo	toring id Freezing
Other Precautions Nor	ne

Section VIII - Control Measures

Respiratory Proctection (Specify Type) Normal				
Ventilation	Local Exhaust		Special	
Normal				
	Mechanical (General)		Other Ventilation - Normal	
Protective Gloves Not required Eye I		Eye Prote	Eye Protection N.I.O.S.H. Approved Dust Respirator is recommended.	
Other Protective	e Clothing or Equipment None			
Work/Hygienic	Practices N/A			

Page 2

* U.S.G.P.O.: 1986 - 491 - 529/45775

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. FLITZ INTERNATIONAL, LTD. ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF MATERIAL.

N/AV = NOT AVAILABLE N/AP = NOT APPLICABLE

THIS INFORMATION IS PROVIDED TO MEET VARIOUS STATE REGULATORY COMPOSITION REQUIREMENTS:

 1. WATER
 CAS # 7732-18-5

 2. PETROLEUM DISTILLATES
 CAS # 64742-48-8

 3. KAOLIN CLAY
 CAS # 66402-68-4

 4. SILICONE
 CAS # 63148-62-9

 5. EMULSIFIERS
 MIXTURE

V.O.C. CONTENT: 0 GRAMS PER LITER

THIS PRODUCT DOES NOT CONTAIN ANY MATERIAL WHICH HAS BEEN IDENTIFIED AS A KNOWN CARCINOGEN AS SET FORTH BY I.A.R.C. OR OTHER REGULATORY AGENCY.