24 hr Emergency Phone Number

800-424-9300 (Chemtrec)

MATERIAL SAFETY DATA SHEET

Page 1 of 7 Marine Clean 13581ZP

Revision 2 ***** October 26, 2010

CONFORMS TO THE GLOBALLY HARMONIZED SYSTEM (GHS), ANSI Z400.1-2004, EU DIRECTIVE 91/155/EEC & 99/45/EC, OSHA 29 CFR 1910.1200, NOHSC:2011(2003), AND CANADIAN CPR

Section 1

PRODUCT AND COMPANY IDENTIFICATION

Section 1

Product Numbers	MC
Product Name	Marine Clean
Synonyms	None
Products Uses	Cleaner
Revision Number	1
Revision Date	October 26, 2010
Print Date	February 9, 2011

MANUFACTURER INFORMATION	DISTRIBUTOR INFORMATION
Company Name	Company Name The Easthill Group
Address	Address dba/ The Eastwood Company
	263 Shoemaker Road
	Pottstown, PA 19464
Phone Number	Phone Number USA & Canada: 800-345-1178
Fax Number	Outside USA: 610-323-2200

Section 2

HAZARDS IDENTIFICATION

Section 2

EMERGENCY OVERVIEW	DANGER! CONTENTS CORROSIVE. AVOID FATAL IF SWALLOWED.	D CONTACT WITH SKIN AND EYES. HARMFUL OR
OSHA Classification	This product is a "hazardous chemical" as defir CFR 1910.1200.	ned by the OSHA Hazard Communication Standard, 29
European Classification	Xn, Xi, C R 20/21/22-34-36/38 S 1/2-26-36/37/39-45-46	HEALTH ¥ 2 FLAMMABILITY 0
WHMIS Classification	D2A, D2B	PHYSICAL HAZARD 0

	HEALTH I	HAZARDS	PHYSICAL HAZARDS			
Irritant	1	Sensitizer	Combustible	Explosive	Pyrophoric	
Toxic		Highly Toxic	Flammable	Oxidizer	Water Reactive	
Corrosive	✓	Carcinogenic	Compressed Gas	Organic Peroxide	Unstable	

☆ See Section 11

LABELING REQUIREMENTS							
CANADA	CANADA UNITED STATES EUROPE & AUSTRALIA GHS						
DANGER CONTENTS CORROSIVE							

Page 2 of 7 Marine Clean 13581ZP Revision 2 & October 26, 2010

CONFORMS TO THE GLOBALLY HARMONIZED SYSTEM (GHS), ANSI Z400.1-2004, EU DIRECTIVE 91/155/EEC & 99/45/EC, OSHA 29 CFR 1910.1200, NOHSC:2011(2003), AND CANADIAN CPR

POTENTIAL HEALTH EFFECTS AND SIGNS / SYMPTOMS OF EXPOSURE

Eye Contact	Corrosive! May causes burning or irritation with symptoms of reddening, tearing, stinging, and swelling. May cause corneal injury.
Skin Contact	Corrosive! May cause burning or irritation with symptoms of reddening, itching, and swelling.
Ingestion	Corrosive! May cause burning or irritation. Symptoms may include abdominal pain, nausea, vomiting, diarrhea or death.
Inhalation	May cause respiratory irritation
Effects of Chronic Exposure	Not Available
Medical Conditions Aggravated	May aggravate pre-existing conditions associated with the target organs.
Target Organs	Eyes, Skin, Respiratory System
Routes of Exposure	Skin contact, eye contact, inhalation
Potential Environmental Effects	See Section 12 for environmental effects

COMPOSITION / INFORMATION ON INGREDIENTS •

ID	INGREDIENT	CAS NUMBER	EINECS	EU CLASSIFICATION	% WT
1	Water	007732-18-5	231-791-2	Not Classified in Annex I of Directive 67/548/EEC	—
2	Ethylene Glycol Monobutyl Ether	000111-76-2	203-905-0	Xn, Xi; 20/21/22-36/38	3 - 7
3	Nonylphenol Ethoxylate	026027-38-3	500-045-0	Not Classified in Annex I of Directive 67/548/EEC	—
4	Potassium Hydroxide	001310-58-3	215-181-3	C; 22-34	1 - 5

Risk Phrases	See Section 15 for risk phrase text
LD50 and LC50 Information	See Section 11 for toxicological information
Occupational Exposure Limits	See Section 8 for OELs

Section 4

Section 3

FIRST AID MEASURES •

Section 4

Section 3

Ingestion	DO NOT INDUCE VOMITING! Do not give anything by mouth to an unconscious individual. Consult a physician immediately.
Skin Contact	Remove with soap and water, rinsing and repeating for 15 minutes. Use skin cream to counter any resulting dryness. Consult a physician if irritation continues. Remove contaminated clothing.
Eye Contact	Check for and remove any contact lenses. Immediately flush with clear water for at least 15 minutes, including under the eyelids. Get medical attention immediately.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen
Notes to Physician	Treat symptomatically
Antidotes	No specific antidote

Section 5

• FIRE FIGHTING MEASURES •

Section 5

Flash PointNor.Autoignition TemperatureNor.Explosive LimitsNor.Conditions of FlammabilityHeatExtinguishing MediaUseUnsuitable Extinguishing MediaNotHazardous Combustion ProductsoxicSensitivity to Mechanical ImpactProductsSensitivity to Static DischargeProducts

Non-Flammable Non-Flammable Non-Flammable Heat, sparks, flame, red hot metal Use extinguishing media suitable for nearby materials Not applicable oxides of carbon (CO, CO2), smoke, and vapors Probably not sensitive as material is stable. Probably not sensitive as material is non-flammable.

Page 3 of 7 Marine Clean 13581ZP Revision 2 & October 26, 2010

Section 6

CONFORMS TO THE GLOBALLY HARMONIZED SYSTEM (GHS), ANSI Z400.1-2004, EU DIRECTIVE 91/155/EEC & 99/45/EC, OSHA 29 CFR 1910.1200, NOHSC:2011(2003), AND CANADIAN CPR

Special Equipment and Precautions

Use water spray to cool fire exposed containers, as contents can rupture violently from heat developed pressure. Firemen should wear self-contained breathing apparatus. CORROSIVE LIQUID.

Special Explosion Hazards CORROS/VE Autoreactivity / Oxidizing Properties Not available

Section 6 • ACCIDENTAL RELEASE MEASURES •

Personal Precautions	Use personal protection recommended in Section 8. Isolate hazard area and deny entry to unnecessary and unprotected personnel.
Environmental Precautions	Keep out of drains, sewers, ditches, and waterways.
Containment Procedures	Released content may be contained with absorbent pads, booms, and/or absorbents suitable for water- based materials.
Cleanup Procedures	For small spills dilute with water and mop up, or absorb with an inert material and place in an appropriate waste disposal container. If necessary, neutralize the reside with a dilute solution of acetic acid. For large spills stop leak if without risk. Use water spray to reduce vapors. Call for assistance on disposal and cleanup.
Other Information	The North American Emergency Response Guidebook, the Australian Dangerous Goods-Initial Emergency Response Guide (SAA/SNZ HB 76), or similar resources providing emergency response information for dealing with accidents, spills, leaks, and/or fires involving dangerous goods.
Prohibited Materials	Combustible absorbent material such as sawdust, use of equipment that may cause sparking.
Reporting Requirements	Report releases that reach surface water or groundwater in any amount. Spills, leaks, and overfills from a regulated underground storage tank should also be reported. Reportable quantities for spills onto the ground depend on site conditions, such as the type of soil and the type of material spilled, and Federal and local agencies often have different reportable quantities. If you are unsure of your reporting

Section 7

HANDLING AND STORAGE

requirements contact the regulating agency in your area.

Section 7

and Use	KEEP OUT OF THE REACH OF CHILDREN.
Storage Requirements and Conditions	Keep containers tightly closed and stored in a well-ventilated place. Store away from incompatible materials.
Special Packaging Materials	Not applicable.

Section 8 • EXPOSURE CONTROLS / PERSONAL PROTECTION •

Section 8

Occup	Occupational Exposure Limits							
ID	UNITED STATES OSHA PEL	UNITED STATES NIOSH REL	UNITED STATES NIOSH IDLH	UNITED STATES ACGIH TLV	AUSTRALIA TWA	GERMANY MAK	JAPAN OEL	
1	N/E	N/E	N/E	N/E	N/E	N/E	N/E	
2	50 ppm	5 ppm	700 ppm	20 ppm	20 ppm	20 ppm	N/E	
3	N/E	N/E	N/E	N/E	N/E	N/E	N/E	
4	2 mg/m3 C	2 mg/m3 C	N/E	2 mg/m3 C	2 mg/m3 C	N/E	2 mg/m3 C	
ID	CANADA	CANADA	CANADA	CANADA	MEXICO	UNITED KINGDOM	UNITED STATES	

ID	CANADA ALBERTA OEL	CANADA BC TWA	CANADA ONTARIO TWAEV	CANADA QUEBEC TWA	MEXICO MPEL-PTA	UNITED KINGDOM WEL	UNITED STATES AIHA WEEL
1	N/E	N/E	N/E	N/E	N/E	N/E	N/E
2	25 ppm	20 ppm	20 ppm	25 ppm	25 ppm	25 ppm	N/E
3	N/E	N/E	N/E	N/E	N/E	N/E	N/E
4	2 mg/m3 C	2 mg/m3 C	2 mg/m3 C	2 mg/m3 C	N/E	2 mg/m3 C	N/E

Engineering Measures Biological Exposure Indices Use local exhaust to control air concentration levels below the recommended exposure levels. None established.

Page 4 of 7 Marine Clean 13581ZP Revision 2 & October 26, 2010

CONFORMS TO THE GLOBALLY HARMONIZED SYSTEM (GHS), ANSI Z400.1-2004, EU DIRECTIVE 91/155/EEC & 99/45/EC, OSHA 29 CFR 1910.1200, NOHSC:2011(2003), AND CANADIAN CPR

General Hygiene Considerations

Thermal Hazards

Avoid breathing vapors and contact with the skin and eyes. Always replace lid when not in use. Keep out the reach of children. Wash hands after use. This product does not present a thermal hazard.

PERSONAL PROTECTIVE EQUIPMENT



Respiratory Protection	Wear an appropriate respirator when ventilation is not adequate. In the United States ensure compliance with OSHA standard 29 CFR 1910.134.
Skin Protection	Ensure any exposed skin is covered by using chemical protective boots, gloves, coveralls, and/or other resistant protective clothing.
Eye/Face Protection	Safety glasses with side shields are recommended as a minimum for any type of industrial chemical handling. Where eye contact with this material could occur, chemical splash proof goggles or a full face shield are recommended.
Other Protective Equipment	Safety showers and eye-wash stations should be available in the workplace near where the material will be used.

Section 9

PHYSICAL AND CHEMICAL PROPERTIES •

Section 9

> 212 °F (100.0 °C)	Melting / Freezing Point	> 32 °F (0.0 °C)
Non-Flammable	Autoignition Temperature, Liquid	Non-Flammable
Non-Flammable	Decomposition Temperature	Not Available
Non-Flammable	Density (H ₂ O = 1)	1.027 g/cc
Not Available	Weight	8.573 lbs/gal
Not Available	рН	9.5 - 13.1
Not Available	Evaporation Rate (BuAC = 1)	Not Available
Liquid	Partition Coefficient	Not Available
Not Available	Refractive Index	Not Available
Not Available	Heat of Combustion	Not Available
Mild	Water Solubility	Not Available
Clear colorless		
92% Wt (93% Vol) Max	VOC Content	0.428 lbs/gal (45.057 g/L)
5% Wt (6% Vol) Max	HAP Content	None
	Non-Flammable Non-Flammable Not-Flammable Not Available Not Available Liquid Not Available Not Available Mild Clear colorless	Non-FlammableAutoignition Temperature, LiquidNon-FlammableDecomposition TemperatureNon-FlammableDensity (H2O = 1)Not AvailableWeightNot AvailablepHNot AvailableEvaporation Rate (BuAC = 1)LiquidPartition CoefficientNot AvailableRefractive IndexNot AvailableHeat of CombustionMildWater SolubilityClear colorless92% Wt (93% Vol) MaxVOC Content

Section 10

Solids Content

• STABILITY AND REACTIVITY •

Maximum Incremental Reactivity

0.146

Stability Physical Hazards Conditions to Avoid Hazard Polymerization Material Incompatibility Conditions of Reactivity Decomposition Products Stable Corrosive liquid Not Available Will not occur Strong oxidizing agents, reducing agents, acids Not Available H2

None

Section 10

Page 5 of 7 Marine Clean 13581ZP Revision 2 ♦ October 26, 2010

CONFORMS TO THE GLOBALLY HARMONIZED SYSTEM (GHS), ANSI Z400.1-2004, EU DIRECTIVE 91/155/EEC & 99/45/EC, OSHA 29 CFR 1910.1200, NOHSC:2011(2003), AND CANADIAN CPR

Section 11

• TOXICOLOGICAL INFORMATION •

Section 11

Irritancy of Product	The following ingredients are eye irritants: Butyl Cellosolve, Potassium Hydroxide. The following ingredients are skin irritants: Butyl Cellosolve, Potassium Hydroxide.
Sensitization to Product	None of the ingredients are known or suspected sensitizers
Carcinogen Data	None of the ingredients are known of suspected carcinogen
Reproductive Toxicity	None of the ingredients are known or suspected reproductive toxins
Teratogenicity	None of the ingredients are known or suspected teratogens
Mutagenicity	None of the ingredients are known or suspected mutagens
Synergistic Products	No known synergistic properties.

LD50 and LC50 Information

ID	ORAL LD50	DERMAL LD50	INHALATION LC50
1	> 89000 mg/kg, rat	Not Available	Not Available
2	470 mg/kg, rat	220 mg/kg, rabbit	2211 mg/m3 /4 hr, rat
3	1410 mg/kg, rat	2830 mg/kg, rabbit	Not Available
4	365 mg/kg, rat	> 1260 mg/kg, rabbit	Not Available

Section 12

• ECOLOGICAL INFORMATION •

Section 12

Mobility	Not Available
Persistance	Not Available
Degradibility	Not Available
Bioaccumulation	Not Available
Other Ecologic Data	Do not allow to enter waters, waste water, or soil.
Effects on the Ozone Layer	This product does not contain any ozone depleting ingredients.

Ecotoxicity

ID	FISH	INVERTEBRATES	AQUATIC PLANTS	MICROORGANISMS
1	Not Available	Not Available	Not Available	Not Available
2	LC50: 1490 mg/L /96 hr	EC50: 1720 mg/L /24 hr	LOEC: 900 mg/L /7 day	EC5: 911 mg/L /48 hr
3	LC50: 188.2 mg/L /48 hr	LC50: 21.4 mg/L /48 hr	EC50: 17 mg/L /48 hr	Not Available
4	LC50: 85 mg/L /24 hr	Not Available	Not Available	Not Available

Section 13	DISPOSAL CONSIDERATIONS	Section 13
Waste Disposal	Hazard characteristics and regulatory waste stream classification can change we location. Accordingly, it is the responsibility of the user to determine the proper stor treatment, and/or disposal methodologies for spent materials and residues at the tim waste material must be disposed of in compliance with the respective national, federa regulations.	age, transportation, ne of disposition. All
Waste Disposal of Packaging	Consult with local landfill to determine if empty small containers can be disposed of r	regular trash pickup.
	For disposal of large containers (typically 10 gallon or larger), or for containers not containers retain residue (liquid and/or vapor) and can be dangerous. Do not pre braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static sources of ignition; they may explode and cause injury or death. Do not attempt to is difficult to remove. Empty drums should be completely drained, properly bur returned to a drum reconditioner. All other containers should be disposed of in an e manner and in accordance with governmental regulations.	essurize, cut, weld, electricity, or other clean since residue nged, and promptly
Landfill Precautions	Not Available	
Incineration Precautions	Not Available	

ICAO/IATA SHIPPING INFORMATION (International Air)

MATERIAL SAFETY **DATA SHEET**

Page 6 of 7 **Marine Clean** 13581ZP

Revision 2 * October 26, 2010

CONFORMS TO THE GLOBALLY HARMONIZED SYSTEM (GHS), ANSI Z400.1-2004, EU DIRECTIVE 91/155/EEC & 99/45/EC, OSHA 29 CFR 1910.1200, NOHSC:2011(2003), AND CANADIAN CPR

Section 14

TRANSPORTATION INFORMATION •

Section 14

DOT SHIPPING INFORMATION (United States)

DOLOULE	NG INI ONMATION (Officed States)	ICAO/IATA SHIFFING INFORMATION (International AIL)
ORM-D	PROPER SHIPPING NAME: Consumer Commodity HAZARD CLASS: ORM-D PACKING GROUP:	PROPER SHIPPING NAME: Consumer Commodity HAZARD CLASS:
IMDG SHIPP	ING INFORMATION (International Ocean)	ADR SHIPPING INFORMATION (European Union)
CORROSIVE 8	PROPER SHIPPING NAME: Potassium Hydroxide solution CLASS:	PROPER SHIPPING NAME: Potassium Hydroxide solution ADR CLASS:
TDG SHIPPI	NG INFORMATION (Canada)	NMFC DESCRIPTION (United States)
	PROPER SHIPPING NAME: Potassium Hydroxide solution HAZARD CLASS:	ITEM DESCRIPTION: Compounds Cleaning, NOI ITEM NUMBER: 48580 Sub 3 CLASS: 55

Section 15

• REGULATORY INFORMATION •

Section 15

United States - Federal

Onneo													
	TSCA	SARA 302							CLEAN	CLEAN			
ID	INVENTORY	EHS	RCRA	CERCLA	SARA 313	FIRE	REACTIVITY	ACUTE	CHRONIC	PRESSURE	AIR ACT	WATER ACT	
1	1	—	—	—	—	—	—	—	—	—	—	—	
2	1		_	_	5 %	—	—	1	1	—	_		
3	1		—	—	—	—	1	1	1	—	_	—	
4	1		_	1000 #		—	—	_			_		

United States - States

		-							
ID	CALIFORNIA	DELAWARE	FLORIDA	MASSACHUSETTS	PENNSYLVANIA	MINNESOTA	NEW JERSEY	NEW YORK	WASHINGTON
1	—	—	—	—	—	—	—	—	—
2	—	—	1	2,4,6 F8		AO	—		1
3	—	—	—	—			—	—	
4	-	1	1	4, 5 F8	E	Α	_	1	1

Canada

	WHMIS CATEGORIES									CHEMICAL LISTS			
ID	Α	В	С	D1A	D1B	D2A	D2B	D3	E	DSL	NDSL	NPRI	CWC
1	—	—	—	—	—	—	—	—	—	1	—	—	—
2	_	B3	—	—	—	1	1	—	—	1	—	1A, 5	—
3	_	—	_	—	—	—	—	—	—	1	—	—	—
4			_	_	1	_	-	—	1	1	_	_	—

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

European Union	
CODE	RISK PHRASES
R 20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R 34	Causes burns
R 36/38	Irritating to eyes and skin
CODE	SAFETY PHRASES
S 1/2	Keep locked up and out of the reach of children
S 26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S 36/37/39	Wear suitable protective clothing, gloves & eye/face protection

Page 7 of 7 Marine Clean 13581ZP Revision 2 & October 26, 2010

CONFORMS TO THE GLOBALLY HARMONIZED SYSTEM (GHS), ANSI Z400.1-2004, EU DIRECTIVE 91/155/EEC & 99/45/EC, OSHA 29 CFR 1910.1200, NOHSC:2011(2003), AND CANADIAN CPR

CODESAFETY PHRASESS 45In case of accident or if you feel unwell, seek medical advice immediatelyS 46If swallowed, seek medical advice immediately

This product is RoHS compliant according to the definitions and restrictions given by Directive 2002/95/EC and The Council of January 27, 2003 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

Poisons Schedule Number

RoHS Compliance

Australia

None of the ingredients are present at or above a concentration necessary for allocation of a Poisons Schedule Number. All of the ingredients are listed on the Australian Inventory of Chemical Substances (AICS) or are exempt.

Chemical Inventory Status

Section 16

• OTHER INFORMATION •

Section 16

Disclaimer of Liability	The information contained herein is based upon data provided to us by our suppliers, and reflects our best judgement. However, no warranty of merchantability, fitness for any use, or any other warranty or guarantee is expressed or implied regarding the accuracy of such data, or the results to be obtained from use thereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of such application. This information is furnished upon the condition that the persons receiving it shall make their own determinations of the suitability of the material for any particular use. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist.
Revision History	Revision 1, 08/19/2010, Original Revision 2, 10/26/2010, Clarified EU information in Section 3