
# Material Safety Data Sheet





# Revision Date 01-Oct-2013 Revision Number 1 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	Pearl Opal Metallic	
Product Code(s)	14119A	
Product Type	Polyester TGIC	
Manufactured by:	The Eastwood Company 263 Shoemaker Road Pottstown,PA 19464	
Emergency Contact Number	800-345-1178 (610)-323-2200	
Telephone for Information	Chemtrec 1-800-424-9300	
	2. HAZARDS IDENTIFICATION	
	Emergency Overview May cause skin and eye irritation	
Appearance Powder	Physical State Solid/Powder Odor Odorles	
OSHA Regulatory Status	HA Regulatory Status This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)	
Potential Health Effects Acute Toxicity		
Eyes	No known effect based on information supplied	
	PAGE FOOTER	

Skin	No known effect based on information supplied
Inhalation	No known effect based on information supplied
Ingestion	No known effect based on information supplied
Chronic Effects No known effect	
Aggravated Medical Conditions	Preexisting eye disorders.
Environmental Hazard	See Section 12 for additional Ecological Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous Components

Components	CAS-No	Weight %
Barium sulfate	7727-43-7	10-30%
TGIC/1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)-	2451-62-9	1-10%
Titanium Dioxide	13463-67-7	1-10%
Carbon black	1333-86-4	Less than 1.0%

# 4. FIRST AID MEASURES

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
Skin Contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Never give anything by mouth to an unconscious person
Notes to Physician	Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

Flammable Properties	Powdered material may form explosive dust-air mixtures				
Suitable Extinguishing Media	Water spray, dry chemical, carbon dioxide $(CO_2)$ , or foam				
Hazardous Combustion Products	Carbon oxides				
Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full					

# protective gear Health Hazard 0 Flammability 1 Stability 0 Physical and Chemical Hazards N/A

# 6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up	Pick up and transfer to properly labeled containers
Methods for Containment	Prevent further leakage or spillage if safe to do so
Personal Precautions	Wear protective gloves/clothing and eye/face protection

#### 7. HANDLING AND STORAGE

Handling

Handle in accordance with good industrial hygiene and safety practice

Storage

Store in a dry, air conditioned place below 80F

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines**

This product, as supplied, contains the following materials with occupational exposure limits established by the region specific regulatory bodies

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH
Barium sulfate	TWA: 10 mg/m <sup>3</sup>	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
TGIC/1,3,5-Triazine-2,4,6(1H,3H,5 H)-trione, 1,3,5-tris(oxiranylmethyl)-	TWA: 0.05 mg/m <sup>3</sup>		
Titanium Dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 10 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>
Carbon black	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> (vacated) TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

Showers Eyewash stations Ventilation systems

 Personal Protective Equipment
 Eye

 Eye/Face Protection
 Eye protection

 Skin and Body Protection
 Wear protective gloves/clothing

 Respiratory Protection
 If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved organic vapour espiratory protection should be worn

**Hygiene Measures** 

**Engineering Measures** 

Handle in accordance with good industrial hygiene and safety practice

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State Flash Point Boiling Point/Range Freezing point

**Explosion Limits** 

Solid/Powder Not applicable Not applicable Not applicable 30-70 g/m<sup>3</sup>

Powder

Odor pH Autoignition Temperature Melting Point/Range Odorless Approximately neutral Not applicable Melting Point/Range 50-70 °C

Flammability Limits in Air

No information available

Specific Gravity HAPS data	1.2-1.8 Not a	<sup>8</sup> pplicable	VOC Co	ntent	None
	10.	STABILITY	AND	REACTIVIT	Y
Stability		Stable under recommend	led storag	e conditions	
Incompatible Products		None known based on in	formation	supplied	
Conditions to Avoid		None known based on in	formation	supplied	
Hazardous Decomposition P	Hazardous Decomposition Products May emit toxic fumes under fire conditions - carbon monoxide, carbon dioxide, nitrogen oxides, and hydrogen chloride			xide, carbon dioxide, nitrogen	
Hazardous Reactions		Hazardous polymerizatio	n does no	t occur	
	11.	TOXICOLOGI	CAL	INFORMATIO	N
Acute Toxicity					
Product Information		Substances which cause concern for man owing to possible mutagenic effects but for which the available information is not adequate for making a satisfactory assessment.			
Irritation		Repeated or prolonged e	xposure r	nay cause irritation of e	eyes and skin
LD50 Oral VALUE (mg/kg) LD50 Dermal VALUE		55671.91 453860.61			

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
TGIC/1,3,5-Triazine-2,4,6(1H,3H,5H )-trione, 1,3,5-tris(oxiranylmethyl)-	188 mg/kg (Rat)		
Titanium Dioxide	10000 mg/kg (Rat)		
Carbon black	15400 mg/kg (Rat)	3 g/kg (Rabbit)	

#### **Chronic Toxicity**

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Components	ACGIH	IARC	NTP	OSHA
Titanium Dioxide		Group 2B		Х
Carbon black		Group 2B		Х

IARC: (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

**Target Organ Effects** 

Eyes, Respiratory system.

# 12. ECOLOGICAL INFORMATION

Ecotoxicity

#### **RAL 6036 PEARL OPAL GREEN**

The environmental impact of this product has not been fully investigated

Components	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Carbon black				EC50 > 5600 mg/L 24 h

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose of contents/container in accordance with local regulation

#### 14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated

#### **15. REGULATORY INFORMATION**

#### International Inventories

Complies Complies Does not Comply Does not Comply Complies Does not Comply Complies
Complies

#### **U.S. Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	

No

PAGE FOOTER

Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

#### CERCLA

This material, as supplied, contains the following substance(s) regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

SARA Product RQ

0

#### U.S. State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Components	CAS-No	California Prop. 65
Carbon black	1333-86-4	Carcinogen

#### **U.S. State Right-to-Know Regulations**

Components	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Barium sulfate	Х	Х	Х		Х
TGIC/1,3,5-Triazine-2,4,6(1 H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)-		Х			
Titanium Dioxide	Х	Х	X		Х
Carbon black	Х	Х	X	Х	Х

#### International Regulations

Components	Carcinogen Status	Exposure Limits
Barium sulfate		Mexico: TWA= 0.5 mg/m <sup>3</sup>
Titanium Dioxide		Mexico: TWA= 10 mg/m³ Mexico: STEL= 20 mg/m³
Carbon black		Mexico: TWA= 3.5 mg/m³ Mexico: STEL= 7 mg/m³

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class Not determined

# 16. OTHER INFORMATION

#### **Revision Date**

01-Oct-2013

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS