

# SAFETY DATA SHEET

Revision Date 13-Aug-2015

**Revision Number** 2

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Shimmering Earth

Other means of identification

Product Code(s) 14122

Product Type Polyester TGIC

Recommended use of the chemical and restrictions on use Recommended Use Industrial Coating.

Uses advised against Industrial Coating.

No information available

Details of the supplier of the safety data sheet

Supplier Address The Eastwood Company 263 SHoemaker Rd Pottstown, Pa 19464

Company Phone Number 800-343-9353

Emergency Contact Number CHEMTREC (800) 424-9300

# 2. HAZARDS IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

#### Label elements

### **Emergency Overview**

Signal Word Danger

**Hazard Statements** 

Causes serious eye damage
May cause an allergic skin reaction
May cause genetic defects
Suspected of causing cancer



Appearance Powder Physical State Solid/Powder Odor None

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

Specific treatment (see Section 4 on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store in a dry place

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Fine dust dispersed in air, in the presence of an ignition source, is a potential explosion hazard Dust may be irritating to eyes, nose, throat

# Other Information

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Substance**

Components	CAS-No	Weight %	Trade Secret
Barium sulfate	7727-43-7	10-30	*
Titanium Dioxide	13463-67-7	1.0-10	*
TGIC/1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)-	2451-62-9	1-5%	*
Carbon black	1333-86-4	<0.5%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use. In the case of skin irritation or allergic reactions see a physician.

**Inhalation** Move to fresh air.

**Ingestion**None under normal use. Clean mouth with water and afterwards drink plenty of water. Do

not induce vomiting. Never give anything by mouth to an unconscious person. Consult a

physician.

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use Foam Dry chemical or CO2

#### **Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter and spread fire.

#### Specific Hazards Arising from the Chemical

Fine dust dispersed in air may ignite. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **Explosion Data**

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Use

NIOSH/MSHA approved respirators if OSHA PEL is exceeded. Use impervious glove and

body-covering clothing. Use side-shielded safety glasses or goggles.

**Environmental Precautions** 

**Environmental Precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Cleaning Up Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment should be avoided. Use non-sparking tools and equipment. Pick up and transfer to properly labeled containers. Dispose of according to local and

regional authority requirements.

# 7. HANDLING AND STORAGE

Precautions for safe handling

**Handling** Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not

breathe dust. Avoid dust formation. Do not ingest.

Conditions for safe storage, including any incompatibilities

Storage Store in a dry, air conditioned place below 80F. Keep container tightly closed. Store in

accordance with local regulations. Store in original container.

Incompatible Products Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH
Barium sulfate 7727-43-7	TWA: 5 mg/m <sup>3</sup>	TWA: 15 mg/m³ TWA: 5 mg/m³ (vacated) TWA: 10 mg/m³ (vacated) TWA: 5 mg/m³	TWA: 10 mg/m³ TWA: 5 mg/m³
Titanium Dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ (vacated) TWA: 10 mg/m³	IDLH: 5000 mg/m³
TGIC/1,3,5-Triazine-2,4,6(1H,3H,5H )-trione, 1,3,5-tris(oxiranylmethyl)- 2451-62-9	TWA: 0.05 mg/m³	-	-
Carbon black 1333-86-4	TWA: 3 mg/m³	TWA: 3.5 mg/m³ (vacated) TWA: 3.5 mg/m³	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³

NIOSH IDLH: Immediately Dangerous to Life or Health

# **Appropriate engineering controls**

**Engineering Measures** Showers

> Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Avoid contact with eyes. Eye protection. **Eye/Face Protection** 

Wear protective gloves/clothing. **Skin and Body Protection** 

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or **Hygiene Measures** 

smoke when using this product. Wash hands before breaks and immediately after handling

the product. Remove and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

**Physical State** Solid/Powder

Appearance Powder Odor Odorless

Color No information available **Odor Threshold** No data available

Property Remarks • Method

Melting point/freezing point

No information available on mixture

**Boiling Point/Range** No information available on mixture **Flash Point** No information available on mixture

**Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper explosive (flammability) 70 g/m<sup>3</sup>

limit:

Lower explosive (flammability) 30 g/m<sup>3</sup>

limit:

Vapor pressure Negligible **Vapor Density** No information available on mixture

**Specific Gravity** 1.2-1.8

Water Solubility Immiscible in water

**Solubility in other solvents**No information available on mixture

Partition coefficient No information available

Autoignition Temperature

Decomposition TemperatureNo information availableKinematic viscosityNo information available

Dynamic viscosity No information available on mixture

Explosive Properties No information available Oxidizing Properties No information available

**Other Information** 

Softening Point No information available on mixture

**% VOC** 0.291767209768295

**% Solids** 100

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to Avoid**

Excessive heat.

### **Incompatible Materials**

Strong oxidizing agents, strong acids, and strong bases.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors. Upon heating, may release oxides of carbon.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information Substances which cause concern for man owing to possible mutagenic effects but for which

the available information is not adequate for making a satisfactory assessment.

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** Contact with eyes may cause irritation.

**Skin Contact** Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Repeated exposure may cause skin dryness or cracking. May cause irritation.

Ingestion Not an expected route of exposure. May be harmful if swallowed.

Components	LD50 Oral	Dermal LD50	Inhalation LC50:
Fitanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
TGIC/1,3,5-Triazine-2,4,6(1H,3H,5H -trione, 1,3,5-tris(oxiranylmethyl)- 2451-62-9	= 188 mg/kg(Rat)	-	-
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	-	-

# Information on toxicological effects

**Symptoms** No information available on mixture.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization of susceptible persons.

Mutagenic Effects No information available on specific mixture.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

				,
Components	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	-	Group 2B	-	X
Carbon black 1333-86-4	A3	Group 2B	-	X

IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and

sensitization of susceptible persons. Experiments have shown reproductive toxicity effects

on laboratory animals. See Section 11 for additional Toxicological Information.

**Target Organ Effects** Eyes, Respiratory system. **Aspiration Hazard** No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 4,183.00

ATEmix (inhalation-dust/mist) 11.70 50205.45 4568129.70

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

13.0623726% of the mixture consists of components(s) of unknown hazards to the aquatic environment

### Persistence and Degradability

No information available.

#### **Bioaccumulation/ Accumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging** Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

<u>IATA</u> Not regulated

IMDG/IMO Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA 8(b)

All components are listed or exempt

DSL/NDSL

All components are listed or exempt

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Components	Weight %	SARA 313 - Threshold Values %
Barium sulfate - 7727-43-7	10-30	1.0
Phthalocyanine blue - 147-14-8	<0.5%	1.0
Metallic Copper - 7440-50-8	<0.1%	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **U.S. State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

Components	California Prop. 65
Titanium Dioxide - 13463-67-7	Carcinogen
Carbon black - 1333-86-4	Carcinogen

# U.S. State Right-to-Know Regulations

Components	New Jersey	Massachusetts	Pennsylvania
Barium sulfate 7727-43-7	Х	X	X
Carbon black 1333-86-4	X	X	X
Silica, amorphous, precipitated and gel 112926-00-8	Х	Х	X
Silica 7631-86-9	Х	X	X
Metallic Copper 7440-50-8	X	X	X

EPA Pesticide Registration Number No data available

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazard 2 Flammability 1 Instability 0 Physical and Chemical

Hazards -

HMIS / WHMIS Health Hazard 2 Flammability 1 Physical Hazards 0 Personal Precautions X

Revision Date 13-Aug-2015

**Revision Note** 

No information available

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, and transportation.

**End of SDS** 

\_\_\_\_\_