

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: **DRYLOK E-1 NON-SKID TEXTURE ADDITIVE**
PRODUCT CODE: 018

HMS CODES: H F R P
0 0 0 E

SECTION I – MANUFACTURER IDENTIFICATION

MANUFACTURE'S NAME: **UNITED GILSONITE LABORATORIES**
ADDRESS: **1396 JEFFERSON AVENUE**
SCRANTON, PA 18509

EMERGENCY PHONE: **(800) 424-9300**

INFORMATION PHONE: **(570) 344-1202**
NAME OF PREPARER: **R. BARAKO**

DATE ISSUED: NOVEMBER 2011
SUPERCEDES: AUGUST 2006

SECTION II – HAZARDOUS INGREDIENTS/SARA III INFORMATION

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS			VAPOR PRESSURE mmHg @TEMP	WEIGHT PERCENT
		OSHA PEL	ACGIH TLV	OTHER		
AMOPRPHOUS SILICON DIOXIDE	1332-09-8	NOT ESTAB	NOT ESTAB	NOT ESTAB	N/A	100

No toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372 are present.

SECTION III – PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING RANGE: N/A
VAPOR DENSITY: N/A
COATING VOC: N/A
SOLUBILITY IN WATER: NEGLIGIBLE
APPEARANCE AND ODOR: OFF-WHITE POWDER. NO ODOR

SPECIFIC GRAVITY (H₂O =1) 2.35
EVAPORATION RATE: N/A

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

FLASHPOINT: N/A
FLAMMABLE LIMITS IN AIR BY VOLUME:
EXTINGUISHING MEDIA: N/A
SPECIAL FIRE FIGHTING PROCEDURES: N/A

METHOD USED: N/A
LOWER: N/A
UPPER: N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

SECTION V – REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: NO SPECIAL CONDITIONS

INCOMPATIBILITY (MATERIALS TO AVOID): NO INCOMPATIBILITY (REACTS WITH HYDROFLURIC ACID)

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: MAY REACT WITH HYDROFLURIC ACID TO FORM TOXIC
TOXIC TETRA-FLOURIDE GAS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI – HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: IN EXTREME EXPOSURES, SOME CONGESTION MAY OCCUR.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: NONE KNOWN

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: NONE KNOWN

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: NON-HAZARDOUS

HEALTH HAZARDS (ACUTE AND CHRONIC): ACUTE: TRANSITORY UPPER RESPIRATORY IRRITANT.

CHRONIC: INHALATION OF HIGH LEVELS OF ANY NUISANCE DUST OVER LONG PERIODS OF TIME MAY CAUSE LUNGS TO BE MORE VULNERABLE TO, EMPHYSEMA AND ASTHMA.

CARCINOGENICITY:

NTP? NO

IARC MONOGRAPHS? YES

OSHA REGULATED? NO

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: PRE-EXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS, BUT NOT LIMITED TO, EMPHYSEMA AND ASTHMA

EMERGENCY AND FIRST AID PROCEDURES:

EYES: FLUSH WITH COPIOUS AMOUNTS OF CLEAN WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

SKIN: NONE KNOWN

INGESTION: NON-HAZARDOUS

INHALATION: BLOW NOSE, RINSE MOUTH, DRINK WATER TO CLEAR THROAT. REMOVE TO FRESH AIR

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: VACUUM CLEAN SPILLAGE. IF SWEEPING IS NECESSARY, USE A DUST SUPPRESSANT.

WASTE DISPOSAL METHOD: BURY AS NON-TOXIC WASTE IN AN APPROVED LANDFILL IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: USE TECHNIQUES THAT MINIMIZE GENERATING DUST.

OTHER PRECAUTIONS: MATERIAL, WHEN WET, MAY BE SLIPPERY ON A SMOOTH SURFACE. USE CAUTION

SECTIONS VIII – CONTROL MEASURES

RESPIRATORY PROTECTION: USE AN APPROVED DUST MASK, SUCH AS A PARTICULATE FILTER RESPIRATOR.

VENTILATION: MECHANICAL (GENERAL): SWEEP OR VACUUM ALL SPILLS. **OTHER:** USE FILTER-EQUIPPED VACUUM TO REMOVE DUST; DO NOT BLOW OFF WITH COMPRESSED AIR.

PROTECTIVE GLOVES: NOT REQUIRED

EYE PROTECTION: GOGGLES ARE RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NOT REQUIRED

WORK / HYGIENIC PRACTICES: AVOID VIGOROUS SHAKING OF BAGS. CLEAN CLOTHES WITH A VACUUM, NOT BY BLOWING OFF.

SECTION IX – DISCLAIMER

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of UGL's knowledge, or obtained from sources believed by UGL to be accurate, and UGL does not assume any legal responsibility for use or reliance upon same. Before using any product, read the label.