

— US —



# Safety Data Sheet acc. GHS

Printing date 03/17/2016

Reviewed on 08/25/2015

## 1 Identification

- . Product identifier
- . Trade name <u>YELLOW SM HGL</u>
- . Article number: 16042
- . Application of the substance / the mixture Powder coating material
- . Manufacturer/Supplier:

The Eastwood Company 263 Shoemaker Road Pottstown, PA 19464

Phone: 800-343-9353

Emergency Telephone number: 24/7 - 800-424-9300

## 2 Hazard(s) identification

GHS08	Health ha	izard
Muta. 1B	H340	May cause genetic defects.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.
Eve Dam. 1	Н318	Causes serious eye damage.
GHS07		
Acute Tox 4	Н332	Harmful if inhaled.
neuce ion. i		May cause an allergic skin reaction.
	H317	ing caube in affergie bith feaction.

## Safety Data Sheet acc. GHS

Printing date 03/17/2016

Trade name YELLOW SM HGL

. Hazard pictograms




. Signal word Danger

#### . Hazard-determining components of labeling: 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione . Hazard statements Harmful if inhaled. Causes serious eye damage. May cause an allergic skin reaction. May cause genetic defects. May cause damage to organs through prolonged or repeated exposure. May form combustible dust concentrations in air. . Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves. Wear eye protection / face protection. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). IF INHALED: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Get medical advice/attention if you feel unwell. IF ON SKIN: Wash with plenty of water. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. . Classification system . NFPA ratings (scale 0-4)



Health = 2 Fire = 1 Reactivity = 1

. HMIS-RATINGS (SCALE 0 - 4)



- . Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . **vPvB:** Not applicable.

## 3 Composition/information on ingredients

#### . Chemical characterization: Mixtures

. Description: Mixture consisting of the following components with harmless additives.

(Contd. on page 3)

(Contd. of page 1)

Reviewed on 08/25/2015





Casturood) DO THE JOB RIGHT.

## Safety Data Sheet acc. GHS

Printing date 03/17/2016

Trade name YELLOW SM HGL

(Contd. of page 2)
. Hazardous ingredients:
2451-62-9
1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione
Acute Tox. 3, H301; Acute Tox. 3, H331; Muta. 1B, H340; STOT RE 2,
H373; Eye Dam. 1, H318; Skin Sens. 1, H317
. Additional information For the wording of the listed hazard phrases refer to section 16.

## 4 First-aid measures

## . Description of first aid measures

. General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### . After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

. After skin contact Instantly wash with water and soap and rinse thoroughly.

. After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

. After swallowing Instantly call for doctor.

- . Information for doctor
- . Most important symptoms and effects, both acute and delayed No further relevant information available.
- . Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire Fighting Measures

#### . Extinguishing media

- . Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcoholresistant foam.
- . Special hazards arising from the substance or mixture No further relevant information available.
- . Advice for firefighters
- . Protective equipment: Put on breathing apparatus.

## 6 Accidental release measures

- . Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Avoid causing dust. Environmental precautions: Do not allow product to reach sewage system
- . Environmental precautions: Do not allow product to reach sewage system or water bodies. . Methods and material for containment and cleaning up:
- Collect mechanically. Ensure adequate ventilation.
- . Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

## 7 Handling and storage

### . Handling

## . Precautions for safe handling

No special measures required. Thorough dedusting. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care. \_\_\_\_\_

Reviewed on 08/25/2015



## Safety Data Sheet acc. GHS

Printing date 03/17/2016

Trade name YELLOW SM HGL

. Information about protection against explosions and fires:

(Contd. of page 3)

Reviewed on 08/25/2015



Keep ignition sources away - Do not smoke.

Keep breathing equipment ready. Dust can combine with air to form an explosive mixture.

- . Conditions for safe storage, including any incompatibilities
- . Storage
- . Requirements to be met by storerooms and containers: Store only in the original container. Static charges may build up in the powder
- . Information about storage in one common storage facility: Not required.
- . Further information about storage conditions: Keep container tightly sealed.
- . Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

. Additional information about design of technical systems: No further data; see item 7.

. Control parameters

## . Components with critical values that require monitoring at the workplace: 2451-62-9 1 3.5-tris(oxiranvlmethvl)-1.3.5-triazine-2,4,6(1H,3H,5H)-trione

2451-62-9 1,3,	5-tris(oxiranyimetnyi)-1,3,5-triazine-2,4,6(IH,3H,
TLV (U.S.A)	Long-term value: 0.05 mg/m³
EL (Canada)	Long-term value: 0.05 mg/m³ R; S
EV (Canada)	Long-term value: 0.05 mg/m³

LMPE (Mexico) Long-term value: 0.05 mg/m<sup>3</sup> . Additional information:

The lists that were valid during the compilation were used as basis.

- . Exposure controls
- . Personal protective equipment
- . General protective and hygienic measures Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- . Breathing equipment:



In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

#### . Protection of hands:



Protective gloves.

#### . Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### . Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Reviewed on 08/25/2015

(Contd. of page 4)



## Safety Data Sheet acc. GHS

Printing date 03/17/2016

Trade name YELLOW SM HGL

. Eye protection:



Safety Glasses

Body protection: Protective work clothing.

9 Physical and Chemical Properties

#### . Information on basic physical and chemical properties . General Information . Appearance: Form: Solid Colour: According to Trade Name . Smell: Characteristic . Odor threshold: Not determined . pH-value: Not applicable . Change in condition Melting point/Melting range: > 50 C / 120F Boiling point/Boiling range: Not applicable . Flash point: Not applicable . Inflammability (solid, gaseous) Not determined . Ignition temperature: Decomposition temperature: Not determined . Self-inflammability: Product is not selfigniting. . Danger of explosion: Product is not explosive. However, formation of explosive air/dust mixtures is possible . Critical values for explosion: Lower: Not determined. Upper: Not determined. . Steam pressure: Not applicable. . Density (Specific gravity) at 20 °C (68 °F) 1.21 g/cm<sup>3</sup> (10.097 lbs/gal) . Relative density Not determined. . Vapor density Not applicable. . Evaporation rate Not applicable. . Solubility in / Miscibility with Water: Unsoluble . Partition coefficient (n-octanol/water): Not determined. . Viscosity: dynamic: Not applicable. kinematic: Not applicable. . Solvent content: 0.0 % Organic solvents: 100.0 % Solids content: . Other information No further relevant information available.

## 10 Stability and Reactivity

. Reactivity No further relevant information available.

. Chemical stability

. Conditions to be avoided: No decomposition if used according to specifications.



Safety Data Sheet acc. GHS

Printing date 03/17/2016

Trade name YELLOW SM HGL

- . Possibility of hazardous reactions No dangerous reactions known
- . Conditions to avoid No further relevant information available.
- . Incompatible materials: No further relevant information available.
- . Hazardous decomposition products: In case of fire: CO, CO2, NOx

## 11 Toxicological Information

- . Information on toxicological effects
- . Acute toxicity:
- . LD/LC50 values that are relevant for classification:

2451-62-9 1,3	3,5-tris(oxiran	ylmethyl)-1,3,	,5-triazine-2,4,	,6(1H,3H,	5H)-trione

Oral	LD50	188-1450 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	0.309-0.650 mg/l (rat)

- . Primary irritant effect:
- . on the skin: N/A
- . Sensitization: Sensitization possible by skin contact.
- . Additional toxicological information:
  - The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant Harmful

The product can cause inheritable damage.

#### . Carcinogenic categories

. IARC (Internat	cional Agency for Research on Cancer)	
112926-00-8 3	Silicon dioxide	3
. NTP (National	Toxicology Program)	
None of the ir	ngredients is listed.	
. OSHA-Ca (Occup	pational Safety & Health Administration)	
None of the ir	ngredients is listed.	

## \* 12 Ecological information

#### . Toxicity

- . Aquatic toxicity: No further relevant information available.
- . Persistence and degradability No further relevant information available.
- . Behaviour in environmental systems:
- . Bioaccumulative potential No further relevant information available.
- . Mobility in soil No further relevant information available.
- . Additional ecological information:
- . General notes:

Water danger class 3 (Self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . **vPvB:** Not applicable.
- . Other adverse effects No further relevant information available.

(Contd. on page 7)

- US -



Reviewed on 08/25/2015

(Contd. of page 5)



## Safety Data Sheet acc. GHS

Printing date 03/17/2016

Trade name YELLOW SM HGL

Reviewed on 08/25/2015

(Contd. of page 6)

## 13 Disposal considerations

. Waste treatment methods

. Recommendation



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- . Uncleaned packagings:
- . Recommendation: Disposal must be made according to official regulations.

14 Transport information . UN-Number N/A. UN proper shipping name . DOT N/A. Transport hazard class(es) . DOT, IMDG, IATA . Class Not regulated. . Packing group N/A. Environmental hazards: . Marine pollutant: No . Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

#### 15 Regulatory information

- . Safety, health and environmental regulations/legislation specific for the substance or mixture
- . SARA (Superfund Amendments and Reauthorization Act):

. Section 355 (Extremly hazardous substances):

None of the ingredients is listed.

. Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

. TSCA (Toxic Substances Control Act):

All ingredients are listed.

#### . Proposition 65:

. Chemicals known to cause cancer:

None of the ingredients is listed.

. Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

. Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

. Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

. Cancerogenity categories

. EPA (Environmental Protection Agency)

None of the ingredients is listed.

. TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.



## Safety Data Sheet

acc. GHS

Reviewed on 08/25/2015

Printing date 03/17/2016

Trade name YELLOW SM HGL

NTOCH	Ca (National Institute for Occupational Safety and Health)	Contd. of page
	f the ingredients is listed.	
	bel elements	
	oduct is classified and labeled according to the Globally Harmonized Sy	stem (GHS).
	pictograms	(0.0.0)
	GHS07 GHS08	
GHS05	GHSU7 GHSU8	
Signal	word Danger	
Hazard	-determining components of labeling:	
	tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione	
	statements	
Harmfı	l if inhaled.	
Causes	serious eye damage.	
May ca	use an allergic skin reaction.	
May ca	use genetic defects.	
	use damage to organs through prolonged or repeated exposure.	
	rm combustible dust concentrations in air.	
	tionary statements	
	breathe dust/fume/gas/mist/vapors/spray.	
-	rotective gloves.	
	ye protection / face protection.	
	ly outdoors or in a well-ventilated area.	
	inated work clothing must not be allowed out of the workplace. special instructions before use.	
	handle until all safety precautions have been read and understood.	
	eyes: Rinse cautiously with water for several minutes. Remove contact l	enses if
	t and easy to do. Continue rinsing.	
	ately call a POISON CENTER/doctor.	
	ic treatment (see on this label).	
IF INF	ALED: Remove person to fresh air and keep comfortable for breathing.	
Wash d	ontaminated clothing before reuse.	
If exp	osed or concerned: Get medical advice/attention.	
-	n irritation or rash occurs: Get medical advice/attention.	
	dical advice/attention if you feel unwell.	
	SKIN: Wash with plenty of water.	
	locked up.	
	e of contents/container in accordance with local/regional/national/inte	ernational
2	tions.	l out
Chemic	al safety assessment: A Chemical Safety Assessment has not been carried	I OUT.

## \* 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases H301 Toxic if swallowed. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H331 Toxic if inhaled. H340 May cause genetic defects. H373 May cause damage to organs through prolonged or repeated exposure. Date of preparation / last revision 03/17/2016 / -Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists



— US —

Eastweed DO THE JOB RIGHT.

## Safety Data Sheet acc. GHS

Printing date 03/17/2016

#### Trade name YELLOW SM HGL

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 1B: Germ cell mutagenicity, Hazard Category 1B STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 . \* Data compared to the previous version altered.

Reviewed on 08/25/2015