



Have fun in your garage!®

Safety Data Sheet

Best of Show Paste Wax

SECTION 1: PRODUCT AND COMPANY INFORMATION

Product Identifiers

Name Best of Show Paste Wax
Number 10871
Brand Griot's Garage
Use Automotive Paste Wax.

Supplier

Name Griot's Garage Inc. - www.griotsgarage.com
Address 3333 South 38th Street - Tacoma - WA 98409
2185 Airwest Blvd - Plainfield, IN 46168
Telephone 800-345-5789 - 888-252-2252 Fax - info@griotsgarage.com
Emergency Phone 800-345-5789
Prepared/Revised December 22, 2015

SECTION 2: HAZARD IDENTIFICATION

This material is classified as not hazardous under OSHA regulations.

Classification of the substance or mixture.

Physical Hazards Not Classified
Health Hazards Eye irritation (Category 2B), Causes eye irritation.
Environmental Hazards Not Classified

GHS label elements and precautionary statements

Pictogram None required
Signal word **WARNING**
Prevention Wash hands thoroughly after handling.
Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
Storage No phrases apply.
Disposal No phrases apply.

Hazards not otherwise classified (HNOC).

None

Potential Health Effects (Acute and Chronic)

Primary Entry Routes: Inhalation, skin, ingestion.
Inhalation: Breathing small amounts of this product during normal handling is not likely to cause harmful effects. Breathing very large amounts may be irritating.
Eyes: Mild to severe irritation. Wear appropriate personal protective equipment to avoid eye contact.
Skin: Possible irritation and dryness.
Ingestion: Gastric irritation.
Medical Conditions Aggravated by Long-term Exposure: Pre-existing skin conditions.
Chronic Effects: None known.
Target Organs: No data on finished product.

Inhalation:

Breathing small amounts of this product during normal handling is not likely to cause harmful effects. Vapors may be irritating if breathing large amounts.

Skin Contact:

Possible Irritation.

Eye Contact:

Mildly to severe irritation to the eyes.

Ingestion:

Gastric irritation.

Supplemental Information

See Section 16 for alphanumeric H-Statements and P-Statements.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Mixture | Component | CAS | Percentage |
|---------|---------------------------|------------|------------|
| | Polydimethylsiloxane | 63148-62-9 | ~10 |
| | Isoparaffinic hydrocarbon | N/A | ~80 |
| | Carnauba Wax | 8015-86-9 | >10% |

SECTION 4: FIRST AID MEASURES

| | |
|---------------------|---|
| Skin Contact | First aid not normally required. Remove contaminated clothing. Wash area of contact with soap and water. Wash clothing before reuse. Get medical attention if irritation occurs and persists. |
| Eye Contact | Remove contact lenses. Flush with water until all traces of material are gone. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get medical attention if irritation persists. |
| Inhalation | Remove affected person from source of exposure. Get medical attention if breathing difficulty or discomfort persists. |
| Ingestion | Do not induce vomiting. If spontaneous vomiting occurs, monitor for breathing difficulty. Get medical attention. |

SECTION 5: FIREFIGHTING MEASURES

| | | |
|--|--|-----------------------------|
| Flash Point | 165°F (73.9°C) | Method Used: TAG Closed Cup |
| Explosive Limit | LEL: NO data. | UEL: No data. |
| Autoignition Point | No data. | |
| Suitable Extinguishing Media | Dry chemical, CO ₂ , water spray or regular foam. | |
| Basic Firefighting Procedures | Use a water spray to cool fire-exposed containers, structures and to protect personnel. Exposed firefighters should wear MSHA/NIOSH approved self-contained breathing apparatus with full-face mask and full protective equipment. Flush spills away from sources of ignition. | |
| Flammable Properties and Hazard | No data available. | |
| Hazardous Combustion Products | No data available. | |

SECTION 6: ACCIDENTAL RELEASE MEASURES

| | |
|-----------------------------|--|
| Emergency Action | For large spills, isolate the release area and keep unnecessary people away. Exercise caution regarding personnel safety and exposure. |
| Spill/Leak Procedure | Absorb liquids in dry sand, earth, or a noncombustible material and place into sealed containers for disposal. Use nonsparking tools and equipment. Metal containers involving product transfer should be grounded and bonded. |
| Notification | Any spill or release to navigable water that causes a visible sheen upon the water must be reported immediately to the National Response Center (800/424-8802), as required by U.S. federal law. |

SECTION 7: HANDLING AND STORAGE

| | |
|-----------------|--|
| Handling | Wear proper protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Do not ingest. For intended use only. Wash hands thoroughly. Use good hygiene practices when handling product, including changing and laundering work clothes after use. Get medical attention if you are exposed and feel unwell. |
| Storage | Do not store near incompatible chemicals. Store in a dry place at moderate temperatures (above freezing) away from heat and flames. This material is to be handled and applied according to label directions. Keep this product and all chemicals away from children and pets. Keep containers closed when not in use. Do not eat, drink, or smoke while using this product. |

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

| | |
|---------------------------|---|
| Control parameters | Exposure limits are for air levels only. Skin contact can cause over exposure even with the following limits are met. |
|---------------------------|---|

Components with workplace control parameters

| Component | CAS# | OSHA PEL | ACGIH TLV | Other Limits |
|----------------------------|------------|-----------------------------|---------------------|--------------|
| Polydimethylsiloxane | 63148-62-9 | No data/400 ppm | 400 ppm | No data |
| Isoparaffinic hydrocarbons | N/A | No data/5 mg/m ³ | 2 mg/m ³ | No data |
| Carnauba Wax | 8015-86-9 | No data/No data | No data | No data |

| | |
|--------------------------|--|
| Exposure controls | <u>Appropriate engineering controls:</u> Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations. |
|--------------------------|--|

Personal protective equipment

Eye/face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Handle with chemically protective gloves. Dispose of contaminated gloves after use in accordance with applicable laws and good practices. Wash and dry hands.

Respiratory protection: No data available.

General: Avoid contact with skin, eyes and clothing. Wash hands after handling the product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Form: Solid
 Color: Pale Orange
 Odor: Tropical
 Odor Threshold: Not Determined
 pH: Neutral
 Freezing Point/Melting Point: Melting Point: ~147°F (63.9 °C) to 155°F (68.3°C)
 Initial Boiling Point/Range: Initial Boiling Point: 340°F / 171.1°C
 Flash Point: 165°F / 73.9°C (Closed Cup)
 Evaporation Rate (Butyl Acetate = 1): ≤ 1
 Flammability (Solid/Gas): Not Determined
 Upper/lower flammability or explosive limits: Not determined
 Vapor pressure: ≤ F – 5 mmHg at 68.0 °F / 20.0 °C
 Vapor density: ≥ 1
 Specific Gravity : 0.871 at 68.0 °F / 20.0 °C
 Density: 8.7 lbs/gal
 Water solubility: Slight
 Partition coefficient: noctanol/water: Not determined
 Auto-ignition temperature: Not determined
 Decomposition temperature: Not Determined
 Viscosity: Not Determined
 Percent Volatile: < 50%

Physical Data is typical values based on material tested, but may vary based on composition. Values should not be accepted as guaranteed for every lot or as specifications for this product.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.
Chemical stability Stable under recommended storage conditions.
Possibility of hazardous reactions When in contact with incompatible materials.
Conditions to avoid High temperatures.
Incompatible materials No data available.
Hazardous decomposition products No data available.

SECTION 11: TOXICOLOGICAL INFORMATION**Information on Toxicological Effects**

Additional Information No data on finished products.
 None known.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity No data on finished product.
Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATION**Waste treatment methods**

Product Dispose of contents in accordance with all applicable local, state, and federal regulations.
Contaminated packaging Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

DOT Not regulated per §173.150 .
IMDG Not regulated.
IATA Flammable solids, organic, n.o.s.
 UN number: 1325 Packing group: III
 Hazard Class: 4.1 – Flammable Solid

SECTION 15: REGULATORY INFORMATION**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

| CAS# | Hazardous Components (Chemical Name) | S.302 (EHS) | S.304 RQ | S.313 (TRI) |
|-------------|---|--------------------|-----------------|--------------------|
| 63148-62-9 | Polymethylsiloxane | No | No | No |
| NA | Isoparaffinic hydrocarbons | No | No | No |
| 8015-86-9 | Carnauba wax | No | No | No |

This material meets the EPA "Hazard Categories" defined for SARA Title III Sections 311/312 as indicated:

| | |
|-----------------------------------|-----|
| Acute (immediate) Health Hazard | Yes |
| Chronic (delayed) Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

SECTION 16: OTHER INFORMATION**Full alphanumeric H-Statements and P-Statements.**

H320: Causes eye irritation.

P264: Wash skin thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + 313: If eye irritation persists, get medical attention.

Hazard Rating System:

HMIS:

Health – 1

Flammability – 0

Physical – 1

PPE - B

Disclaimer

The data presented here relates only to the specific material designated herein and does not relate to use in combination with any other materials or in any process. The information set forth above is based on technical data believed to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside our control, no warranties, expressed or implied are made, and no liability is assumed in connection with any use of this information. Judgments as to the suitability of this information for the user's purposes are necessarily the user's responsibility. Although reasonable care has been taken in the preparation of this information, no responsibility is assumed as to the accuracy or suitability of this information for its application to the users intended purpose or for consequences of its use.

Potential Health Effects

This product is a mixture for which no specific health hazard data exists. OSHA requires that one should assume such mixtures present the same health hazards as do any components present in amounts greater than 1% (0.1% for carcinogens). Consumers accessing our SDS information should keep in mind the information is presented in a format required by the U.S. Government's Occupational Safety and Health Administration (OSHA). We provide SDS as a service for our business customers. These industrial SDSs are not applicable to consumer use of these products. We thoroughly evaluate the safety aspects of all of our consumer products prior to their use in the home.