

# SAFETY DATA SHEET

Revision Date 30-Aug-2016

**Revision Number** 4

#### **1. IDENTIFICATION** Product Identifier **Product Name** 16237 - BLUE GRAY Other means of identification 16237 Product Code(s) **Product Type** Polyester TGIC Recommended use of the chemical and restrictions on use **Recommended Use** Industrial Coating. Uses advised against No information available Details of the supplier of the safety data sheet Supplier Address Eastwood Company 263 Shoemaker Road Pottstown, PA 19464 **Company Phone Number** 800-343-9353 **Emergency Telephone Number** 800-424-9300 ChemTrec 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

#### Label elements

**Emergency Overview** 

Signal Word Danger

Hazard Statements Causes serious eye damage May cause an allergic skin reaction May cause genetic defects Suspected of causing cancer



Appearance Powder

Physical State Solid, powder

Odor None

# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see Section 4 on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store in a dry place

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard Product dust may be irritating to eyes, skin and respiratory system

#### Other Information

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Components	CAS No.	Weight-%	Trade Secret
Barium sulfate	7727-43-7	15-30	*
Triglycidyl Isocyanurate (TGIC)	2451-62-9	1-5%	*
Titanium dioxide	13463-67-7	1-5%	*
Carbon black	1333-86-4	<1.0%	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

#### **Description of first aid measures**

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air.
Ingestion	None under normal use conditions. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use, Foam, Dry chemical or CO2

#### Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

#### Specific Hazards Arising from the Chemical

Fine dust dispersed in air may ignite. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Explosion Data Sensitivity to mechanical impact None. Sensitivity to static discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Ensure adequate ventilation. Use personal protection equipment. Avoid dust formation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up_		
Methods for Cleaning Up	Prevent environmental discharge consistent with regulatory requirements. Use non-sparking tools. Pick up and transfer to properly labeled containers. Disposal should be in accordance with applicable regional, national and local laws and regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Handling	Use personal protection equipment. Avoid contact with eyes, skin and clothing. Do not breathe dust. Avoid dust formation. Do not ingest.		
Conditions for safe storage, including any incompatibilities			
Storage	Keep only in the original container at a temperature not exceeding .? °C. Keep container tightly closed. Store in accordance with local regulations. Store in a dry place.		

Incompatible Products

Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Barium sulfate 7727-43-7	TWA: 5 mg/m³	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 10 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m³ TWA: 5 mg/m³	-
Triglycidyl Isocyanurate (TGIC)	TWA: 0.05 mg/m <sup>3</sup>	-	-	-

2451-62-9				
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 10 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	-
Carbon black 1333-86-4	TWA: 3 mg/m <sup>3</sup>	TWÁ: 3.5 mg/m <sup>3</sup> (vacated) TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	-

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment

Eye/Face Protection	Avoid contact with eyes. Eye protection.		
Skin and Body Protection	Wear protective gloves/protective clothing.		
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Appearance Color	Solid, powder Powder No information available	Odor Odor Threshold	Odorless No data available
<u>Property</u> pH	<u>Values</u> Specific test data for the substance or mixture is not available	Remarks • Method	
Melting point / freezing point Boiling Point / Boiling Range	No information available Specific test data for the substance or mixture is not available		
Flash Point	Specific test data for the substance or mixture is not available		
Evaporation Rate Flammability (solid, gas) Flammability Limit in Air	No information available No information available		
Upper Explosive Limits Lower Explosive Limits	70 g/m <sup>3</sup> 30 g/m <sup>3</sup>		
Vapor pressure Vapor Density	Negligible Specific test data for the substance or mixture is not available		
Specific Gravity Water Solubility	1.2-1.8 Immiscible in water		
Solubility in other solvents	Specific test data for the substance or mixture is not available		
Partition coefficient Autoignition Temperature	No information available		
Decomposition Temperature Kinematic viscosity Dynamic viscosity	No information available No information available Specific test data for the substance or mixture is not available		
Explosive Properties Oxidizing Properties	No information available No information available		
Other Information			
Softening Point Solids	Specific test data for the substance or 100%	mixture is not available	

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

 Chemical stability

 Stable under recommended storage conditions.

 Possibility of Hazardous Reactions

 None under normal processing.

 Conditions to Avoid

 Excessive heat.

 Incompatible Materials

 Strong oxidizing agents, strong acids, and strong bases.

 Hazardous Decomposition Products

 Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

Product Information	Substances which cause concern for man owing to possible mutagenic effects but for which the available information is not adequate for making a satisfactory assessment.
Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated exposure may cause skin dryness or cracking. May cause irritation.
Ingestion	Not an expected route of exposure. May be harmful if swallowed.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Triglycidyl Isocyanurate (TGIC)	= 188 mg/kg (Rat)	-	-
2451-62-9			
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
13463-67-7			
Carbon black	> 15400 mg/kg (Rat)	-	-
1333-86-4			

#### Information on toxicological effects

Symptoms

Specific test data for the substance or mixture is not available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause sensitization in susceptible persons.				
Mutagenic Effects	Specific test data for the substance or mixture is not available.				
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Components	ACGIH	IARC	NTP	OSHA	
Titanium dioxide 13463-67-7	-	Group 2B	-	Х	
Carbon black 1333-86-4	A3	Group 2B	-	х	
Reproductive Toxicity	No information available.				
STOT - single exposure	No information available.				
STOT - repeated exposure	No information available.				
Chronic Toxicity	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Experiments have shown reproductive toxicity effects on laboratory animals. See Section 11 for additional Toxicological Information.				
Aspiration Hazard	No information available.				

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 3,996.00

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

3.5884792 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

## **Bioaccumulation/Accumulation**

No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Disposal Methods** Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging** Do not reuse empty containers.

# **14. TRANSPORT INFORMATION**

DOT	Not regulated.
ΙΑΤΑ	Not regulated.
IMDG/IMO	Not regulated.

# **15. REGULATORY INFORMATION**

TSCA 8(b)	All components a	re listed or	exempt
DSL	All components a	re listed or	exempt

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Components	Weight-%	SARA 313 - Threshold Values %
Barium sulfate - 7727-43-7	27.248	1.0
SARA 311/312 Hazard Categories		
Acute Health Hazard	Yes	
Chronic Health Hazard	Yes	
Fire Hazard	Yes	
Sudden Release of Pressure Hazard	No	
Reactive Hazard	No	

#### U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

**CWA (Clean Water Act)** 

See information supplied by the manufacturer

#### **CERCLA**

See information supplied by the manufacturer

# US State Regulations

#### California Proposition 65

This product contains (a) Proposition 65 chemical(s)

Components	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Carbon black - 1333-86-4	Carcinogen	

U.S. EPA Label Information EPA Pesticide Registration Number No data available

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS / WHMIS	Health Hazard 2	Flammability 1	Physical hazards 0	Personal Precautions X

30-Aug-2016

Revision Date Revision Note

No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet