SAFETY DATA SHEET



Revision Date 17-Aug-2016

**Revision Number** 3

## **1. IDENTIFICATION**

<u>Product Identifier</u> Product Name	16245 - Light Violet
Other means of identification	
Product Code(s)	16245
Product Type	Polyester TGIC
Recommended use of the che	emical and restrictions on use
Recommended Use	Industrial Coating.
Uses advised against	No information available
Details of the supplier of the	safety data sheet
Supplier Address	

Supplier Address Eastwood Company 263 Shoemaker Road Pottstown, PA 19464

Company Phone Number800-343-9353Emergency Telephone Number800-424-9300ChemTrec

## 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

#### Label elements

**Emergency Overview** 

Signal Word Danger

Hazard Statements

Causes serious eye damage May cause an allergic skin reaction May cause genetic defects Suspected of causing cancer



Appearance Powder

Physical State Solid, powder

Odor None

## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see Section 4 on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store in a dry place

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard Product dust may be irritating to eyes, skin and respiratory system

#### Other Information

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Components	CAS No.	Weight-%	Trade Secret
Barium sulfate	7727-43-7	15-30	*
Titanium dioxide	13463-67-7	1-5%	*
Triglycidyl Isocyanurate (TGIC)	2451-62-9	1-5%	*

The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air.
Ingestion	None under normal use conditions. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.
Notes to Physician	Treat symptomatically.

#### Suitable Extinguishing Media

Use, Foam, Dry chemical or CO2

#### Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

#### Specific Hazards Arising from the Chemical

Fine dust dispersed in air may ignite. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### Explosion Data Sensitivity to mechanical impact None. Sensitivity to static discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Ensure adequate ventilation. Use personal protection equipment. Avoid dust formation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Mathada and matarial for containme	ont and algoning up

#### Methods and material for containment and cleaning up

Methods for Cleaning UpPrevent environmental discharge consistent with regulatory requirements. Use<br/>non-sparking tools. Pick up and transfer to properly labeled containers. Disposal should be<br/>in accordance with applicable regional, national and local laws and regulations.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

HandlingUse personal protection equipment. Avoid contact with eyes, skin and clothing. Do not<br/>breathe dust. Avoid dust formation. Do not ingest.Conditions for safe storage, including any incompatibilitiesStorageKeep only in the original container at a temperature not exceeding .? °C. Keep container<br/>tightly closed. Store in accordance with local regulations. Store in a dry place.

Incompatible Products

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Barium sulfate	TWA: 5 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
7727-43-7		TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	
		(vacated) TWA: 10 mg/m <sup>3</sup>		
		(vacated) TWA: 5 mg/m <sup>3</sup>		
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	-
13463-67-7		(vacated) TWA: 10 mg/m <sup>3</sup>	-	
Triglycidyl Isocyanurate	TWA: 0.05 mg/m <sup>3</sup>	-	-	-

(TGIC) 2451-62-9			
---------------------	--	--	--

Appropriate engineering controls

#### Engineering Measures

#### Showers Eyewash stations

Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Avoid contact with eyes. Eye protection.
Skin and Body Protection	Wear protective gloves/protective clothing.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State Appearance Color	Solid, powder Powder No information available	Odor Odor Threshold	Odorless No data available
<u>Property</u> pH	<u>Values</u> Specific test data for the substance or mixture is not available	Remarks • Method	
Melting point / freezing point Boiling Point / Boiling Range	No information available Specific test data for the substance or mixture is not available		
Flash Point	Specific test data for the substance or mixture is not available		
Evaporation Rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper Explosive Limits	70 g/m <sup>3</sup>		
Lower Explosive Limits	30 g/m <sup>3</sup>		
Vapor pressure	Negligible		
Vapor Density	Specific test data for the substance or		
	mixture is not available		
Specific Gravity	1.2-1.8		
Water Solubility	Immiscible in water		
Solubility in other solvents	Specific test data for the substance or mixture is not available		
Partition coefficient	No information available		
Autoignition Temperature			
Decomposition Temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	Specific test data for the substance or		
	mixture is not available		
Explosive Properties	No information available		
Oxidizing Properties	No information available		
Other Information			
Softening Point Solids	Specific test data for the substance or 100%	mixture is not available	

Reactivity No data available

 Chemical stability

 Stable under recommended storage conditions.

 Possibility of Hazardous Reactions

 None under normal processing.

 Conditions to Avoid

 Excessive heat.

 Incompatible Materials

 Strong oxidizing agents, strong acids, and strong bases.

 Hazardous Decomposition Products

 Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Substances which cause concern for man owing to possible mutagenic effects but for which the available information is not adequate for making a satisfactory assessment.
Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated exposure may cause skin dryness or cracking. May cause irritation.
Ingestion	Not an expected route of exposure. May be harmful if swallowed.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Triglycidyl Isocyanurate (TGIC) 2451-62-9	= 188 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms

Specific test data for the substance or mixture is not available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Mutagenic Effects Carcinogenicity	Specific test	May cause sensitization in susceptible persons. Specific test data for the substance or mixture is not available. The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Components	ACGIH	IARC	NTP	OSHA	
Titanium dioxide 13463-67-7	-	Group 2B	-	Х	
Reproductive Toxicity STOT - single exposure STOT - repeated exposur Chronic Toxicity	No information No information Repeated or sensitization	No information available. No information available. No information available. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Experiments have shown reproductive toxicity effects on laboratory animals. See Section 11 for additional Toxicological Information.			
Aspiration Hazard	No informatio	n available.			
Numerical measures of to	oxicity - Product Information	ation			

# The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,316.00 ATEmix (inhalation-dust/mist) 11.74

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

6.03997 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

## Bioaccumulation/Accumulation

No information available.

Other adverse effects	No information available			
13. DISPOSAL CONSIDERATIONS				
Waste treatment methods				
Disposal Methods	Dispose of in accordance with federal, state and local regulations.			
Contaminated Packaging	Do not reuse empty containers.			

## **14. TRANSPORT INFORMATION**

DOT	Not regulated.
ΙΑΤΑ	Not regulated.
IMDG/IMO	Not regulated.

	15. REGULATORY INFORMATION
TSCA 8(b) DSL	All components are listed or exempt All components are listed or exempt
DSL	All components are listed of exempt

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Components	Weight-%	SARA 313 - Threshold Values %
Barium sulfate - 7727-43-7	29.9803	1.0
SARA 311/312 Hazard Categories		
Acute Health Hazard	Yes	
Chronic Health Hazard	Yes	
Fire Hazard	Yes	
Sudden Release of Pressure Hazard	No	
Reactive Hazard	No	

#### U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

```
CWA (Clean Water Act)
```

See information supplied by the manufacturer

## <u>CERCLA</u>

See information supplied by the manufacturer

## US State Regulations

#### **California Proposition 65**

This product contains (a) Proposition 65 chemical(s)

Components	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Carbon black - 1333-86-4	Carcinogen

## U.S. EPA Label Information

EPA Pesticide Registration Number No data available

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Flammability 1

Flammability 1

Instability 0

Physical hazards 0

**Physical and Chemical** 

Personal Precautions X

Hazards -

NFPA	
------	--

Health Hazard 2

Health Hazard 2

HMIS / WHMIS

17-Aug-2016

Revision Date Revision Note No information available Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet