MATERIAL SAFETY DATA SHEET

Product: **UNDER GONE UNDERCOATING REMOVER** Date: June 1, 1993 Revision Date: April 2, 2007

SECTION I. MATERIAL IDENTIFICATION

Trade/Material Name: Under Gone Undercoating Remover

Supplier:	The Easthill Group
	dba/ The Eastwood Co.
	263 Shoemaker Road
	Pottstown, PA 19464

Phone: USA & Canada: 1-800-345-1178 Outside USA: (610) 323-2200 Emergency: Chem-Trec 1-800-424-9300

SECTION II. INGREDIENTS AND HAZARDS				
Ingredient Name:	Exposure Limits:	CAS#		
D-limonene	N/D	5989-27-5		
Dipropylene Glycol Methyl Ether	PEL - 150 ppm	20324-32-7		
Mineral Seal Oil	PEL - 5 mg/m ³	64742-30-9		

This product contains a flammable propellant (CAS #68476-86-8) which contains propane, isobutane, and n-butane. Propane has an OSHA PEL of 1000 ppm and is listed by ACGIH as a simple asphyxiant. The dispensed product is a non-flammable aerosol based on the flame extension test.

All components that comprise Bio T Foamaxx are registered on the TSCA inventory.

SECTION III. PHYSICAL DATA		
Appearance & Odor:	Foam/gel with citrus odor	
Boiling Point:	166°F	
Evaporation Rate $(H_2 0 = 1)$:	1	
Vapor Pressure:	N/D	
Specific Gravity (H ₂ 0 = 1):	0.939 @ 25°C	
Melting Point:	Liquid @ 25°C	
Vapor Density (air = 1):	N/D	
pH:	9.8	
Solubility in Water:	Soluble	

SECTION IV. FIRE AND EXPLOSION DATA		
Flash Point (method):	Product extinguishes flame.	
	(Flame extension, open flame test)	
Limits:	LEL %: N/D UEL %: N/D	
Extinguishing Media:	Dry chemical, carbon dioxide or halon	
Unusual Fire or Explosion Hazards:	Guard against spontaneous combustion of	
	improperly discarded oily rags.	
Special Fire Fighting Procedures:	Use self-contained breathing apparatus.	
	Do not use water.	

SECTION V. REACTIVITY DATA

Hazardous polymerization will not occur.
Avoid contact with strong oxidizing agents.
Avoid use of any ignition sources near spill.
Carbon monoxide.

SECTION VI. HEALTH HAZARD INFORMATION

Carcinogenicity: Medical conditions which	This product is not considered a carcinogen. may be aggravated by contact: Predisposition to allergic contact dermatitis.	
Primary entry route(s):	Inhalation, skin contact, eye contact, ingestion.	
Signs and symptoms of overexposure:		
Eye Contact:	May cause irritation	
Skin Contact:	Causes irritation	
Inhalation:	Prolonged inhalation of aerosol/vapor may result in drowsiness, headache and uncoordination if used extensively in absence of general ventilation.	
First Aid:	general ventuation.	
Eye Contact:	Flush eyes with copious amounts of water; see physician.	
Skin Contact:	Wash skin with mild soap and water.	
Inhalation:	Move victim to fresh air.	
Ingestion:	Do not induce vomiting. Rinse mouth with water, then drink one glass of water. Contact physician immediately. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing.	

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill/Leak Procedures: Avoid use of any ignition source near spill. Contain product with inert material or absorbent medium such as activated carbon or kitty litter.

Waste Management/Disposal: Hazardous substances cleaned with this product may be considered hazardous waste. Unused portions of this product must be disposed of as ignitable waste. Dispose of hazardous waste in accordance with all local, state and federal regulations.

SECTION VIII. SPECIAL PROTECTION INFORMATION

Personal Protective Equipment:		
Eye Protection:	Goggles	
Gloves:	Impermeable gloves (Nitrile)	
Respirator:	Not required in presence of good general ventilation. If conditions warrant, use NIOSH approved respirator.	
Other:	Avoid wearing clothes saturated with cleaner.	
Workplace Considerations:		
Ventilation:	General mechanical ventilation.	
Safety Stations:	Emergency eye wash and shower stations.	

SECTION IX. SPECIAL PRECAUTIONS

Special Handling/Storage: Store in a well ventilated area at temperatures below 120°F. Do not puncture, freeze or heat aerosol cans.

Other Precautions: Avoid contact with skin, eyes and mucous membranes.

Proper Shipping Name: Consumer commodity

Hazard Class: ORM-D

CAS Number: Proprietary Blend

R.C.R.A. Hazard Class: Ignitable

The information contained in the above MSDS is intended for the exclusive use of BioChem Systems, Inc. The above data have been compiled primarily from the MSDS supplied to BioChem Systems, Inc. by the manufacturer and/or supplier. While the information is believed to be pertinent and current, no warranty expressed or implied is given as to its accuracy. This MSDS is to be used as a guideline for safe work practices and emergency response. Any questions regarding the safe use of this material not outlined above should be directed to the BioChem Systems, Inc. Technical Services Department.