


Eastwood[®]

DO THE JOB RIGHT.[®]

Item #31836


METRIC STUD REMOVER/INSTALLER SET INSTRUCTIONS



THE EASTWOOD STUD REMOVER/INSTALLER SET allows positive, damage free removal and installation of threaded studs providing grip by solidly surrounding them with three hardened steel cylinders.

INCLUDES:

- (4) Metric Stud Remover/Installers in the following sizes:
6mm, 8mm, 10mm, 12mm
- (1) Plastic Blow Molded Case



SAFETY INFORMATION

The following explanations are displayed in this manual, on the labeling, and on all other information provided with this product:

⚠ DANGER

DANGER indicates a hazardous situation which, if not avoided, will result in death or serious injury.

⚠ WARNING

WARNING indicates a hazardous situation which, if not avoided, could result in death or serious injury.

⚠ CAUTION

CAUTION indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.

⚠ NOTICE

NOTICE is used to address practices not related to personal injury.

SAFETY INFORMATION



⚠️ READ INSTRUCTIONS

- Thoroughly read and understand these product instructions before using this Stud Removal/Installer Set.
- Keep these product instructions for future reference.



⚠️ DANGER IMPROPER MOTOR VEHICLE REPAIR WORK CAN RESULT IN INJURY OR DEATH!

- Performing motor vehicle work without adequate training in motor vehicle mechanical systems can cause injury, death and vehicle damage. **DO NOT** attempt to use this tool or begin motor vehicle service work without proper training in and a thorough understanding of motor vehicle mechanical systems.
- Always consult an authorized manufacturer's service manual or instructional materials on the particular vehicle for the proper repair procedures before using this Stud Removal Set.

⚠️ DANGER INJURY HAZARD!

- **DO NOT** use powered impact tools with this Stud Removal/Installer Set. Sudden shock loads can shatter the Removal/Installer shell.



⚠️ CAUTION PINCH HAZARD!

- To avoid possible personal injury, keep hands and fingers free of moving parts when using this Stud Removal/Installer Set.



⚠️ CAUTION EYE INJURY HAZARD!

- Tool can eject metal particles, dirt and debris at high velocity. Always wear ANSI approved eye protection when operating this tool.




⚠️ CAUTION INJURY HAZARD!

- The tool can suddenly release causing severe hand or wrist injury.
- Always make sure the workpiece is securely clamped or anchored to avoid sudden movements which could result in injury.
- Frequently inspect Stud Remover/Installer shells. If cracks develop, discontinue use immediately and replace damaged tool.

SET-UP & OPERATION

- Remove all grease, oil and dirt buildup on the stud surface to avoid slippage.
- Select the Stud Remover/Installer size that fits the stud then place it over the stud, covering as much of the stud as possible for maximum grip (**FIG 1**).
- Apply a 3/8" or 1/2" drive ratchet or breaker bar (not included) and proceed to loosen stud (**FIGS 1 & 2**).
- After all studs are removed or installed, clean the Stud Remover/Installer of grease, oil or dirt and return to the storage case.



If you have any questions about the use of this product, please contact

The Eastwood Technical Assistance Service Department: 800.343.9353 >> email: techelp@eastwood.com

PDF version of this manual is available at eastwood.com

The Eastwood Company 263 Shoemaker Road, Pottstown, PA 19464, USA

800.343.9353 eastwood.com