

**MATERIAL SAFETY DATA SHEET**

Distributed by:  
The Easthill Group dba/ The Eastwood Company  
263 Shoemaker Road, Pottstown, PA 19464  
USA & Canada: 800-345-1178  
Outside USA: (610) 323-2200  
Emergency Contact: Chem-Trec 800-424-9300

**PRODUCT IDENTIFICATION****REVISION DATE: 07/01/09**

IDENTITY: (As used on label)	Synonyms:
<b>Auto Air Semi- Opaque Emerald Green</b> Item # 34348 (001, 002, 003 & 004)	
Chemical family:	Formula
---	

**HAZARDOUS INGREDIENTS**

COMPONENT	CAS #	%	OSHA/PEL
Proprietary Ingredient	Not specified	75-95	Not established
Methoxy 2	107-98-2	<1	100 PPM
Methoxy 1	1589-47-5	< .05	150 PPM

**PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>Boiling /melting point:</b> 408°F (209° C)
<b>Solubility in water:</b> Appreciable (>20%)
<b>Vapor pressure (mm Hg):</b> <0.2 mm Hg @ 20° C
<b>Vapor density:</b> (Air=1) 6.6
<b>Specific Gravity (H<sub>2</sub>O-1):</b> (Water=1) 0.972
<b>Evaporation Rate: (BuAct=1):</b> .07
<b>Appearance and Odor:</b> Colorless liquid, combustible, sweet ether odor
<b>Flash Point:</b> 79° C / 174°F

**Volatile Organic Compound**

<b>*Paint 80%:</b> .92
<b>**Reducer 20% :</b> .61
<b>Combined VOC:</b> 1.53

\*Paint can be sprayed without reduction

\*\*Refer to Colors for combined VOC

**FIRE AND EXPLOSION HAZARD DATA**

<b>Extinguisher Media:</b> Water, CO <sub>2</sub> foam, water fog, dry chemical, chemical foam
<b>Fire fighting Procedures:</b> Self-contained respiratory equipment; cool container to prevent pressure buildup and possible explosion when exposed to extreme heat. Caution- material is combustible!
<b>Unusual Fire and Explosion Hazards:</b> Closed containers can explode due to buildup of pressure when exposed to extreme heat

**REACTIVITY DATA**

<b>Stability:</b> ( X ) Stable ( ) Unstable <b>Conditions to avoid:</b> extreme temperatures, open flames
--

<b>Incompatibility (materials to avoid)</b> : strong oxidizers, strong acids
<b>Hazardous Decomposition or Byproducts:</b> Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.
<b>Hazardous Polymerization:</b> ( ) may occur    ( X ) will not occur <b>Conditions to avoid:</b> None

### HEALTH INFORMATION

<b>Primary Route of Exposure:</b>			
<b>Inhalation:</b>	<b>Skin:</b> X	<b>Ingestion:</b>	<b>Eyes:</b>
<b>Carcinogen:</b>	<b>IARC:</b> no	<b>NTP:</b> no	<b>OSHA:</b> no
<b>Signs and Symptoms of Exposure:</b> none found			
<b>Medical Conditions Generally Aggravated by Exposure:</b> none found			
<b>Emergency and First Aid Procedures:</b> <u>Eye Contact</u> , remove contact lenses. Flush with water for 15 min. and consult physician if irritation persists. <u>Ingestion</u> , If victim is conscious give water, <i>do not</i> induce vomiting. Call physician.			

### SPECIAL PROTECTION DATA

<b>Respiratory Protection:</b> Respiratory protection equipment is required under normal conditions of anticipated use with adequate ventilation. , wear a NIOSH/MSHA approved respirator.
<b>Ventilation:</b> The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.
<b>Protective Gloves:</b> Neoprene or rubber gloves with cuffs
<b>Other Protective Clothing:</b> Coveralls, apron, or other equipment should be worn to minimize skin contact. Where use can result in skin contact, wash thoroughly before eating, drinking, or smoking.

### SPILL AND LEAK PROCEDURES

<b>Steps to be taken in case of material spill:</b> COMBUSTIBLE-Evacuate and ventilate area: remove all sources of sparks, ignition, and open flames; confine and absorb into approved absorbent; place material into approved containers for disposal; do not wash to sewer or waterway.
<b>Storing/Handling:</b> Store in tightly closed containers in a cool, well-ventilated area.
<b>Waste Disposal Method:</b> Sanitary landfill in accordance with local, state, and federal regulations. <b>Other Precautions:</b> None