

**MATERIAL SAFETY DATA SHEET**

Distributed By:  
 The Easthill Group dba/ The Eastwood Company  
 263 Shoemaker Road  
 Pottstown, PA 19464  
 USA & Canada: 800-345-1178  
 Outside USA: (610) 323-2200  
 Emergency Contact: Chem-Trec 800-424-9300

**PRODUCT IDENTIFICATION****REVISION DATE: 07/01/09**

IDENTITY: (As used on label)	Synonyms:
<b>Auto Air Transparent Sun Gold</b> Item # 4232	
Chemical family:	Formula
---	

**HAZARDOUS INGREDIENTS**

COMPONENT	CAS #	%	OSHA/PEL
Proprietary Ingredient	Not specified	75-95	Not established
Methoxy 2	107-98-2	<1	100 PPM
Methoxy 1	1589-47-5	< .05	150 PPM

**PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>Boiling /melting point:</b> 408°F (209° C)
<b>Solubility in water:</b> Appreciable (>20%)
<b>Vapor pressure (mm Hg):</b> <0.2 mm Hg @ 20° C
<b>Vapor density:</b> (Air=1) 6.6
<b>Specific Gravity (H<sub>2</sub>O=1):</b> (Water=1) 0.972
<b>Evaporation Rate: (BuAct=1):</b> .07
<b>Appearance and Odor:</b> Colorless liquid, combustible, sweet ether odor
<b>Flash Point:</b> 79° C / 174°F

**Volatile Organic Compound**

<b>*Paint 80%:</b> .92
<b>**Reducer 20% :</b> .61
<b>Combined VOC:</b> 1.53

\*Paint can be sprayed without reduction

\*\*Refer to Colors for combined VOC

**FIRE AND EXPLOSION HAZARD DATA**

<b>Extinguisher Media:</b> Water, CO <sub>2</sub> foam, water fog, dry chemical, chemical foam
<b>Fire fighting Procedures:</b> Self-contained respiratory equipment; cool container to prevent pressure buildup and possible explosion when exposed to extreme heat. Caution- material is combustible!
<b>Unusual Fire and Explosion Hazards:</b> Closed containers can explode due to buildup of pressure when exposed to extreme heat

**REACTIVITY DATA**

<b>Stability:</b> ( X ) Stable      ( ) Unstable <b>Conditions to avoid:</b> extreme temperatures, open flames
<b>Incompatibility (materials to avoid) :</b> strong oxidizers, strong acids

**Hazardous Decomposition or Byproducts:** Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.

**Hazardous Polymerization:**

( ) may occur ( X ) will not occur      **Conditions to avoid:** None

### HEALTH INFORMATION

**Primary Route of Exposure:**

**Inhalation:**

**Skin:** X

**Ingestion:**

**Eyes:**

**Carcinogen:**

**IARC:** no

**NTP:** no

**OSHA:** no

**Signs and Symptoms of Exposure:**

none found

**Medical Conditions Generally Aggravated by Exposure:**

none found

**Emergency and First Aid Procedures:**

Eye Contact, remove contact lenses. Flush with water for 15 min. and consult physician if irritation persists.

Ingestion, If victim is conscious give water, *do not* induce vomiting. Call physician.

### SPECIAL PROTECTION DATA

**Respiratory Protection:**

Respiratory protection equipment is required under normal conditions of anticipated use with adequate ventilation. , wear a NIOSH/MSHA approved respirator.

**Ventilation:**

The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.

**Protective Gloves:**

Neoprene or rubber gloves with cuffs

**Other Protective Clothing:**

Coveralls, apron, or other equipment should be worn to minimize skin contact. Where use can result in skin contact, wash thoroughly before eating, drinking, or smoking.

### SPILL AND LEAK PROCEDURES

**Steps to be taken in case of material spill:**

COMBUSTIBLE-Evacuate and ventilate area: remove all sources of sparks, ignition, and open flames; confine and absorb into approved absorbent; place material into approved containers for disposal; do not wash to sewer or waterway.

**Storing/Handling:**

Store in tightly closed containers in a cool, well-ventilated area.

**Waste Disposal Method:**

Sanitary landfill in accordance with local, state, and federal regulations.

**Other Precautions:**

None