

DISTRIBUTED BY  
THE EASTHILL GROUP  
DBA/ THE EASTWOOD COMPANY  
263 SHOEMAKER ROAD  
POTTSTOWN, PA 19464  
USA & CANADA: 800-345-1178  
OUTSIDE USA: 610-323-2200

PAGE 1 OF 3

EMERGENCY CONTACT:  
CHEM-TREC 800-424-9300

**SECTION 1 MANUFACTURERS INFORMATION**

PRODUCT NAME:	FINAL FINISH
PRODUCT DESCRIPTION:	WHITE SLURRY, NO ODOR
CHEMICAL FAMILY:	LIQUID POLISH
REVISION DATE:	May 1, 2006

**SECTION 2 INGREDIENTS, COMPOSITION**

CHEMICAL NAME CAS REGISTRY NO.	% WT	CHEMICAL NAMES	NOTES
		WATER	SECTION 313 SUPPLIER NOTIFICATION: "1" IDENTIFIES CHEMICAL INGREDIENTS
8015-86-9	<10	WAX	SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY
57-11-2	<10	STEARIC ACID	PLANNING AND COMMUNITY RIGHT-TO-KNOW-ACT OF 1986.
68478-94-4	T	AMM.CHLORIDE	
63148-62-9	T	SILICONE EMULSION	
647-89-8	T	NAPTHA	
66402-68-4	T	ALUMIA	
68915-31-1	T	HEXAMETA PHOSPHATE	
68155-20-4	T	EMULSIFIER	
9003-01-4	T	SUSPENDING AGENT	
112-80-1	T	OLEIC ACID	
NE	T	THICKENING AGENT	

**SECTION 3 HAZARDS IDENTIFICATION**

HEALTH -----	0	INSTABILITY -----	0
FIRE -----	0	OTHER -----	X
(0 = INSIGNIFICANT; 1 = SLIGHT; 2 = MODERATE; 3 = HIGH; 4 = EXTREME)			
HAZARD SIGNAL (SHORT TERM CONTACT OR INHALATION ONLY)			
THRESHOLD LIMIT VALUE:		NE, BLENDED PRODUCT. SEE SECTION 2 FOR INFORMATION ON LISTED INGREDIENTS	
PRIMARY ROUTES OF ENTRY:		EYE CONTACT	
EFFECTS OF ACUTE OVEREXPOSURE:			
EYES:		IRRITATION	
SKIN:		DRYING OF SKIN POSSIBLE WITH PROLONGED USE	
INHALATION:		MIST OF PRODUCT OR SOLUTION COULD CAUSE POSSIBLE RESPIRATOR TRACT IRRITATION	
SWALLOWING		STOMACH UPSET POSSIBLE	
EFFECTS OF CHRONIC OVEREXPOSURE:		UNKNOWN; NONE EXPECTED BEYOND ACUTE EFFECTS	
CARCINOGENICITY:		THIS PRODUCT OR ITS INGREDIENTS HAVE NOT BEEN INDENTIFIED AS A CARCINOGEN	
		OR PROBABLE CARCINOGEN BY NTP, IARC MONOGRAPH OR OSHA	
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:		NONE KNOWN OR EXPECTED	

**SECTION 4 FIRST AID MEASURES**

EYES:	IMMEDIATELY FLUSH WITH COOL RUNNING WATER HOLDING EYE LIDS APART. REMOVE CONTACT LENSES IF PRESENT AND CONTINUE FLUSHING FOR 15 MINUTES. GET MEDICAL ASSISTANCE IF IRRITATION PERSISTS OR IS SEVERE.
SKIN:	FLUSH THOROUGHLY WITH RUNNING WATER. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. IF IRRITATION DEVELOPS AND PERSISTS, GET MEDICAL ADVICE OR ASSISTANCE.
INHALED:	REMOVE TO FRESH AIR. IMMEDIATELY CALL FOR MEDICAL ADVICE OR ASSISTANCE IF BREATHING DIFFICULTY OR IRRITATION IS SEVERE OR CONTINUES.
SWALLOWED:	RINSE MOUTH WITH LARGE AMOUNTS OF WATER. DRINK WATER, MILK OR OTHER FLUIDS TO DILUTE. DO NOT INDUCE VOMITING. CALL FOR MEDICAL ADVICE OR ASSISTANCE IF DIFFICULTIES AND DISCOMFORT DEVELOP AND CONTINUE.

**SECTION 5 FIRE FIGHTING MEASURES**

FLASH POINT:	NONE	FLAMMABLE LIMITS LEL-UEL	NA
EXTINGUISHING MEDIA:	AS NEEDED FOR SURROUNDING FIRE		
SPECIAL FIRE FIGHTING PROCEDURES:	FOR ANY CHEMICAL FIRE WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT		
UNUSUAL FIRE AND EXPLOSION HAZARDS:	NONE		
HAZARDOUS COMBUSTION PRODUCTS:	NE		

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

SMALL SPILLS:	FLUSH TO DRAIN WITH EXCESS WATER
LARGE SPILLS:	STOP SOURCE IF SAFE TO DO SO. CONTAIN SPILLED MATERIAL AND KEEP FROM DISCHARGING TO SURFACE WATERS. RECOVER TO DRUM FOR LATER USE. TREATMENT OR DISPOSAL. FLUSH RESIDUAL TO DRAIN. NOTIFY LOCAL, STATE OR NATIONAL AUTHORITIES IF REQUIRED
DISPOSAL:	NORMALLY SEWER DISPOSABLE IN DILUTE SOLUTIONS. CHECK WITH LOCAL AUTHORITIES ABOUT ANY POSSIBLE RESTRICTIONS.

**SECTION 7 HANDLING AND STORAGE**

HANDLING:	RINSE AFTER USE. AVOID BREATHING MISTS OF PRODUCT OR SOLUTION
STORAGE:	KEEP CONTAINERS TIGHTLY CLOSED. DO NOT FREEZE OR STORE IN EXCESSIVE HEAT

**SECTION 8 EXPOSURE CONTROLS, PERSONAL PROTECTION**

VENTILATION:	NORMALLY NOT NECESSARY. IF MISTS ARE GENERATED HAVE GENERAL OR LOCAL VENTILATION TO AVOID BREATHING IRRITATING MISTS.
RESPIRATOR:	NONE NORMALLY REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR WHERE CONDITIONS MAY CAUSE EXPOSURE LIMITS TO BE EXCEEDED FROM MISTS OF PRODUCT OR SOLUTION.
EYE PROTECTION:	GLASSES, GOGGLES, OR FACE SHIELD WHERE CONDITIONS MAY CAUSE EXCESSIVE EYE EXPOSURE.
PROTECTIVE CLOTHING:	CHEMICAL RESISTANT, IMPERMEABLE GLOVES AS NEEDED TO PREVENT EXCESSIVE CONTACT. FULL BODY COVERINGS AND SHOES AS NEEDED TO PREVENT EXCESSIVE CONTACT.
OTHER PROTECTIVE EQUIPMENT OR MEASURES:	EYE WASH STATIONS OR RUNNING WATER IN THE WORK AREA.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT:	147° F	VAPOR PRESSURE (MM HG@70°)	NE
SPECIFIC GRAVITY:	1.1	VAPOR DENSITY (AIR =1)	NE
PERCENT VOLATILE:	0	EVAPORATION RATE (ETHER=1)	NE
SOLUBILITY IN WATER:	COMPLETE	PH	7.6
APPEARANCE AND ODOR:	SEE SECTION 1	V.O.C.	NE

**SECTION 10 STABILITY AND REACTIVITY**

STABLE:	YES, HAZARDOUS POLYMERIZATION WILL NOT OCCUR
CONDITIONS TO AVOID:	CONTACT WITH INCOMPATIBLE MATERIAL (SEE BELOW)
INCOMPATIBLE MATERIALS:	NE AT THIS TIME

NE = NOT ESTABLISHED

NA = NOT APPLICABLE

**DISCLAIMER**

THE ABOVE INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE, CURRENT, ACCURATE AND COMPLETE BASED ON INFORMATION REASONABLY AVAILABLE TO US AS ON THE DATE OF PREPARATION OF THIS FORM. HOWEVER, IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SAFETY, TOXICITY AND SUITABILITY FOR HIS OR HER OWN USE OF THE PRODUCT DESCRIBED HEREIN. SINCE THE ACTUAL USE BY OTHERS IS BEYOND OUR CONTROL, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE BY US AS TO THE EFFECTS OF SUCH USE OR ON THE SAFETY OR TOXICITY OF THIS PRODUCT. NOR DO WE ASSUME ANY LIABILITY ARISING OUT OF THE USE BY OTHERS OF THE PRODUCT. NOR IS THE INFORMATION HEREIN TO BE CONSTRUED AS ABSOLUTELY COMPLETE, SINCE ADDITIONAL INFORMATION MAY BE NECESSARY OR DESIRABLE WHEN EXCEPTIONAL CONDITIONS OR CIRCUMSTANCES EXIST OR BECAUSE OF APPLICABLE LAWS OR REGULATIONS.

DISTRIBUTED BY  
 THE EASTHILL GROUP  
 DBA/ THE EASTWOOD COMPANY  
 263 SHOEMAKER ROAD  
 POTTSTOWN, PA 19464  
 USA & CANADA: 800-345-1178  
 OUTSIDE USA: 610-323-2200

PAGE 1 OF 3

EMERGENCY CONTACT:  
 CHEM-TREC 800-424-9300

**SECTION 1 MANUFACTURERS INFORMATION**

PRODUCT NAME:	MICRO-GLOSS
PRODUCT DESCRIPTION:	WHITE SLURRY, NO ODOR
CHEMICAL FAMILY:	SYNTHETIC ABRASIVE
REVISION DATE:	MAY 1, 2006

**SECTION 2 INGREDIENTS, COMPOSITION**

CHEMICAL NAME CAS REGISTRY NO.	% WT	ACGIH TLV	OSHA PEL	NOTES
				NO HAZARDOUS INGREDIENTS PER CURRENT OSHA REGULATIONS
SECTION 313 SUPPLIER NOTIFICATION: "1" IDENTIFIES CHEMICAL INGREDIENTS SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986. THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.				

**SECTION 3 HAZARDS IDENTIFICATION**

HEALTH ----- 0	INSTABILITY ----- 0
FIRE ----- 0	OTHER ----- X
(0 = INSIGNIFICANT; 1 = SLIGHT; 2 = MODERATE; 3 = HIGH; 4 = EXTREME)	
HAZARD SIGNAL ( SHORT TERM CONTACT OR INHALATION ONLY)	
THRESHOLD LIMIT VALUE:	N.E., BLENDED PRODUCT. SEE SECTION 2 FOR INFORMATION ON LISTED INGREDIENTS
PRIMARY ROUTES OF ENTRY:	EYE CONTACT
EFFECTS OF ACUTE OVEREXPOSURE:	
EYES:	IRRITATION
SKIN:	DRYING OF SKIN POSSIBLE WITH PROLONGED USE
INHALATION:	MISTS OF PRODUCT OR SOLUTION - POSSIBLE IRRITATION OF RESPIRATORY TRACT
SWALLOWING:	STOMACH UPSET POSSIBLE
EFFECTS OF CHRONIC OVEREXPOSURE:	UNKNOWN; NONE EXPECTED BEYOND ACUTE EFFECTS
CARCINOGENICITY:	THIS PRODUCT OR ITS INGREDIENTS HAVE NOT BEEN IDENTIFIED AS A CARCINOGEN OR PROBABLE CARCINOGEN BY NTP, IARC MONOGRAPH, OR OSHA
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	NONE KNOWN OR EXPECTED

**SECTION 4 FIRST AID MEASURES**

EYES:	IMMEDIATELY FLUSH WITH COOL RUNNING WATER HOLDING EYE LIDS APART. REMOVE CONTACT LENSES IF PRESENT AND CONTINUE FLUSHING FOR 15 MINUTES. GET MEDICAL ASSISTANCE IF IRRITATION PERSISTS OR IS SEVERE.
SKIN:	FLUSH THOROUGHLY WITH RUNNING WATER. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. IF IRRITATION DEVELOPS AND PERSISTS, GET MEDICAL ADVICE OR ASSISTANCE.
INHALED:	REMOVE TO FRESH AIR. IMMEDIATELY CALL FOR MEDICAL ADVICE OR ASSISTANCE IF BREATHING DIFFICULTY OR IRRITATION IS SEVERE OR CONTINUES.
SWALLOWED:	RINSE MOUTH WITH LARGE AMOUNTS OF WATER. DRINK WATER, MILK OR OTHER FLUIDS TO DILUTE. DO NOT INDUCE VOMITING. CALL FOR MEDICAL ADVICE OR ASSISTANCE IF DIFFICULTIES AND DISCOMFORT DEVELOP AND CONTINUE.

**SECTION 5 FIRE FIGHTING MEASURES**

FLASH POINT:	NONE	FLAMMABLE LIMITS LEL-UEL	NA
EXTINGUISHING MEDIA:	AS NEEDED FOR SURROUNDING FIRE		
SPECIAL FIRE FIGHTING PROCEDURES:	FOR ANY CHEMICAL FIRE WEAR SELF CONTAINED BREATHING APPARATUS, AND PROTECTIVE CLOTHING TO PREVENT CONTACT		
UNUSUAL FIRE AND EXPLOSION HAZARDS:	NONE		
HAZARDOUS COMBUSTION PRODUCTS:	CARBON MONOXIDE, CARBON DIOXIDE		

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

SMALL SPILLS:	FLUSH TO DRAIN WITH EXCESS WATER
LARGE SPILLS:	STOP SOURCE OF DISCHARGE IF SAFE TO DO SO, CONTAIN SPILLED MATERIAL, AND KEEP FROM DISCHARGING TO SURFACE WATERS, RECOVER TO DRUM FOR LATER USE, TREATMENT OR DISPOSAL. FLUSH RESIDUAL TO DRAIN. NOTIFY LOCAL, STATE OR NATIONAL AUTHORITIES IF REQUIRED
DISPOSAL:	NORMALLY SEWER DISPOSABLE IN DILUTE SOLUTIONS. CHECK WITH LOCAL AUTHORITIES ABOUT ANY POSSIBLE RESTRICTIONS

**SECTION 7 HANDLING AND STORAGE**

HANDLING:	RINSE AFTER USE. AVOID BREATHING MISTS OF PRODUCT OR SOLUTION. PREVENT CONTACT WITH INCOMPATIBLE MATERIALS; SEE SECTION 10
STORAGE:	KEEP CONTAINERS TIGHTLY CLOSED. KEEP FROM FREEZING; MAY RUPTURE CONTAINER OR DEGRADE PRODUCT.

**SECTION 8 EXPOSURE CONTROLS, PERSONAL PROTECTION**

VENTILATION:	NORMALLY NOT NECESSARY, IF MISTS ARE GENERATED HAVE GENERAL OR LOCAL VENTILATION TO AVOID AVOID BREATHING IRRITATING MISTS.
RESPIRATOR:	NONE NORMALLY REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR WHERE CONDITIONS MAY CAUSE EXPOSURE LIMITS TO BE EXCEEDED FROM MISTS OF PRODUCT OR SOLUTION.
EYE PROTECTION:	GLASSES, GOGGLES, OR FACE SHIELD WHERE CONDITIONS MAY CAUSE EXCESSIVE EYE EXPOSURE.
PROTECTIVE CLOTHING:	CHEMICAL RESISTANT, IMPERMEABLE GLOVES AS NEEDED TO PREVENT EXCESSIVE CONTACT. FULL BODY COVERING AND SHOES AS NEEDED TO PREVENT EXCESSIVE CONTACT.
OTHER PROTECTIVE EQUIPMENT OR MEASURES:	EYE WASH STATIONS OR RUNNING WATER IN THE WORK AREA.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT:	212 ± 10° F	VAPOR PRESSURE (MM HG@70°)	NE
SPECIFIC GRAVITY:	1.0 ± 0.1	VAPOR DENSITY (AIR=1)	NE
PERCENT VOLATILE:	>80	EVAPORATE RATE (ETHER=1) LIKE WATER n-BUTYL ACETATE = 1	
SOLUBILITY IN WATER:	COMPLETE	PH	7±1
APPEARANCE AND ODOR:	SEE SECTION 1	V.O.C.	NIL

**SECTION 10 STABILITY AND REACTIVITY**

STABLE:	YES. HAZARDOUS POLYMERIZATION WILL NOT OCCUR
CONDITIONS TO AVOID:	CONTACT WITH INCOMPATIBLE MATERIALS (SEE BELOW)
INCOMPATIBLE MATERIALS:	STRONG OXIDIZING AGENTS

NE = NOT ESTABLISHED

NA = NOT APPLICABLE

**DISCLAIMER**

THE ABOVE INFORMATION IS, TO THE BEST OF OUR KNOWLEDGE, CURRENT, ACCURATE AND COMPLETE BASED ON INFORMATION REASONABLE AVAILABLE TO US AS ON THE DATE OF PREPARATION OF THIS FORM. HOWEVER, IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SAFETY, TOXICITY AND SUITABILITY FOR HIS OR HER OWN USE OF THE PRODUCT DESCRIBED HEREIN. SINCE THE ACTUAL USE BY OTHERS IS BEYOND OUR CONTROL, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE BY US AS TO THE EFFECTS OF SUCH USE OR ON THE SAFETY OR TOXICITY OF THIS PRODUCT. NOR DO WE ASSUME ANY LIABILITY ARISING OUT OF THE USE BY OTHERS OF THE PRODUCT. NOR IS THE INFORMATION HEREIN TO BE CONSTRUED AS ABSOLUTELY COMPLETE, SINCE ADDITIONAL INFORMATION MAY BE NECESSARY OR DESIRABLE WHEN EXCEPTIONAL CONDITIONS OR CIRCUMSTANCES EXIST OR BECAUSE OF APPLICABLE LAWS OR REGULATIONS.