MATERIAL SAFETY DATA SHEET

1. Distributed By: The Easthill Group dba/ The Eastwood Company 263 Shoemaker Road, Pottstown, PA 19464 Address: Telephone No.: USA & Canada: 800-345-1178; Outside USA: 610-323-2200 Emergency Contact: Chem-Trec 800-424-9300 Visible inspection penetrant. Product Use: 1 gallon and 5 gallon pails, 20 gallon drums, 55 gallon drums, Totes, aerosols, pens Packages: NFPA Rating: Health 1, Flammability 1, (Aerosol Flammability 4), Reactivity 0 PIN (Canada): None July 14, 2008 Revision date:

2. HAZARDOUS INGREDIENTS

<u>Ingredient</u>	<u>Wt./Wt.%</u>	<u>CAS #</u>	<u>TLV</u>	<u>PEL</u>	<u>LD₅₀</u>	<u>LC₅₀</u>
		8042-47-5 or				
White mineral oil (petroleum)	60-80	64742-47-8	5 mg/m ³	5 mg/m ³	not avail.	not avail.
Phthalic Esters	5-25	71888-89-6	5mg/m ³	not avail.	not avail.	not avail.
Liquefied petroleum gasses						
(propellant, aerosol only)*	30	68476-86-8	not avail.	1000 ppm	not avail.	not avail.
*Aerosol Package Only						

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Bland, oily liquid which may irritate the skin and eyes. Bulk material is difficult to ignite, but will burn vigorously if engulfed in fire. Aerosol is extremely flammable.

POTENTIAL HEALTH EFFECTS, AND SIGNS AND SYMPTOMS OF EXPOSURE:

Skin contact:	Can irritate by removing natural skin oils on long or repeated exposures.
Eyes:	May irritate.
Inhalation:	Not significant at room temperatures. When heated or sprayed, vapors may cause dizziness and nausea.
Ingestion:	Not significant in small (mouthful) amounts.
Medical conditions known	to be aggravated by exposure to product: None

4. FIRST AID

Skin Contact:	Wash off with soap and water. Use soothing lotion.
Eyes:	Rinse carefully under upper and lower eyelids using plenty of water.
Inhalation:	Remove to fresh air if dizzy or nauseated.
Ingestion:	Do not induce vomiting. Accidental ingestion of a small mouthful is not expected to cause significant harm.
NOTE: In all severe cases	s, contact physician immediately. Local telephone operators can furnish number of regional poison control center.

5. FIRE HAZARD

Conditions of flammability:	Aerosol: Spraying near an ignition source will ignite spray mist.
	Bulk: None unless heated over 200°F (93°C) near ignition source.
Flash point (Bulk):	Min. 200°F (93°C) (Pensky-Martens closed cup)
Flammable limits in air:	1% to 6%
Extinguishing media:	Carbon dioxide, foam
Special fire fighting procedures:	Keep containers cool with water spray. Do not spray water directly on burning SKL-SP1. It may float and spread the fire.
Hazardous combustion products:	Smoke, soot, oxides of carbon and nitrogen.
Unusual fire hazards:	Aerosol cans may burst at temperatures over $130^{\circ}F$ (54 $^{\circ}C$) and spray contents into a fire.

6. ACCIDENTAL RELEASE MEASURES

Mop up or sweep up with absorbent. (For disposal, see Section 13.)

7. HANDLING AND STORAGE

Store away from heat source. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing spray mist. Do not spray around arcs or flames.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

 Controls:
 None, unless sprayed. Use where ventilation will carry spray mist away from occupied areas.

 Personal protection:
 Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Respirator with filter if sprayed in enclosed unventilated space.

9. PHYSICAL PROPERTIES

	Initial boiling point (bulk)	Min. 455°F (230°C) (ASTM D-86)
	Vapor pressure: Aerosol:	60 psi @ 75°F (24°C)Bulk: <0.10 mm @ 70°F (21°C)
Percent volatile:	None (30% in aerosol)	Vapor density: Heavier than air
Density/sp. gravity:	0.89	Evaporation rate: Negligible
Water solubility:	0	Appearance: Dark red oily liquid
pH:	Neutral	Odor: Mild oily odor

10. STABILITY AND REACTIVITY

Stability: Stable Incompatibility: None Hazardous decomposition products: Reactivity: None

Soot, oxides of carbon and nitrogen when burning

11. **TOXICOLOGICAL INFORMATION**

Contains no known or suspected carcinogens listed with OSHA, IARC, NTP, or ACGIH. Carcinogenicity: Threshold limited value: 5 mg/m³ for oily mist. WHMIS information (Canada):

No human information is available for teratogenicity, reproductive toxicity, and mutagenicity. No reports of toxicological synerism were located. The ingredients have not been found to show skin sensitization.

12. **ECOLOGICAL INFORMATION**

No data is available on SKL-SP1. It floats on water and can be skimmed off. Its low vapor pressure may exempt it from VOC restrictions. The hydrocarbon propellant is not an ozone depleter.

DISPOSAL 13.

As a non-hazardous oil waste, incinerate or send to waste handler who can blend it into secondary fuels. Empty aerosol cans before disposal.

14. TRANSPORTATION

U.S. DOT: 49 CFR 172.101 Hazardous Materials Table

U.S. DOT: 49 CFR 172.101 Hazardous Materials Table			
	<u>1 gal, 5 gal</u>	20 gal, 55 gal. & Totes	
Aerosol			
Proper shipping name:	None, not restricted	None, not restricted	
Consumer commodity			
Hazard class or division:	None	None	
ORM-D	Maxa	Nexe	
Identification No.: None	None	None	
Packing Group:	None	None	
None	NONE	None	
IATA: List of Dangerous Goods	<u>1 gal, 5 gal</u>	Bulk	
Aerosol			
Proper shipping name:	None, not restricted	None, not restricted	
Aerosols, flammable			
Hazard class or division:	None	None	
2.1 Identification No.:	None	None	
UN1950	NOTE	None	
Packing Group:	None	None	
-	None	None	
IMDG: General Index	<u>1 gal, 5 gal</u>	<u>Bulk</u>	
Aerosol			
Proper shipping name:	None, not restricted	None, not restricted	
AEROSOLS			
Hazard class or division:	None	None	
2.1 Identification No.:	None	None	
UN1950	NULLE	NONE	
Packing Group:	None	None	

15.

 REGULATORY INFORMATION

 TSCA:
 All ing

 CERCLA:
 All ing
 All ingredients are listed in TSCA inventory Not reportable. SARA TITLE III, Section 313: No reportable ingredients.

 WHMIS Class (Canada):
 Bulk: D-2A
 Aerosol: A, B-5, D-2A

 Note:
 This MSDS has been prepared to meet WHMIS (Canada) requirements with the exception of using 16

 headings.

16. OTHER INFORMATION

Revision Statement:	Section: 2
Supersedes:	MSDS dated May 1, 2006
Prepared by:	Tamie Simmons, Research Manager