

544 46059
8340A-46059

MATERIAL SAFETY DATA SHEET

Section I - Product Identification

Product Name: Oil Dye 1tm

Product Part Number: SL-106 (See applicable product price list)

Manufactured For:

BAYCO Products, Inc.
10425 Plano Road Suite 400
Dallas, TX 75238

Telephone:

(214) 342-0288

Emergency Telephone:

(800) 233-2155

Hazardous Material Description: Combustible Liquid, NOS

Hazard Classification: NA 1993. Hazardous Shipping Class.: None

Chemical Family: Petroleum Distillates Formula: Proprietary Mixture

Section II - Ingredients

CAS Reg. No.'s:	% Wt.:	Chemical Name(s):	Listed Carcinogen:
68411-75-5	35	Fluorescent Dye	None
64742-52-5	65	Aliphatic Oil	None

Section III - Physical Data

Boiling Pt.: 300 - 600°F Specific Gravity (H₂O = 1): .80 - .85

Vapor Pressure (mm Hg): N/A Melting Point: N/A Vapor Density: N/A

Evaporation Rate: N/A Solubility in Water: Non-Soluble

Appearance - Odor: Dark brown liquid, slight oil odor

Section IV - Fire & Explosion Hazard Data

Flash Point (Method): 260 - 265°F Flammable Limits: Not Determined

Extinguishing Media: Foam, carbon dioxide, dry chemical

Special Fire Fighting Procedures:

Wear NIOSH-MSHA approved self-contained breathing apparatus

Unusual Fire & Explosion Hazards: None

Section V - Reactivity Data

Stability - Stable: Yes Conditions to avoid: Heat/exposure to open flames

Incompatible Materials to Avoid: Oxidizing and reducing agents

Hazardous Decomposition Products: Carbon monoxide and carbon dioxide, oxides of nitrogen.
Acrid smoke and fumes.

Hazardous Polymerization: Will not occur

Section VI - Health Hazard Data

Route(s) of Entry - Inhalation: Yes Skin: Yes Ingestion: Yes

Health Hazards (Acute or Chronic): None known

Carcinogenicity - NTP: N/A IARC: N/A OSHA Reg.: N/A

1762

545

Signs & Symptoms of Exposure:

Inhalation - Possible irritation to mucous membranes and respiratory tract over prolonged period of exposure in enclosed area.

Skin - Potential irritation with repeated or prolonged contact.

Accidental Ingestion - May experience nausea, gastrointestinal distress, vomiting, and abdominal pain.

Eye Contact - Mild to severe irritation.

Medical Conditions Aggravated by Exposure: None Known

Emergency & First Aid Procedures:

Inhalation - Move to fresh air..

Skin - Wash with mild soap and water.

Ingestion-Do not induce vomiting. Get medical attention immediately.

Eyes - Flush with copious amounts of fresh water for 10-15 minutes. Get medical attention if redness or irritation persists.

Section VII - Precautions for Handling and Storage

Procedure for Material Release/Spillage: Stop discharge and contain spill. Recover with explosion-proof pump, commercial sorbents, vermiculite or other inert material.

Waste Disposal Method: Place in approved containers for petroleum distillates, dispose of in accordance with local, state and federal regulations.

Precautions for Handling and Storage: Store above 40°F in dry area

Section VIII - Special Control Measures

Respiratory Protection Required: Not typically required

Ventilation: To prevent routine inhalation, use in well ventilated area.

Protective Gloves: Cotton gloves recommended for cleanliness.

Eye Protection: Safety goggles to prevent accidental splashing in eyes.

Protective Clothing: Coveralls recommended for cleanliness.

Hygienic Practices: Recommend that employees wash thoroughly after handling product.

Always wash before eating, smoking or using toilet facilities. Clean skin and clothing as soon as possible after contact.

Other: The information presented herein is believed to be accurate based on raw material information available, and normal use of the product. However, because BAYCO Products cannot control the handling, storage and use of the product, NO warranty fitness or merchantability of any kind, either expressed or implied, is made regarding this product; and BAYCO Products Inc. assumes no liability or responsibility with respect to personal injury or property damage resulting from the improper use, handling, or results obtained from using this product.

46051B
8340B
546 ✓

MATERIAL SAFETY DATA SHEET

Section I - Product Identification

Product Name: Radiator Dye 2tm

Product Part Number: SL-107 (See applicable product price list.)

Manufactured For:

BAYCO Products, Inc.
10425 Plano Road Suite 400
Dallas, TX 75238

Telephone:

(214) 342-0288

Emergency Telephone:

(800) 233-2155

Hazardous Material Description: None

Hazard Classification: None

Hazardous Shipping Class.: None

Chemical Family: Water Soluble Dyes

Formula: Proprietary Mixture

Section II - Ingredients

CAS Reg. No.'s:	% Wt.:	Chemical Name(s):	Listed Carcinogen:
518-47-8	35	Fluorescent Dye	None

Section III - Physical Data

Boiling Pt.: 212°

Specific Gravity (H₂O = 1): 1.00 - 1.20

Vapor Pressure (mm Hg): N/A

Melting Point: N/A

Vapor Density: N/A

Evaporation Rate: N/A

Solubility in Water: Soluble

Appearance - Odor: Dark red liquid, slight oil odor

Section IV - Fire & Explosion Hazard Data

Flash Point (Method): None

Flammable Limits: None

Extinguishing Media: None, non-flammable

Special Fire Fighting Procedures: N/A

Unusual Fire & Explosion Hazards: None

Section V - Reactivity Data

Stability - Stable: Yes

Conditions to avoid: None

Incompatible Materials to Avoid: Oxidizing and reducing agents

Hazardous Decomposition Products: None

Hazardous Polymerization: Will not occur

Section VI - Health Hazard Data

Route(s) of Entry - Inhalation: No

Skin: Yes

Ingestion: Yes

Health Hazards (Acute or Chronic): None known

Carcinogenicity - NTP: N/A

IARC: N/A

OSHA Req.: N/A

11/82

Signs & Symptoms of Exposure:

Skin - Potential irritation with repeated or prolonged contact.

Accidental Ingestion - May experience nausea, gastrointestinal distress, vomiting, and abdominal pain.

Eye Contact - Mild to severe irritation.

Medical Conditions Aggravated by Exposure: None Known

Emergency & First Aid Procedures:

Skin - Wash with mild soap and water.

Ingestion-Do not induce vomiting. Get medical attention immediately.

Eyes - Flush with copious amounts of fresh water for 10-15 minutes. Get medical attention if redness or irritation persists.

Section VII - Precautions for Handling and Storage

Procedure for Material Release/Spillage: Stop discharge and contain spill. Recover with commercial sorbents, vermiculite or other inert material.

Waste Disposal Method: Place in approved plastic storage container and dispose of in accordance with local, state and federal regulations.

Precautions for Handling and Storage: Store above 40°F in dry area

Section VIII - Special Control Measures

Respiratory Protection Required: Not required

Ventilation: Not required

Protective Gloves: Cotton gloves recommended for cleanliness.

Eye Protection: Safety goggles to prevent accidental splashing in eyes.

Protective Clothing: Coveralls recommended for cleanliness.

Hygienic Practices: Recommend that employees wash thoroughly after handling product.

Always wash before eating, smoking or using toilet facilities. Clean skin and clothing as soon as possible after contact.

Other: The information presented herein is believed to be accurate based on raw material information available, and normal use of the product. However, because BAYCO

Products cannot control the handling, storage and use of the product, NO warranty fitness or merchantability of any kind, either expressed or implied, is made regarding this product; and BAYCO Products, Inc. assumes no liability or responsibility with respect to personal injury or property damage resulting from the improper use, handling, or results obtained from using this product.

8340C-46057C

548

MATERIAL SAFETY DATA SHEET

FILE:DYE3MSDS

Section I - Product Identification

Product Name: Transmission Dye 3™

Product Part Number: SL - 108 (See applicable product price list)

Manufactured For:

Bayco Products Incorporated
10425 Plano Rd., Suite 400
Dallas, TX 75238-1355

Bayco Telephone
(800)233-2155
Emergency Telephone:
(800) 999-7583

Hazardous Material Description: Combustible Liquid, NOS

Hazard Classification: NA 1993

Hazardous Shipping Class.: None

Chemical Family: Petroleum Distillates

Formula: Proprietary Mixture

Section II - Hazardous Ingredients

CAS Reg. No.'s:	%Wt.:	Chemical Name (s):	Listed Carcinogen:
68411-75-5	<30	Fluorescent Dye	None
64742-52-5	70	Aliphatic Oil	None

Section III - Physical Data

Boiling Point: 300 - 600°F	Specific Gravity (H ₂ O = 1): .80 - .85
Vapor Pressure (mm Hg): N/A	Melting Point: N/A
Evaporation Rate: N/A	Vapor Density: N/A
Appearance - Odor: Dark reddish brown liquid, slight oil odor	Solubility in Water: Non-Soluble

Section IV - Fire & Explosion Hazard Data

Flash Point (Method): 260 - 265°F	Flammable Limits: Not Determined
Extinguishing Media: Foam, carbon dioxide, dry chemical	
Special Fire Fighting Procedures: Wear NIOSH-MSHA approved self-contained breathing apparatus.	
Unusual Fire & Explosion Hazards: None	

Section V - Reactivity Data

Stability - Stable: Yes	Conditions to avoid: Heat/exposure to open flames
Incompatible Materials to Avoid: Oxidizing and reducing agents	
Hazardous Decomposition Products: Carbon monoxide and carbon dioxide, oxides of nitrogen. Acrid smoke and fumes.	
Hazardous Polymerization: Will not occur	

Section VI - Health Hazard Data

Route(s) of Entry - Inhalation: Yes	Skin: Yes	Ingestion: Yes
Health Hazards (Acute or Chronic): None known		
Carcinogenicity - NTP: N/A	IARC: N/A	OSHA Reg.: N/A

46057C

549

Section VI - Health Hazard Data (Continued) Page 2 of 2

FILE:DYE3MSDS

Signs & Symptoms of Exposure:

- Inhalation - Possible irritation to mucous membranes and respiratory tract over prolonged period of exposure in enclosed area.
- Skin - Potential irritation with repeated or prolonged contact.
- Ingestion - May experience nausea, gastrointestinal distress, vomiting, and abdominal pain.
- Eye Contact - Mild to severe irritation.

Medical Conditions aggravated by Exposure: None known**Emergency & First Aid Procedures:**

- Inhalation - Move to fresh air.
- Skin - Wash with mild soap and water.
- Ingestion - Do not induce vomiting. Get medical attention immediately.
- Eyes - Flush with copious amounts of fresh water for 10-15 minutes. Get medical attention if redness or irritation persists.

Section VIII - Precautions for Handling and Storage

Procedure for Material Release/Spillage: Stop discharge and contain spill. Recover with explosion-proof pump, commercial sorbents, vermiculite or other inert material.

Waste Disposal Method: Place in approved containers for petroleum distillates, dispose of in accordance with local, state and federal regulations.

Precautions for Handling and Storage: Store above 40°F in dry area

Section VIII - Special Control Measures

Respiratory Protection Required: Not typically required

Ventilation: To prevent routine inhalation, use in well ventilated area.

Protective Gloves: Cotton gloves recommended for cleanliness.

Eye Protection: Safety goggles to prevent accidental splashing in eyes.

Protective Clothing: Coveralls recommended for cleanliness.

Hygienic Practices: Recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Clean skin and clothing as soon as possible after contact.

Other: The information presented herein is believed to be accurate based on raw material information available, and normal use of the product. However, because Bayco Products Incorporated cannot control the handling, storage and use of the product, NO Warranty fitness or merchantability of any kind, either expressed or implied, is made regarding this product; and Bayco Products assumes no liability or responsibility with respect to personal injury or property damage resulting from the improper use, handling, or results obtained from using this product.

Date Prepared 11-17-94Prepared By Lance Hester

8340D - 46057 D

46057D
8340D
✓
550

MATERIAL SAFETY DATA SHEET

Section I - Product Identification

Product Name: Auto Body Dye

Product Part Number: SL-112 (See applicable product price list)

Manufactured For:

Telephone:

BAYCO Products, Inc.
10425 Plano Road Suite 400
Dallas, TX 75238

(214) 342-0288

Emergency Telephone:

(800) 233-2155

Hazardous Material Description: None

Hazard Classification: None

Hazardous Shipping Class.: None

Chemical Family: Polymeric Colorant

Formula: Proprietary Mixture

Section II - Hazardous Ingredients

CAS Reg. No.'s:

% Wt.:

Chemical Name(s):

Listed Carcinogen:

None

None

Section III - Physical Data

Boiling Pt.: 400°F

Specific Gravity (H₂O = 1): 1.07

Vapor Pressure (mm Hg): 760

% Volatile by Wt @ 100°C: 62

Vapor Density: N/A

Evaporation Rate: 1

Solubility in Water: Complete

Appearance - Odor: Dark red liquid, slight odor

Section IV - Fire & Explosion Hazard Data

Flash Point (Method): COC 500°F COC 260°C

Extinguishing Media: Use water, carbon dioxide, foam or dry powder

Special Fire Fighting Procedures: N/A

Unusual Fire & Explosion Hazards: None

Section V - Reactivity Data

Stability - Stable: Yes

Conditions to avoid: None

Incompatible Materials to Avoid: None

Hazardous Decomposition Products: May produce fumes, smoke, oxides of carbon and/or hydrocarbons

Hazardous Polymerization: Will not occur

Section VI - Health Hazard Data

Route(s) of Entry - Inhalation: No

Skin: Yes

Ingestion: Yes, not probable

Health Hazards (Acute or Chronic): None known

Carcinogenicity - NTP: No

IARC: No

OSHA Reg.: No

HMI Code Ratings - Health = 0 Flammability = 0 Reactivity = 0

460572
551

Signs & Symptoms of Exposure:

Skin - Potential irritation with repeated or prolonged contact.

Ingestion - May experience nausea, gastrointestinal distress, vomiting, and abdominal pain.

Eye Contact - Mild to severe irritation.

Medical Conditions Aggravated by Exposure: None known, in all cases of prolonged irritation, consult physician

Emergency & First Aid Procedures:

Skin - Wash with mild soap and water.

Ingestion-Do not induce vomiting. Give two glasses of water and contact a physician.

Eyes - Flush with copious amounts of fresh water for 10-15 minutes. Get medical attention if redness or irritation persists.

Section VII - Precautions for Handling and Storage

Procedure for Material Release/Spillage: Stop discharge and contain spill. Recover with commercial sorbents, vermiculite or other inert material.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations covering water soluble dye pigments.

Precautions for Handling and Storage: Store above 40°F in clean, dry area

Section VIII - Special Control Measures

Respiratory Protection Required: Not required

Ventilation: Not required

Protective Gloves: Neoprene rubber gloves recommended for cleanliness.

Eye Protection: Safety goggles to prevent accidental splashing in eyes.

Protective Clothing: Coveralls recommended for cleanliness.

Hygienic Practices: Recommend that employees wash thoroughly after handling product.

Always wash before eating, smoking or using toilet facilities. Clean skin and clothing as soon as possible after contact.

Other: The information presented herein is believed to be accurate based on raw material information available, and normal use of the product. However, because BAYCO Products cannot control the handling, storage and use of the product, NO warranty fitness or merchantability of any kind, either expressed or implied, is made regarding this product; and BAYCO Products, Inc. assumes no liability or responsibility with respect to personal injury or property damage resulting from the improper use, handling, or results obtained from using this product.

