

MATERIAL SAFETY DATA SHEET

52045
3764/3766
52018/52045/565

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

IDENTITY <small>(As shown on label or package)</small> VINYL REPAIR COMPOUND (Colors & Clear)	PART NO. IF APPLICABLE 30-150 & 30-285
---	--

SECTION I

Manufacturer's Name Repair-It Industries, Inc. Address (Number, Street, City, State, and Zip Code) 440 W. Hopocan Avenue Barberton, OH 44203	Emergency Phone No. (216) 745-0060 Signature of Preparer: (Optional) Manufacturer's Phone No. for Information 1-800-772-0155 Date MSDS was prepared March 23, 1989
--	--

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION. All Health Hazards which comprise 1 % or greater of the composition and all carcinogens if 0.1% of the composition or greater

Hazardous Components <small>(Specific Chemical Identity and Common Name(s), if any.)</small>	CAS NO.	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	% (OPTIONAL)
Plasticizer					35-45 % by weight

CHEMICAL NAME: Polyvinyl Chloride

TRADE NAME: Plastisol

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity <small>(H₂O=1)</small>	1.22	Melting Point	N/A
Vapor Pressure <small>(mm Hg.)</small>	1.32mm 200°F	Vapor Density <small>(AIR=1)</small>	N/A	Evaporation Rate <small>(Butyl Acetate=1)</small>	Cured only by the application of heat
Solubility in Water	Ketone	% Volatile by Volume	N/A	Other <small>(If any)</small>	N/A
Appearance and Odor	Soft paste with slight odor				

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point <small>(Method Used)</small>	None	Flammable Limits	LEL N/A	UEL	N/A
Extinguishing Media	Regular foam or water fog.				
Special Fire Fighting Procedures	Regular foam or water fog				
Unusual Fire and Explosion Hazards	None				
Hazardous products formed by fire or thermal decomposition	Carbon Monoxide/Dioxide Hydrogen Chloride				
Explosive Limits <small>(% by volume in air)</small>	N/A				

SECTION V - OPTIONAL HAZARD RATINGS IDENTIFICATION

Hazardous Materials Identification System (HMIS) HEALTH _____ REACTIVITY _____ FLAMMABILITY _____ PERSONAL PROTECTION _____	National Fire Protection Association (NFPA) FIRE _____ REACTIVITY _____ HEALTH _____ SPECIAL HAZARDS _____
--	---

52045

560

13

SECTION VI - REACTIVITY and STABILITY DATA

STABILITY	Unstable		Conditions to avoid Excessive temperatures above 120°F for prolonged periods.
	Stable	XXX	

INCOMPATIBILITY (Materials to Avoid) N/A

HAZARDOUS DECOMPOSITION
or BY PRODUCTS N/A

HAZARDOUS POLYMERIZATION	May Occur		Conditions to avoid N/A
	Will not Occur	XXX	

SECTION VII - HEALTH HAZARD DATA

Routes of entry	Inhalation? No	Skin? No	Ingestion? Yes	Eyes? No
Health Hazards	Acute	Essentially non-hazardous/Possible slight skin irritation		
	Chronic			
Carcinogenicity: N/A	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A	

Signs and Symptoms of Exposure Possible slight skin irritation

Medical Conditions Generally Aggravated by Exposure None Known

Emergency and First Aid Procedures In cases where eye contact has been sustained, flush with water and get medical attention. If swallowed, induce vomiting and seek medical attention.

SECTION VIII - PRECAUTIONS FOR SAFE HANDLING and USE

Steps to be Taken In Case Material is Released or Spilled	Heat material then allow to cool - scrape solid away
Waste Disposal Method	Solidify and dispose in landfill
Precautions to be Taken in Handling & Storage	Withstands 122 degrees for between three to seven days. Store in temperatures less than 150 degrees Fahrenheit.
Other Precautions	None known

SECTION IX - CONTROL MEASURES

Respiratory Protection (Specify Type)	None	Protective Gloves	Not required
Ventilation	Local Exhaust	Special	N/A
	Mechanical (General)	Other	
Eye Protection	None required	Other Protective Clothing or Equipment	None
Work/Hygienic Practices	Clean hands and tools after using.		

SECTION X - TRANSPORTATION INFORMATION (optional)

D.O.T. Proper Shipping Name	D.O.T. Hazard Class
If a "Consumer Commodity ORM-D", What is the qualifying Chemical?	
D.O.T. I.D. NO. (UN or NA)	Hazard Label or Marking Required on Shipper Ctn.
IATA Proper Shipping Name	IATA Hazard Class
	IMO NO.

