Material Safety Data Sheet

According to ANSI Z400.1-2003

Date Printed: 04-26-2007

Section 1 - Product and Company Information

Product Name: Wax Blaster

DISTRIBUTED BY:

The Easthill Group dba/ The Eastwood Company 263 Shoemaker Road Pottstown, PA 19464

USA & Canada: 800-345-1178 Outside USA: 610-323-2200 **EMERGENCY CONTACT:** Chem-Trec 800-424-9300


Section 2 - Hazards Identification

Appearance:

Odor:

Hazards of Product:

HMIS Rating (Scale 0 - 4)



NFPA Ratings







Potential Health Effects

Eye Contact: Irritation, tearing, redness, and blurred vision

Skin Absorption:Can dry and defat skin causing cracks, irritation, and dermatitis.Inhalation:Dizziness, breathing difficulty, headaches, and loss of coordination.Ingestion:Can cause gastrointestinal irritation, vomiting, nausea, diarrhea

Section 3 - Composition/Information on Ingredients

Component	CAS #	Amount		
Water		90-100%		
Petroleum distillates (aliphatic)	64742-89-8	1-5%		
Isopropanol	67-63-0	1%		

Section 4 - First-Aid Measures

Medical Conditions Aggravated by Exposure: None known

Section 5 - Fire Fighting Measures

Extinguishing Media: Water spray, carbon dioxide, chemical foam

Fire Fighting Procedures: None are expected to be required. If this material is involved in a fire, NIOSH approved self contained breathing apparatus should be worn

Unusual Fire and Explosion Hazards: Material can splatter above 100 C. This is a water based product and no fire or explosion hazards are expected.

Section 6 - Accidental Release Measures

Steps to be Taken if Material is Released or Spilled: Confine as much as possible. Dike and absorb with inert material such as vermiculite. Transfer containers for disposal.

Personal Precautions:

Environmental Precautions:

Section 7 - Handling and Storage

General Handling:

Other Precautions:

Storage: Wear gloves, goggles, and protective clothing to prevent contact with product. Store material at temperatures between 49C/120F and 2C/36F. Do not store containers in direct sunlight.

Section 8 - Exposure Controls / Personal Protection

Component	Source Type		Value	Remarks	
Isopropanol	ACGIH	TLV	400 ppm	STEL	
Isopropanol	ACGIH	TLV	200 ppm	TWA	
Isopropanol	OSHA	PEL	400 ppm	TWA	
Petroleum distillates (aliphatic)	OSHA	PEL	400 ppm	STEL	
Petroleum distillates (aliphatic)	ACGIH	TLV	300 ppm	TWA	
Petroleum distillates (aliphatic)	OSHA	PEL	300 ppm	TWA	

Personal Protection

Eye/Face Protection: Chemical splash goggles (ANSI Z 87-1 or approved equivalent.)

Skin Protection: Impervious rubber gloves.

Respiratory Protection: None required if adequate ventilation is provided.

Hygenic Measures: Eye wash stations and safety showers in the workplace are recommended. Wash hands before eating,

smoking or using the washroom.

Other Protection Measures: Wear protective clothing to prevent contact with product.

Engineering Controls: Adequate to keep exposure limits below those listed in SECTION II

Section 9 - Physical and Chemical Properties

Appearance: Transluscent pourable liquid

Flash Point: None determined
Upper Flammable Limit: None determined
Lower Flammable Limit: None determined

Boiling Point: < 100 C

Vapor Density: Lighter than air

Specific Gravity: > 1
Solubility in Water: Soluble

Section 10 - Stability and Reactivity

Stability/Instability: Stable

Conditions To Avoid: Excessive heat and freezing temperatures **Incompatible Materials:** None known to cause dangerous conditions

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, and unidentified organic compounds.

Section 11 - Toxicological Information

Acute Toxicity Ingestion

1%

Skin Absorption

1%

Inhalation

1%

Section 12 - Ecological Information

CHEMICAL FATE

Section 13 - Disposal Considerations

Disposal Method:

Dispose waste in accordance with all Federal, State, and Local ordinances.

Container Disposal: Disposal must be made according to official regulations.

Section 14 - Transport Information

DOT

Section 15 - Regulatory Information

Superfund Amendments and Reathorization Act of 1986 (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

The following table list hazardous components and the regulatory lists for which they are required to be reported.

Component CAS # Amount	Know to California to cause cancer	Pennsylvania Hazardous Substance List	Massachusetts Hazardous Listed	Rhode Island Listed	EPA Cancerogenity CERCLA	IARC Cancerogenity	NTP Cancerogenity	TLV Canerogenity	NIOSH Cancerogenity	OSHA Cancerogenity	
----------------------------	------------------------------------	--	-----------------------------------	---------------------	--------------------------	--------------------	-------------------	------------------	---------------------	--------------------	--

Section 16 - Other Information

Legend

ACGIH American Conference of Governmental Hygenists

CFR Code of Federal Regulations

DFG Deutsche Forschungsgemeinschaft

HMIS Hazardous Materials Identification System

IARC International Agency for Research on Cancer

MAK Maximum Allowable Concentration (German)

MSDS Material Safety Data Sheet

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

OEL Occupational Exposure Limit

RCRA Resource Conservation and Recovery Act

STEL Short Term Exposure Limit
TLV Threshold Limit Value
TWA Time Weighted Average

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.