

Material
Safety
Data
Sheet

MSDS # 305

Latest Revision: May 2008

Page 1 of 5



1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME

Anti Heat Compound

Section 1.2

Manufactured For:
 The Easthill Group
 dba/ The Eastwood Company
 263 Shoemaker Road
 Pottstown, PA 19464
 USA & Canada: 800-345-1178
 Outside USA: 610-323-2200

1.3 EMERGENCY TELEPHONE NUMBER: Chem-Trec: 800-424-9300

2. COMPOSITION / INFORMATION ON INGREDIENTS

Important: This section covers the materials of which the products are manufactured. The fumes and gases produced during normal use of this product are covered in Section V. The term "Hazardous" in "Hazardous Material" should be interpreted as a term required and defined in OSHA Hazard Communication Standard 29CFR 1910-1200 and it does not necessarily imply the existence of hazard. The chemicals or compounds reportable by Section 313 of SARA are marked by the symbol #.

INGREDIENTS	CAS#	% RANGE	OSHA PEL mg/m ³	ACGIH-TLV mg/m ³	CARCINOGENICITY	R-PHASE
Mica	1318-94-1	25-35		3	NO	
Cellulose	9004-34-6	5-15		10	NO	
Sodium Chloride	7647-14-5	1-11		N/A	NO	
Sodium Alginate	9005-38-3	0-11		N/A	NO	
Water	N/A	50-60		N/A	NO	
Blue Stain	57455-37-5	0-11		10	NO	

3. HAZARD IDENTIFICATION

Effects of acute exposure:

Route(s) of entry: Inhalation and skin contact.

Eye and Skin: when welding, arc rays can injure eyes and burn skin

**Material
Safety
Data
Sheet**

MSDS # 305

Latest Revision: May 2008

Page 2 of 5



Inhalation: Exposure to nickel containing dust and welding fumes, may cause irritation to upper respiratory tract. May cause respiratory sensitisation in susceptible individuals.

Reasonable expected decomposition products from normal use of these products include a complex of the oxides of the materials listed in Section 2, as well as carbon monoxide, carbon dioxide, ozone, and nitrogen oxides (refer to "Characterization of Arc Welding Fume" available from the American Welding Society). THE TLV FOR MANGANESE (0.02 mg/m³) WILL BE REACHED BEFORE THE GENERAL LIMIT FOR WELDING FUMES OF 5 mg/m³ IS REACHED. MONITOR FUMES FOR MAGANESE LEVELS. The only way to determine the true identity of the decomposition products is by sampling and analysis. The composition and quantity of the fumes and gases to which a worker may be overexposed can be determined from a sample obtained from inside the welder's helmet, if worn, or in the worker's breathing zone. See ANSI/AWS F1.1 "Method for Sampling Airborne Particles Generated by Welding and Allied Processes." Available from the American Welding Society.

Ingestion: Amounts ingested incidental to industrial handling are not likely to cause injury. Single dose oral toxicity is low.

Effects of chronic exposure: Refer to section 11 for specific toxicological information.

4. FIRST AID MEASURES

Inhalation : Remove victim to fresh air if effects occur.

Skin: Wash off with soap and plenty of water.

Eyes: Irrigate with water for several minutes.

Ingestion : Rinse mouth.

Note to physician: No particular advice.

5. FIRE FIGHTING MEASURES

Means of extinction: No danger requiring special measures.

Special protective equipment when fighting fire: none.


6. ACCIDENTAL RELEASE MEASURES

Individual precautions : Avoid dust formation/ breathing dust.

Environment protection precautions : No particular indications.

Material
Safety
Data
Sheet

MSDS # 305
Latest Revision: May 2008
Page 5 of 5



12. ECOLOGICAL INFORMATION

About product: data are unknown
About ingredients: data are unknown.

13. DISPOSAL CONSIDERATIONS

Product: For product elimination, consult recycling companies or appropriate local authority.
Package: May be disposed in approved landfills provided local regulations are observed.

14. TRANSPORT INFORMATION

INTERNATIONAL REGULATIONS:

Land shipment: no hazard
- Rail / route (RID/ADR):

Sea shipment: no hazard

Shipment by air: no hazard

15. REGULATORY INFORMATION

Label CEE: not necessary
Danger symbols and indications: Xn
R-Phrases: R40:
R43:
S-Phrases: S22:
S36:

16. OTHER INFORMATION

The information in this document is believed to be correct as of the date issued. However, no warranty is expressed to be implied regarding the accuracy or completeness of this information. This information and product are furnished on the condition that the person receiving them shall make his own determinations as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.
This Material Safety Data Sheet complies with the EC directives 91/155/EEC and 93/112/EEC including modifications 2001/58/EC.
Complies with OSHA Communication Standard 29 CFR 1910.1200 and Superfund Amendments and Reauthorization Act (SARA) of 1986 Public Law 99-499
End of the document.